Original Research Article

Technical feasibility study of the to the use of softwoods in lattice structure "Howe" type for roofing (gaps between 8-18 meters)

Abstract: Wood is a material of biological origin widely used in construction, and its mechanical properties allow the material to form the lattice structure of roofs used in warehouses of industrial use, however the paradigm as to the behaviour of the material makes the design decision less susceptible. The choice of wood. In this context, it was proposed the elaboration of projects of roofing structures with the following characteristics: "Howe" latticework (inclination of 10° - steel roof tile); Spans of 8, 10, 12, 14, 16 and 18 meters (ratio width: length, in plan, environment of 1: 3); Typology of the lateral openings of the building - (relationships between main opening area: other openings) 1:1, 2:1, 6:1 and insulated coverings (coverage on a medium of reduced dimensions). Thus, the ratio of the volume of wood per floor area (m³.m-²) for C20 and C30 grade timber was determined, as well as the consumption of metallic pins per floor area, following the requirements of Brazilian standards. Proving the technical feasibility.

Keywords: Wood; roofing structures; Howe truss.

1. Introduction

Wood is one of the most widespread materials in construction and one of the main materials used, mainly due to the ease and adaptability of its use [1]. This material can be used both in temporary constructions, shapes and anchors, as well as in permanent constructions, such as side closures or trellis structures for roofs [2 and 3].

Because it is a plant material, its cellular structure is susceptible to attacks by spoilage pests such as fungi and termites. It is certain that untreated wood structures over time may present pathologies due to biological and physic-chemical factors. However, pathologies can be avoided with the use of preservative treatments, being the most common in Brazil those with saline solutions, as pointed out by Bertolini et al. [4].

Although there is a notable prejudice in Brazilian society in relation to material, wood, as a renewable natural resource, does not emit harmful chemical pollutants in its production, it has advantages over other materials, mainly due to the socio-environmental appeal [5].

In this way, this work intends to verify the feasibility and optimize the use of unconventional wood in triangular roof truss structures in regions of flat topography, with a characteristic wind speed of 30 m/s.

2. Material and Methods

The design methodology was fully based on the recommendations of ABNT NBR 7190 [6]. For the elements dimensioning, it was necessary to define the geometric and structural parameters that directly influence the actions and loads, as well as the behavior of the structural elements.

Geometric Parameters

The projects have the following characteristics:

a. Geometric relation in plan around 1:3, obtaining the following relations:

- Model $1 8 \times 27.50$ m (five spans of 5.50 meters tracks "A" through "E");
- Model $2 10 \times 33 \text{ m}$ (six spans of 5.50 meters tracks from "A" to "F");
- Model $3 12 \times 38.50$ m (seven spans of 5.50 meters tracks from "A" to "G");
- Model 4 14 x 44 m (eight spans of 5.50 meters tracks from "A" to "H"); (Figure 1)
- Model $5 16 \times 49.50$ m (nine spans of 5.50 meters ranges from "A" to "I"); and
- Model $6 18 \times 55 \text{ m}$ (ten spans of 5.50 meters tracks from "A" to "J").




Figure 1 – Representative scheme of the Model 4

- Height (ceiling height) preset to 5 meters;
- Opening ratios: 1:1, 2:1, 6:1 and isolated cover (open)

Structural Design

The structural elements characteristics of the project are:




Figure 2 - Representative scheme of the Model 4

- Trellis: hyperstatic, "Howe" type, with a 10° slope, considering the bars continuity of the flange (top/bottom), while the internal bars (diagonals/uprights), hinged at their ends. In the flange bars, spans of 8, 10, 12, 14, 16 and 18 meters.
- Rectangular Purlin: isostatic beam in "x", supported on the trusses knots; hyperstatic beam in "y", with end supports on truss knots. The internal support, given through chain lines (metal rods), are located in the middle of the span; and
- Bracing System: layout of the top flange consists of the purlin and steel cables with stretchers arranged in an "X" shape; the bottom flange plane consists of "T" beams (top table - 2.5 x 15 cm; core - 2.5 x 15 cm) locked transversely at the midpoint (5 x 6 cm piece), fixed at the ends of the lower flange nodes and positioned in the following form:
- Model 1 tracks "A", "C", "E"; Model 2 tracks "A", "C", "D", "F";
- Model 3 tracks "A", "C", "E", "G";

- Model 4 tracks "A", "D", "E", "H"; Model 5 tracks "A", "C", "E", "G", "I"; Model 6 tracks "A", "C", "E", "F", "H", "J" (Figure 3).




Figure 3 - Bracing scheme for the span of 18 meters (Model 6)

Actions and Loads in Structure

The actions in the structures are permanent and variable. The permanent ones are structural and not structural, including the proper weight of trusses, purlin and tiles (0.05 kN/m²). Variable actions are due to wind loads. For the permanent actions (structural and non-structural) calculation, the standards ABNT NBR 7190 [6] and ABNT NBR 6120 [7] were used.

The classes of truss and bracing resistances are C20 for all projects, and C30 for purlin. These characteristics were determined based on the availability of the alternative woods in the region.

For the variable actions calculation due to wind, the prescriptions and recommendations contained in ABNT NBR 6123 [8] were adopted, considering that the study building is located in the regions of basic velocity (Vo) equal to 30 m/s.

Combinations of actions (loading) were performed based on the recommendations of ABNT NBR 8681 [9] and ABNT NBR 7190 [6], both for State Limit Ultimate and State Limit of Service. Ftool support software was used to calculate internal efforts.

Sizing and Verification

In the dimensioning and stability analysis of the structural elements of the bracing system and the truss (flange, uprights and diagonals), the tensile and compression situations parallel to the fibers are considered (short piece, medium slender and slender) and, for purlin, which is an element subject to oblique flexion, the situation of simple oblique flexion was considered. Regarding the connections, consideration was given to the pin bending and the wood inlay. In these procedures, the Ultimate Limit State was adopted, considering the requirements of ABNT NBR 7190 [6] and ABNT NBR 8681 [9].

For the study of displacements, the State Service Limit, which considers the weight of the structure, is used for long-term combinations, according to ABNT NBR 7190 [6] and ABNT NBR 8681 [9].

Materials Quantification

Finally, the total wood consumption was determined for all the cases under study, being represented by the relation m^3_{wood}/m^2_{area} , as well as the relation of pin number per square meter of area.

3. Results and Discussion

Wood Volume

After scaling and calculation the results of each structure were added and separated into purlin, trusses and bracing system. With this data the following charts and tables were generated:

Table 1 - Volume (m3) - open

1445.6 1 15.411.15 (111) 56.51				
Span	Trusses	Purlin	Bracing	Total
(m)	(m³)	(m³)	(m³)	(m³)
8	0.99	1.54	0.37	2.90
10	1.52	1.98	0.37	3.87
12	2.95	3.31	0.82	7.08
14	4.29	4.88	1.15	10.33
16	6.68	6.48	1.48	14.65
18	10.43	6.98	1.48	18.90

Table 2 - Volume (m3) - 6:1

Span (m)	Trusses (m³)	Purlin (m³)	Bracing (m³)	Total (m³)
8	1.03	1.45	0.37	2.80
10	1.54	1.89	0.37	3.81
12	2.70	2.79	0.82	6.32
14	4.03	3.82	1.15	9.02
16	5.02	5.23	1.48	11.75
18	8.07	5.92	1.48	15.48

Table 3 - Volume (m³) - 2:1

Span (m)	Trusses (m³)	Purlin (m³)	Bracing (m³)	Total (m³)
8	0.90	1.45	0.37	2.73
10	1.42	1.76	0.37	3.55
12	2.19	2.64	0.82	5.65
14	3.56	3.70	1.15	8.40
16	4.23	4.97	1.48	10.69
18	6.26	5.74	1.48	13.48

Table 4 - Volume (m³) - 1:1

Span (m)	Trusses (m³)	Purlin	Bracing (m³)	Total (m³)
(111)	(1114)	(m³)	(111°)	. ,
8	0.88	1.34	0.37	2.59
10	1.19	1.69	0.37	3.25
12	1.87	2.46	0.82	5.15
14	2.90	3.52	1.15	7.57
16	3.44	4.53	1.48	9.46
18	4.71	5.37	1.48	11.56

The consumption of wood in all the analyzed spans had the highest consumption of insulated roofs, since the values of high suction winds combined with a structure with low inclination and low self-weight tile made the wind the largest agent of effort, thus inverting values of self-weight efforts. Followed by the 6:1 aperture ratio, which by having a large air inlet opening, but six times less air outlet apertures, provided wind pressure coefficients as high as those of insulated covers. And with the lowest total wood consumption, the ratio of 1:1 opening stood out, because with an air outlet of the same input value, obtained smaller coefficients, which relieved the structure.

The consumption of wood in the areas just after the middle of the building was similar, as the low wind performance made the structure slightly loaded, which made the dimensions in this area become the minimum required for connection, leaving a larger reserve of resistance, which restricted the material economy. The bracing system did not show any major changes, since the main factor is the number of zones to be braced.

With the data acquired, graphs were also made, grouping the consumption by area of each gap.




Figure 4 - Comparative consumption - all spans.

It has been observed that in all the vain the almost of linear form, however, it is not possible to extrapolate values, since the efforts tend to grow non-linear.




Figure 5 - Comparative consumption - 8 meters span.

When comparing the consumption of each item of the structure, a similar behavior in all the vain can be noticed: the purlin with greater consumption, followed by the trellis and bracing.




Figure 6 - Comparative consumption - 10 meters span.

The bracing remained almost constant, for all projects analyzed.




Figure 7 - Comparative consumption - 12 meters span.

In the larger spans the trusses tended to get closer to the purlin.




Figure 8 - Comparative consumption - 14 meters span.

In the spans above 14 m, it was already possible to find overlaps between the lines of purlin and trellis.




Figure 9 - Comparative consumption - 16 meters span.

This approximation of the trellis line suggests that if the research is extended, trellis consumption is likely to outperform purlin in all openings.




Figure 10 - Comparative consumption - 18 meters span.

In the last gap it is already possible to notice the distance of the two lines.

The pins calculation also resulted in Table 5 and graph of Figure 11.

Table 5 - Total number of pins required for each project.

Span (m)	1:1	2:1	6:1	Open
8	722	744	1120	1000
10	1633	2065	2495	3738
12	1928	2440	2932	3332
14	3339	4147	4971	5096
16	3735	4889	6033	7083
18	4706	6252	7716	8186




Figure 11 - Comparative consumption - 18 meters span.

As in wood consumption, the pin consumption followed the trend of the open having the highest consumption followed by the ratio of opening 6:1.

4. Conclusions

The research addressed factors that influence the wood consumption, as well as the possibility of building these spans with low resistance woods using the calculated typologies, thus leaving an estimate of the consumption of wood cover inputs. In this way, the proposed viability was proven.

REFERENCES

- [1] Christoforo, A. L.; Arroyo, F. N.; Lopes, D. A.; Panzera, T. H.; Lahr, F. A. R. Full characterization of Calycophyllum multiflorum wood specie. Engenharia Agricola, v. 37, p. 637-643, 2017.
- [2] Lahr, F. A. R.; Aftimus, B. H. C.; Arroyo, F. N.; Almeida, D. H.; Christoforo, A. L.; Chahud, E.; Branco, L. A. M. N. Full Characterization of Vatairea sp Wood Specie. International Journal of Materials Engineering, v. 6, p. 92-96, 2016.
- [3] Macedo, L. B.; Balanco, G. G.; Santos, N. A.; Marini, L. J.; Arroyo, F. N.; Christoforo, A. L.; Lahr, F. A. R. Structural Pieces Rehabilitation with Self-Tapping Screws. International Journal of Materials Engineering, v. 7, p. 83-87, 2017.
- [4] BERTOLINI, M. S. et al. Accelerated Artificial Aging of Particleboards From Residues of CCB Treated Pinus sp. and Castor Oil Resin. Materials Research, v. 16, n. 2, p. 293-303, 2013.
- [5] CALIL JUNIOR, C.; LAHR, F.A.R.; DIAS, A. A. Wood Structures: Architecture and Urbanism. Handbook for the discipline of Wood Structures. 2014. 57p. University of São Paulo, School of Engineering of São Carlos / USP.
- [6] BRAZILIAN ASSOCIATION OF TECHNICAL STANDARDS. NBR 7190. Design of wooden structures, Rio de Janeiro, 1997. 107p.
- [7] BRAZILIAN ASSOCIATION OF TECHNICAL STANDARDS. NBR 6120. Loads for calculation of structures of buildings, Rio de Janeiro, 1980. 6p.
- [8] BRAZILIAN ASSOCIATION OF TECHNICAL STANDARDS. NBR 6123. Forces due to wind in buildings, Rio de Janeiro, 1988.
- [9] BRAZILIAN ASSOCIATION OF TECHNICAL STANDARDS. NBR 8681. Actions and safety in structures Procedure, Rio de Janeiro, 2003. 15p.