12

13

14 15

16 17

18

19 20

21

22

23

24

25

26

# **Original Research Article**

# Preservation of the *Moringaoleifera*Constituents by Freeze-Drying

## **ABSTRACT**

Aims: The objective of this research was to evaluate the preservation of the constituents of the powder obtained from the moringa seeds by freeze-drying comparing it with the *in natura*.

Place and Duration of Study:Sample: The work was conducted at the Laboratory of Processing and Storage of Agricultural Products, Department of Agricultural Engineering, Federal University of Campina Grande, Brazil, in the period from August to November 2019.

Methodology:To obtain the samples the seeds were peeled and macerated manually. Freeze-drying was done in a Liotop® L101 benchtop freeze drier. After dehydration the samples were disintegrated and the physical and physico-chemical constituents were evaluated before and after freeze-drying in terms of apparent density, real density, porosity, compacted density, compressibility index, Hausner factor, solubility, moisture content and activity, ash, titratable total acidity, pH, protein, lipids and carbohydrates.

Results:The in natura powder presented better results for the physical analyzes of the densities: apparent, real and compacted, however, it was observed that for the other physical parameters and physicochemical constituents the freeze-drying promoted the preservation of these in front of the in natura. Freeze-drying caused a significant reduction in moisturecontent, pH and lipid activity, making the powders more stable and contributing to the maintenance of their physico-chemical qualities. The inverse was observed for the ash, protein and carbohydrate contents, where freeze-drying promoted increases in their contents.

**Conclusion:** Freeze-drying presented to the moringa as an adequate method in the preservation of its constituents, with emphasis on physicochemical.

Keywords: Conservation, Drying, leguminous, Plant, Seeds

# 1. INTRODUCTION

Moringa was introduced in Brazil as an ornamental plant around 1950 and since then has been widely cultivated because of its high food value, mainly leaf and seed, and because of its high medicinal value [1]. In Brazil, in some regions, it is used as an alternative solution to clarify water supply in rural communities [2]. The efficiency of the use of moringa as a natural coagulant in water treatment is reported by several researchers, among them Baptista et al. [3].

In this context, the development of new technologies has been pointed to the use and preservation of the constituents of the moringa. Drying technologies are used to meet industry needs by significantly reducing the costs of operations such as packaging, transportation, storage, and providing the consumer with a quality product for a longer period

Comment [Reviewer'1]: No introduction of study

Comment [Reviewer'2]: Does this mean natural extract, clarify

Comment [Reviewer'3]: ?

Comment [Reviewer'4]: This is wrong pls correct

Comment [Reviewer'5]: Methodology does not start with To, recapture please

**Comment [Reviewer'6]:** How long were the extracts preserved

**Comment [Reviewer'7]:** please recapture your basis of comparison with specified facts and figure from result

**Comment [S8]:** In front? Why not 'when compared with

Comment [S9]: Recapture

Comment [S10]: ?Not in the study

Comment [S11]: ?Not in the study

**Comment [S12]:** This is missing in your physiochemical parameter analysis

of time [4]. Among these technologies, freeze-drying, due to its low temperature and absence of atmospheric air, preserves the constituents of the natural product, also allowing the chemical, nutritional and sensory properties of the powder to be practically unchanged, besides having characteristics that hinder the development of microorganisms that could promote its deterioration [5].

According to Park et al. [6] the type of drying to be used depends, among other factors, on the product to be dehydrated, its chemical constitution and the physical characteristics of the desired product. Freeze-drying has been used and recommended to dry products with high added value, which have delicate aromas or textures or that are sensitive to the use of heat. For this reason, the objective of this research was to evaluate the preservation of the constituents of the powder obtained from the moringa seeds by freeze-drying comparing it with the *in natura*, since the moringa drying process should be ensured not to exceed 60 °C avoiding that the protein content is damaged [7].

2. MATERIAL AND METHODS

#### 2.1 Place of research

27 28

29

30

31

32

33

34

35

36

37

38

39

40

41

42 43

53

67

44 The work was developed at the Laboratory of Processing and Storage of Agricultural 45 Products, Federal University of Campina Grande, Campina Grande, Brazil. To obtain the 46 samples, the seeds were peeled and macerated manually with the aid of mortar and pistil. 47 Freeze-drying was done in a Liotop® L101 benchtop freeze drier. The pulps, to be lyophilized, were obtained by the addition of 50 ml of distilled water to 100 g of the in natura 48 powder. Then they were inserted in plastic forms and subjected to freezing in a freezer at -49 50 18 °C for 24 hours. Then, the frozen samples were lyophilized at -50 °C for 25 hours [8]. 51 After dehydration, they were disintegrated and the physical and physicochemical constituents of the powders were evaluated in natura and lyophilized. 52

#### 2.2 Physical analyzes

54 Density apparent - was calculated according to the adapted method of Caparino et al. [9]; 55 actual density - this was obtained by weighing 1 g of the powder in a 10 mL graduated 56 cylinder, completing the volume of the beaker with oil, determining the amount of oil needed to complete the 10 mL beaker; porosity - was determined by the method of Krokida and 57 Maroulis[10]; compacted density - was determined from the mass contained in a 10 mL 58 beaker after being manually tapped 50 times on the surface of a bench according to Tonon 59 60 et al. [11]; compressibility index (CI) - was obtained by comparing the apparent density and 61 the compacted density of the powder; Hausner factor - was determined from apparent and 62 compacted density [12]; Solubility - determined according to the methodology adapted from 63 [13]; hygroscopicity - was obtained following the methodology proposed by Goula and 64 Adamopoulos[14]; moisturecontent - determined by the oven drying method at 105 °C for 24 65 hours [15]; water activity - obtained through direct reading on the "Aqua-Lab" equipment, Decagon brand, model 3TE. 66

# 2.3 Physicochemical analysis

The physico-chemical determinations, except for lipids, were performed according to the methodology of Brazil [15]: Ash - by incineration of samples in muffle at 550 °C for 24 hours; total acidity - given by titration; pH - was obtained by direct reading of the samples in digital pH meter; total protein content - determined by the Micro-Kjeldahl method; lipids - by the modified method of Bligh and Dyer [16]; carbohydrates - removing from 100 the sum of water, lipids, proteins and ashes.

Comment [Reviewer'13]: Freeze drying is very hydrophilic, there is scarce information whether this characteristics affect the shelf life of capsules after consumer package is opened or exposed to oxygen and humidity

Comment [S14]: Your references revealed that lot of research works on freeze drying as a preservation technique on moringa, what make the objective of the work different from others?pls state

**Comment [S15]:** The duration of the study is too short to ascertain the efficacy of the methods and shelf life of the product, there should be a period of storage which was not stated?

Comment [Reviewer'16]: Coagulation activity was not evaluated or if evaluated not stated or used to qualify the preservation technique

**Comment [Reviewer'17]:** There is no microbial evaluation of Moringa samples before and after preservatives

# 2.4 Statistical analysis

The results were submitted to analysis of variance (ANOVA) and the means comparison was performed by the Tukey test at 5%, using the statistical program Assistat 7.7 [17].

### 76 77 78 79

80 81

82 83

84

85

86

87

88

89 90 91

92

93

94 95

96

97

98

99

100

101

102 103

104 105

74

75

#### 3. RESULTS AND DISCUSSION

Table 1 shows the results obtained for the physical and physicochemical analyzes of the constituents of the in natura and lyophilized moringa. It was observed that the physical constituents of the moringa powder, with the exception of solubility and hygroscopicity, presented a statistical difference, and the apparent, real and compacted densities showed higher values for the in natura samples. Behavior that is due to the fact that the powder in natura present greater and apparent density, due to the greater compaction of its particles. On the other hand, it was verified that the lyophilized powder is more porous and tends to present lower densities, because of the smaller pores. The powders had different values of density than those obtained by Zea et al. [18] for guava powder and lyophilized guava and pitahie mix (1.474 and 1.503 g/cm<sup>-3</sup>, respectively). According to Ceballos et al. [19] the density is one of the factors that interferes in the wettability of powders, an important characteristic as it affects the first phase of the reconstitution of a powder product. Thus, because the lyophilized powder is presented with greater porosity than the in natura, it may behave differently regarding the resistance and the movement of the air during the drying and storage process.

As for the compressibility values, the in natura and lyophilized moringa powders fall within the classification of Santhalakshmy et al. [20] (20%) to poor (26%), since values between 15 and 20% indicate good fluidity, between 20-35% poor fluidity, between 35-45% poor fluidity and greater than 45% very poor fluidity. As for the Hausner factor, the in natura and lyophilized powders had an intermediate-to-easy flow, since materials with a Hausner number greater than 1.4 are classified as cohesive and when less than 1.25 are easily flow able, the in natura powder presented the best result because it was easily drained. This property is directly linked to the moisturecontent of the studied material, that is, the wetter the powder, the greater the cohesiveness, making it more difficult to flow the powder due to the formation of liquid bridges between the particles.

Comment [Reviewer'18]: Does the difference in the physical consistent qualifies Ivophilized or in natura method better? Highlight

#### 106 107 108 109

116

# Table 1.Physical and physico-chemical constituents of the moringa powder in natura and freeze-dried.

Constitutions of the moringa	Powder		
	In natura	Freeze-dried	CV* (%)
Apparently density (g/cm <sup>-3</sup> ) Actual density (g/cm <sup>-3</sup> )	0.49a	0.30b	1.97
Actual density (g/cm <sup>-3</sup> )	0.65a	0.49b	5.43
Porosity (%)	18.51b	31.34a	3.68
Compressed density (g/cm <sup>-3</sup> )	0.62a	0.41b	1.12
Compressibility Index (%)	20b	26a	4.74

Hausner factor	1.27b	1.34a	1.40
Solubility (%)	74.03a	73.89a	3.13
Hygroscopicity (%)	97.26a	95.08a	1.80
Moisture content (%)	5.24a	1.76b	0.96
Water activity (a <sub>w</sub> )	0.62a	0.51b	0.94
Ashes (%)	2.77b	3.19a	0.12
Total acidity (%)	0.22b	0.61a	2.29
pH	6.68a	5.34b	0.88
Proteins (%)	31.92b	34.31a	1.35
Lipids (%)	31.46a	27.33b	3.77
Carbohydrates (%)	28.59b	34.06a	4.33

Note: The averages in the row followed by the same letter do not differ statistically from each other by the Tukey test at 5% probability.\*CV: Coefficient of Variation.

Both powders (*in natura* and freeze-dried) showed similar solubility values. The rehydration capacity of dry products is of fundamental importance to characterize the quality of products that will be reconstituted, so that the absorption must be fast and in the largest possible volume in order to increase the yield of the products [21]. The powders also presented high hygroscopicity, being defined as the ability of the powder to absorb water from an environment of relative humidity higher than equilibrium. Therefore, depending on the use of the powders, the high hygroscopicity of the powders is difficult to use the product due to high affinity for water and because of its complex composition. High hygroscopicity is undesirable for a powdered product when used in food production in view of promoting sticky appearance and hinders solubility of the product, which impairs the quality of the product as a whole, the powder being used in the treatment of water this may not be a problem. According to Tonon [11], a higher hygroscopicity can be observed in powders with lower humidity, due to the difference of the water concentration gradient between the product and the environment, however this behavior was not verified in the obtained results, which show a higher hygroscopicity in the powder *in natura* whose humidity value was higher.

The lyophilized powder had low content and water activity, and it may be possible to prolong the shelf life of the lyophilized powder by inhibiting the growth of microorganisms and enzymatic activity, without exposing them to high temperatures and, as a result, greater preservation of nutritional quality and sensory characteristics [22]. The powder *in natura* also presented low moisture content, thus, both powders presented values within those required by current legislation, RDC no 270 - ANVISA, which describes the maximum acceptance limit of 15% [23]. As for the water activity, the powder *in natura* showed intermediate water activity, which may hinder the growth of fungi and bacteria.

Regarding the analyzes of the physicochemical constituents of the powders, it was observed that there was difference for all parameters evaluated. The ash content in the lyophilized samples was higher than in the *in natura* samples. In a study carried out by Passos et al. [24] with the *in natura*moringa powder, the authors found 0.95% of ash, much lower than that found in this research. The powders presented low acidity, meeting the requirements of Brazilian legislation, which determines a minimum of 0.8% acidity in citric acid [23]. In a study on pulps marketed in Alagoas, Temóteo et al. [25] observed acidity of 0.94% in citric acid for lyophilized acerola pulp powder, values that are in accordance with current legislation and are superior to that found in this study for Moringaoleifera powder. Different results (3.18%) were also found by Oliveira [26] when the cassava pulp was dried by freezedrying.

Comment [Reviewer'19]: Make additional chart to differentiate these parameters between in natura and lyophilized, will explain the result better

**Comment [S20]:** Will high hgroscopicity not enhance microbial contamination in water?

**Comment [S21]:** The statement is contradicting, high hygroscopicty observed in powder with low humidity but in the study high hygroscopicty was recorded in high humidity in the powder? clarify

Comment [S22]: At what % moisture to compare with acceptance limit

Comment [Reviewer'23]: There is no difference between in natura and lyophilized with this statement, this contradict your earlier statement of high hygroscopicity recorded in in natura?

**Comment [S24]:** This was not evaluated in the study?

For the pH it was found that the lyophilized powder was acidic. Passos et al. [24], working with the *in natura* powder of moringa seeds, found a much higher value (7.47%) than this work. Considering the possible toxic effects of microorganisms, when they are at an unfavorable pH, it can be verified that the acid pH value verified in this research is beneficial to lyophilized powder, since it promotes a longer shelf life for the same, without prejudice to its stability.

There was an increase in the ash, protein and carbohydrate content of the lyophilized powder and a reduction in the amount of lipids; this is probably due to the addition of distilled water to form the pulp to be lyophilized. Passos et al. [24] found lower values for proteins (23.29%) and lipids (17.37%) for the *in natura* powder of moringa seeds. Basso [27] verified in his study about the chemical composition of the jackfruit that the freeze-drying process did not reduce the amount of ashes, proteins and lipids. Celestino [28] cites as advantages of freeze drying the concentration of nutritional components, increasing their value in the product. Affirmative in part is in agreement with Ghribi et al. [29], Oberoi and Sogi [30] and Samoticha et al. [31],who proved in their research the efficiency of the process of freezedrying against the preservation of its constituents.

1731744. CONCLUSION

For the physical analysis of the moringa seed powder (apparent density, real and compacted), it was verified that the powder *in natura* presented better results, however, it was observed that for the other physical parameters and physicochemical constituents the freeze-drying promoted the preservation of these in front of the *in natura*.

The freeze-drying of the moringa powder caused a significant reduction in moisturecontent, water activity, pH and lipids, making it more stable and contributing to the maintenance of its physical-chemical, nutritional and sensorial qualities. The inverse was observed for the ash, protein and carbohydrate contents, where freeze-drying promoted increases in their contents when compared to *in natura*. Freeze-drying presented to the moringa as an adequate method in the preservation of its constituents, with emphasis on physicochemical.

**COMPETING INTERESTS** 

Authors have declared that no competing interests exist.

REFERENCES

[1]Ghodsi, R., Sadeghi, HM.,Asghari, G., Torabi, S. Identification and cloning of putative water clarification genes of *Moringaperegrina* (Forssk.) Fiori in E. coli XI1 blue cells. Advanced Biomedical Research, 2014;27:3-57.

[2]Borba, LR. Viability of the use of Moringaoleifera Lam in the simplified treatment of water for small communities. 92 f. Dissertation (Master in Development and Environment) - Federal University of Paraíba, João Pessoa-PB, 2001.

[3] Baptista, ATA., Coldebella, PF., Cardines, PHF., Gomes, RG., Vieira, MF., Bergmasco, R., Vieira, MAS. Coagulation-flocculation process with ultrafiltered saline extract of *Moringaoleifera* for the treatment of surface water. Chemical Engineering Journal, 2015;276:166-173.

Comment [Reviewer'25]: Freeze dried seed powder was said to be more resistance to alterations of physical, chemical and biological characteristics during storage, does this study has any difference or similarity to this assumption?

Comment [Reviewer'26]: Coagulation activity is very important to the medicinal properties of Moringa, it is highly degradable and has a short shelf life, does the study assess the physiochemical composition in this light?

**Comment [Reviewer'27]:** Does the above parameters affect the coagulation activity of the sample

Comment [Reviewer'28]: Since the lyophilized method does not favour the physical parameter and the shelf life and microbial evaluation of preservation method not stated in the study, there may be high degradation when expose to oxygen and humidity.

Comment [Reviewer'29]: Recapture

206 207 208

[4] Santos, JTS., Costa, FSC., Soares, DSC., Campos, AFP., Carnelossi, MAG., Nunes, TP., Júnior, AMO. Evaluation of lyophilized mangaba through physical-chemical parameters. Scientia Plena, 2012;8(3):1-5.

209 210 211

[5]Sagar, VR., Suresh, KP. Recent advances in drying and dehydration of fruits and vegetables: a review. Journal of Food Science and Technology, 2010;47(1):15-26.

212 213 214

[6] Park, KJ., Park, PJ., Alonso, LFT., Cornejo, FEP., and Fabbro, IMD. Drying: Fundamentals and equations. Brazilian Journal of Agroindustrial Products, 2014;16(1):93-

216 217 218

215

219

[7] Hamid, SHA., Lananan, F., Khatoon, H., Jusoh, A., Endut, A. A study of coagulating protein of Moringaoleifera in microalgae bioflocculation. International Biodeterioration& Biodegradation, 2016;30:1-8.

[8]Santos, DC. Obtaining umbu-caja powder by the freeze-drying process and its use in the processing of prebiotic ice creams.296 f. Thesis (PhD in Agricultural Engineering) - Federal University of Campina Grande, Campina Grande-PB, 2016.

224 225 226

227

228

[9]Caparino, OA., Tang, J., Nindo, CI., Sablani, SS., Powers, JR., Fellman, JK. Effect of drying methods on the physical properties and microstructures of mango (Philippine 'Carabao' var.) powder. Journal of Food Engineering, 2012;111(1):135-148.

229 230 231

[10]Krokida, MK., Maroulis, ZB. Effect of drying method on shrinkage and porosity. Drying Technology, 1997;15(10):2441-2458.

232 233 234

[11]Tonon, RV., Brabet, C., Hubinger, MD. Influence of process conditions on the physicochemical properties of açai (Euterpeoleraceae Mart.) powder produced by spray drying. Journal of Food Engineering, 2008;88(3):411-418.

235 236 237

[12] Hausner, HH. Friction conditions in a mass of metal powder. International Journal of Powder Metallurgy, 1967;3(4):7-13.

238 239 240

[13] Durigon, A. Production and characterization of tomato powder by cast-tape drying. 162 f. Thesis (Doctoral Degree in Food Engineering) - Federal University of Santa Catarina, Florianopolis, SC, 2016.

[14]Goula, AM., Adamopoulos, KG. A new technique for spray drying orange juice concentrate. Innovative Food Science and Emerging Technologies, 2010;11:342-351.

245 246 247

[15]Brazil. Chemical and physical methods for food analysis. Institute Adolfo Lutz. 4. ed. Analytical standards of the Adolfo Lutz Institute. São Paulo. v. 1, p. 1020, 2008.

248 249

250 [16]Bligh, EG., Dyer, WJ. A rapid method of total lipid extraction and purification. Canadian Journal Biochemistry Physiology, 1959;37(8):911-917.

251 252

> [17]Silva, FAS., Azevedo, CAV. The Assistat Software Version 7.7 and its use in the analysis of experimental data. African Journal Agricultural Research, 2016;11(39):3733-3740.

253 254 255

256 [18]Zea, LP., Yusof, YA., Aziz, MG., Ling, CN., Amin, NAM. Compressibility and dissolution 257 characteristics of mixed fruit tablets made from quava and pitaya fruit powders. Powder 258 Technology, 2013;247:112-119.

[19]Ceballos, AM., Giraldo, Gl., Orrego, CE. Effect of freezing rate on quality parameters of freeze dried soursop fruit pulp. Journal of Food Engineering, 2012;111:360-365.

[20]Santhalakshmy, S., Bosco, SJD., Francis, S., Sabeena, M. Effect of inlet temperature on
 physicochemical properties of spray-dried jamun fruit juice powder. Powder Technology,
 2015;274(1) 37-43.

 [21]Ribeiro, LC. Production of acerola powder: drying methods and stability evaluation. 126 f. Dissertation (Master in Science and Food Technology) - Federal University of Ceará, Fortaleza, CE, 2014.

[22]Fellows, PJ. Food Processing Technology - Principles and Practices.São Paulo, SP, EditoraArtmed, 602p, 2006.

[23]Brazil. Ministry of Health. National Health Surveillance Agency - ANVISA. Resolution RDC No. 273 of September 22, 2005. Technical Regulation of Mixtures for the Preparation of Foods and Foods Ready for Consumption.4p, 2005.

[24]Passos, RM., Santos, DMC., Santos, BS., Souza, DCL., Santos, JAB., Silva, GF. Postharvest quality of moringa (Moringaoleifera Lam) used in fresh and dry form. Magazine GEINTEC, 2012;3(1):113-120.

[25]Temóteo, JLM., Gomes, EMS., Silva, EVL., Correia, AGS., Sousa, JS. Evaluation of vitamin c, acidity and pH in acerola, caja and guava pulps of a brand marketed in Maceio-Alagoas. In: NORTH NORTHEAST CONGRESS OF RESEARCH AND INNOVATION. 2012. Anais ... Palmas, Tocantins, 2012.

[26]Oliveira, GS. Application of the freeze-drying process to obtain powdered caja: evaluation of physical, physico-chemical and hygroscopic characteristics. f. Dissertation (Master degree) - Federal University of Ceara, Agricultural Sciences Center, Department of Food Technology, Post-graduation Program in Food Science and Technology, Fortaleza-CE, 2012.

[27]Basso, AM. Study of the chemical composition of jaca (*Artocarpusheterophyllus* Lam.) Dehydrated, in nature and lyophilized. 118 f. Dissertation (Master in Chemistry) - Federal University of Rio Grande do Norte, Natal-RN, 2017.

[28] Celestino, SMC. Principles of food drying. Planaltina (DF): Embrapa Cerrados, 2010.

[29]Ghribi, AM,,Gafsi, IM., Blecker, C., Danthine, S., Attia, H., Besbes, S. Effect of drying methods on physic-chemical and functional properties of chickpea protein concentrates. Journal of Food Engineering, 2015;165:179-188.

[30]Oberoi, DPS.,Sogi, DS. Effect of drying methods and maltodextrin concentration on pigment contente of watermelon juice powder. Journal of Food Engineering, 2015;165:172-178.

[31]Samoticha, J., Wojdylo, A., Lech, K. The influence of different the drying methods on chemical composition and antioxidant activity in chokeberries. Food Science and Technology, 2016;66:484-489.