SCIENCEDOMAIN international

www.sciencedomain.org



SDI Review Form 1.6

Journal Name:	Asian Journal of Advances in Agricultural Research
Manuscript Number:	Ms_AJAAR_51267
Title of the Manuscript:	ANTHELMINTIC POTENCY OF NEEM (Azadirachta indica) LEAF MEAL ON WEST AFRICAN DWARF (WAD) SHEEP
Type of the Article	Original Research Article

General guideline for Peer Review process:

This journal's peer review policy states that <u>NO</u> manuscript should be rejected only on the basis of '<u>lack of Novelty'</u>, provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline

Created by: EA Checked by: ME Approved by: CEO Version: 1.6 (10-04-2018)

SCIENCEDOMAIN international www.sciencedomain.org



SDI Review Form 1.6

PART 1: Review Comments

Could still check to put the whole manuscript in the form acceptable by this Journal (AJAAR).	his/her feedback here)
Sodinar (ASART).	
This manuscript is scientifically robust and technically sound. Very few amendments could be made to improve on the write-up.	
Could effect the following corrections − 1. Line 11: completely randomized design 2. Could add 's' as follows − Lines 49 and 51: goats ; Line 58: ruminants ; Line 83: Materials; Line 65: MATERIALS AND METHODS ; Line 105: 90 days; Line 190: Animals fed; 3. Line 66: Experimental Site ; Line 81: for about five hours. ; 4. Below Line 100: In Table 1 - Neem leaf meal (NLM) 0 5 10 15 5. Line 137: g/dl. While 4.15×10 ⁶ /μl to 5.03×10 ⁶ /μl, 6. Below Line 156: Haemoglobin Concentration (g/dl) 7. Could add '%' as follows − Line 177: 1.24% ; Line 183: 3.00% ; Line 191: 1.42% ; 8. Line 231: of Neem leaf meal (NLM) 9. Line 232: ^{a,b,c} Mean values followed by different letters in the same row are significantly different (P≤ 0.05) 10. Line 238: the faecal egg count (eggs/gram) of the animals 11. Line 266: Could put in italics as - Haemonchus concortus 12. Line 269: Could delete full stop and put and as - (Niezen et al., 1998) and 13. Line 274: levels of neem leaf meal 14. Line 275: ^{a,b,c} Mean values followed by different letters in the same row are significantly different (P≤ 0.05) 15. Line 276: FEC - Faecal egg count 16. Line 285: Figure 1: The average initial and final faecal egg count of sheep fed neem leaf meal (NLM) 17. Line 288 to 289: Animals supplemented with neem leaf meal (NLM) based concentrate diets had significant reduction in their faecal egg count compared to the control treatment (without NLM). 18. Line 294: could be exploited. 19. Could effect the following corrections under the REFERENCES − Line 307: Alokan, J. A. ; Line 340: Could arrange initials well and delete et al.; Line 347: Daramola, J. O., Adeloye, A. A., Fatoba, T. A. and Soladoye, A. O. Line 357: the Gambia 2003; Line 363: Could add initial - and Chmielak, Line 391: Production of faecal ; Line 395: Pre-pubertal Buck ; Line 428: Turkey. 2005; Parasitol. Research,	
	Could effect the following corrections — 1. Line 11: completely randomized design 2. Could add 's' as follows — Lines 49 and 51: goats ; Line 58: ruminants ; Line 83:Materials;Line 65: MATERIALS AND METHODS; Line 105: 90 days; Line 190: Animals fed; 3. Line 66: Experimental Site ; Line 81: for about five hours. ; 4. Below Line 100: In Table 1 - Neem leaf meal (NLM) 0 5 10 15 5. Line 137: g/dl. While 4.15x10 ⁶ /µl to 5.03x10 ⁶ /µl, 6. Below Line 156: Haemoglobin Concentration (g/dl) 7. Could add '%' as follows — Line 177: 1.24% ; Line 183: 3.00% ; Line 191: 1.42% ; 8. Line 231: of Neem leaf meal (NLM) 9. Line 232: ^{ab.c} Mean values followed by different letters in the same row are significantly different (P≤ 0.05) 10. Line 238: the faecal egg count (eggs/gram) of the animals 11. Line 266: Could put in italics as - Haemonchus concortus 12. Line 269: Could delete full stop and put and as - (Niezen et al., 1998) and 13. Line 274: levels of neem leaf meal 14. Line 276: FEC - Faecal egg count 16. Line 285: Figure 1: The average initial and final faecal egg count of sheep fed neem leaf meal (NLM) 17. Line 288 to 289: Animals supplemented with neem leaf meal (NLM) based concentrate diets had significant reduction in their faecal egg count compared to the control treatment (without NLM). 18. Line 294: could be exploited. 19. Could effect the following corrections under the REFERENCES — Line 307: Alokan, J. A. ; Line 340: Could arrange initials well and delete et al.; Line 347: Daramola, J. O., Adeloye, A. A., Fatoba, T. A. and Soladoye, A. O. Line 357: the Gambia 2003; Line 363: Could add initial - and Chmielak, Line 391: Production of faecal ; Line 395: Pre-pubertal Buck;

Created by: EA Checked by: ME Approved by: CEO Version: 1.6 (10-04-2018)

SCIENCEDOMAIN international www.sciencedomain.org



SDI Review Form 1.6

Optional/General comments	Good work, could still read through and effect corrections.	

PART 2:

		Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	(If yes, Kindly please write down the ethical issues here in details)	

Reviewer Details:

Name:	Grace O. Tona
Department, University & Country	Ladoke Akintola University of Technology, Nigeria

Created by: EA Checked by: ME Approved by: CEO Version: 1.6 (10-04-2018)