

Original Research Article

Farmers Current Agriculture Practices on Paddy Cultivation and Relationship with Work Performance In Iada Batang Lupar, Sarawak, Malaysia

Abstract: This study investigated the relationship between agricultural practices as independent factors influencing work performance among paddy farmers in IADA Batang Lupar, Sarawak, Malaysia. Quantitative correlational design was used for the study between January 2017 to January 2018. It employs simple randomization and recognized sample size determinant, Krejcie and Morgan Table to select respondents. Self-administered questionnaire was used to collect information from respondents. Descriptive, correlation and regression analysis was used to analyze the data obtained for the study. Demographic profile revealed that the age range of respondents is between 39-59 years and majority are almost old between the ages of 50-59 with low educational level and more than half are part-time farmers. Majority had an experience between 40-50 years with a production yield of only 2.0-2.9 tones/hectare. Result on the level of independent factors as plot preparation, planting or transplanting, water source, fertilizer, weeding indicates low level while, pest and disease management and harvesting recorded high. Also, the level of dependent variable work performance indicate high level. Result on the relationship between independent and dependent factor revealed that two independent variable pest and disease management and harvesting revealed a significant relationship at 0.01 and 0.05 level with the dependent variable. While, plot preparation, planting and transplanting, water source, fertilization and weeding are not significant. Regression analysis revealed that pest and disease management and harvesting were significant to work performance with the t-value of 0.000 while others independent variables are not significant with performance since the t-value was more than 0.05. The highest ($\beta = 0.463$) obtained by harvesting practice. Hence, adjusted R square value is 0.330 this means that pest and disease management activities and harvesting explained 33.0% variance on work performance. It concludes that agricultural practices and harvesting recorded the highest contribution to work performance.

Keywords: *Paddy Farmers, work performance, agricultural practice, IADA Batang Lupar, Sarawak, Malaysia.*

1. INTRODUCTION

Agriculture is one of the most important sectors that contribute to the economy of Malaysia. Indeed, in Malaysia some of the crops that contribute to the sector are majorly oil palm, cocoa, tea and of course paddy. Malaysia's Agriculture Ministry, as well as government and private agencies, really had a serious development in the agriculture. Thus, Malaysia as a developing country, find it very imperative to have a self-sufficient food supply so that the import commodities can be reduced year by year.

According to the Department of Statistic Malaysia (DOS), in 2015, a number of establishments operating in the agriculture sector were 11,628 with an annual growth of 5.7 per cent. Gross output in 2015 was RM73, 853.6 million, an increase of 6.7 per cent per year compared to RM53, 452.1 million in 2010 while value added for this sector was RM41, 473.4 million. Agriculture sector provides job opportunities to 444,531 people, recorded an annual growth of 2.6 per cent within five years with salaries & wages paid amounting RM7, 904.3 million. This sector recorded the highest increase in the average monthly salaries of 7.3 per cent to RM1, 504 in 2015.

Nevertheless, apart from job opportunities and income generation by the sector, food security is very imperative component to look into in the sector. In Malaysia, food security policy is largely about ensuring the availability, accessibility and utilization of rice to the society. To this end, three policy objectives were set since the 1970s, which are to ensure high price to paddy farmers to produce rice, to achieve a certain level of self-sufficiency in rice and to ensure stable and high quality of rice to the consumers. To ensure these three objectives are met, the government has launched on a protectionist regime to ensure the sector is insulated from the black market particularly supply and price shocks. The instruments implemented include; price control (farm and retail), subsidies and income transfer, licensing and import monopoly. The interventions are deep and extensive in that the industry is highly distorted and begun to show some rigidities and inefficiencies (Bala et. al., 2014)

Based on the available data from Food and Agriculture Organization of the United Nations (FAO) confirmed that the Asian population is growing at 1.8 per cent per year at present, and thus, the population may not be stabilize before the middle of the next century. Hence, a population projection made for the year 2025 shows an average increase of 51 percent and in certain cases up to 87 per cent over the base year 1995 (FAO, 2015)

In Malaysia alone, paddy is one of the most important commercial crop particularly for domestic consumption and it continues to be an important source of food and nutrition. Based on data from the Department of Statistics Malaysia, paddy plantation shows increasing production which is about 2,604 tonnes (2013) to 2,645 tonnes (2014). This shows that paddy plantation in Malaysia can really boost-up to the next level, even though it is the third most extensively cultivated crop after oil palm and rubber. Thus, self-sufficient and food security can be achieved in long-term and can maintain a high quality of paddy. Based on this background, in order to boost production, rice is being cultivated in ten main (10) designated producing areas that are officially called Granary Areas of Malaysia. These areas are MADA, KADA, IADA Barat Laut Selangor, IADA Penang, IADA Ketara, IADA Kerian Sungai Manik, IADA Seberang Perak, IADA Kemasin-Semerak, IADA Pekan and IADA Rompin. These granary areas are introduced by the National Agro-Food Policy as one way and strategies to increase and as well to maximize rice production. Hence, MADA is the largest among ten granary areas which is approximately 191, 856 hectares and it is known as paddy bowl of Malaysia (Department of Agriculture, 2015). It should however be noted that, the total area of all ten granary areas in Malaysia is 406, 048 hectares.

Nevertheless, the independent factors which could effectively influence farmers production on paddy was the technology practices. In Malaysia, the technology practices among farmers were based on rice production Manual adopted from Australia and MARDI is the starting engine for it during 2001. Department of agriculture is the one who is responsible to distribute it and provide to the growers. The manual is prepared according to the action that needs to be taken during the activity and day number. The type and amount of material that are going to be used in each activity are also provided for the farmer as their references. Hence, Rice check is thus a recommended technology package with a complete standard for compliance. It therefore serve as a guide to farmers to achieve 10 mt/ha. Indeed, the key check or practices that must be followed by farmers to gain 10 mt/ha are soil analysis, land

preparation, roughing weedy rice, irrigation, ploughing, planting, fertilizing, water management, weed, pest and disease control and harvesting. Rice farmers must therefore, follow the key to manage rice plant as targeted. Hence, every single step must be fulfilled by growers to achieve maximum production and high yield. More so, Field monitoring in terms of growth, water management, fertilization, weed, pest and disease control and harvesting is important to identify the problem. The records are essential to guide farmers for subsequent seasons so that the same problem will not occur (Harun et.al., 2015).

However, despite the good effort of Malaysia government towards paddy production, the outcome of the production is still facing challenges in terms of availability in food supply especially rice as the major staple food in Malaysia. Hence, the national rice self-sufficiency level is at 72%. To make sure that this demand is fulfilled, Malaysia still need about 28% imported rice so as to bridge the gap. In 2015, Malaysia imported more than 800 tons of rice to meet local demand due to some obvious factors such as poor farm practices and management, poor agriculture practices and management were major constraints to paddy cultivation over the years. Indeed, Paddy production was dominated by conventional method especially at new open granary area, particularly in Iada Batang Lupar, Sarawak, which serve as the primary study area, in terms of agricultural practices such as plot preparation, planting or transplanting, water source, fertilizer, weeding, pest and disease management and harvesting (Redmond et al. 2018)

These and others practices aforementioned contribute to poor work performance among farmers, resulting to low production of rice in terms of self-sufficiency in the country. Thus, the government of Malaysia had to import rice from other countries to reach a sufficient level of rice consumption (Fatimah et al.(2014).

1.1 Objectives of the study

This research is aimed at determining current agriculture agricultural practices and relationship with work performance among paddy farmers in IADA Batang Lupar.

Specifically:

1. To determine the current agricultural practices among paddy farmers in IADA Batang Lupar, Sarawak.
2. To determine the relationship between independent factors and work performance of paddy farmers in IADA Batang Lupar, Sarawak
3. To determine the most contributing independent factors towards work performance of paddy farmers IADA Batang Lupar, Sarawak

1.2 Significance for the Study

The study is significant to farmers, stakeholders, millers, policy makers as it has implication on both theoretical, practical and policy wise. The study would give an insight into the current agricultural practices among paddy farmers and also determine the relationship of those agricultural practice with the work performance of paddy growers and as well determine the most contributing independent factors that influence paddy farmers work performance in IADA Batang Lupar, Sarawak. Hence, the information obtained would have both theoretical, practical and policy implication for future improvement among farmers and policy makers.

2.1 MATERIALS AND METHODS

This study was a quantitative approach carried out at the Integrated Agriculture Development Area (IADA) Batang Lupar, Sarawak as one among the four new granary areas, in which studies of this nature was not conducted and therefore no data is available on paddy farmers work performance in relation to farmers current agriculture practices. Hence, Paddy plantation at this area has the potential and possibility to maximize the production of rice in Malaysia.

The data were collected using pretested validated questionnaire designed by researcher, which was administered to registered farmers under the Integrated Agriculture Development Area (IADA) Batang Lupar. A total number 143 farmers were selected using simple random sampling and approved ready-made Table of Krejcie and Morgan (1970) Based on Krejcie and Morgan table, the number of respondents after the selection is 143 farmers. Thus, 143 serve as the sample population for the study. The data was analyzed using Statistical Package for Social Science (SPSS) version 21 and descriptive statistics and correlation model was used for the analysis. The result were however, displayed in form of tables and figures.

3: RESULTS AND DISCUSSION

This section capture the results obtained from the analysis based on the objectives of the paper to established fact. Hence, the result is hereby shown below:

3.1 Demographic Profile of Respondents

This section capture subsection capture the Demographic profile of farmers which include among others Age, Educational level, Size of Land, Land ownership, work commitment, paddy variety used by farmers, Average Yield and Experience in Paddy production.

1) Age

The age of a farmer plays a vital role on practices and agricultural decisions Rahman & Haque (2013). The result of respondents based on their age range are shown on Table 3.1 The data revealed that 30 respondents are between the ages \leq 39-49 years representing 21%. While, 54 respondents fall between the age range of 50-59 years old which constitute the highest percentage of 37.8%. Respondent between the ages of 60-69 years were 39 representing 27.3% The least age that contributed is between the ages less than 39 years old which recorded only 7.0% of the total respondents and

others that did not indicate their ages constitute 5 respondents representing 3.5% among farmers.

2) Educational Level

Table 3.1 presents results of the educational level of the respondents. Highest numbers of respondents were 56 farmers from the total 143 representing 39.2% of respondents who have attained primary educational level. While, respondents that completed secondary education constitute 30.1% of the respondents. Those that obtained Certificates and Diploma were 3.5% and 0.7% respectively. Whereas, 38 respondents from the total respondents recording 26.6% did not go to school. According to Danso-Abbeam et al. (2017) who suggested that, educational attainments plays a vital role in enhancing production as in this case paddy production.

3) Land Size

The land area for paddy production in IADA Batang Lupar, Sarawak by the respondents are shown in table 3.1 The respondents that have the land less than 0.9 hectares are 29.9% which also the highest percentage in this study. That is equivalent to 42 paddy farmers from the total 143. It is followed by the land area between 1-1.9 hectares about 25.2% which are 36 farmers and 2-2.9 hectares about 11.2% which are 16 farmers. The lowest percentage of respondents that has the land area of more than 4 hectares which is 6% only. That is equivalent to only 8 paddy farmers from the total 143.

4) Work Commitment

Type of work commitment by paddy farmers at IADA Bantang Lupar, Sarawak is shown on the in Table3.1 below. The data indicates shows that, 67.8% of the total respondents were dedicated part-time paddy farmers which correspond to with the frequency of 97 respondents from the total 143 while the other 32.2% of the respondents which correspond to 46 respondents had fulltime commitment towards paddy cultivation activity at IADA Batang Lupar, Sarawak.

5) Average Yield

Table 3.1 shows the result of average yield obtained by the farmers. It clearly shows that highest numbers of respondents were 52 people, who recorded 2.0-2.9 tons per hectares, constituting about 36.4% of total respondents. Followed by 34.3% of the respondents who recorded an average yield of 1-1.9 tons per hectares and 11.9% recorded 3-3.9 tons per hectare, and the lowest is 5.6% from total respondents who produces more than 4 tons per hectare.

6) Experience in paddy production

Table 3.1 below shows respondents years of experience in paddy farming at IADA Batang Lupar, Sarawak. Based on the data on the table, 22 respondent representing 15.4 % of total respondents were involved in paddy planting for about 41-50 years, which recorded the highest percentage of respondent involved in the study. followed by 16 respondents representing 11.2% had less than 10 years' experience. While, the lowest percentage were 9 respondents representing 6.3% had an experience of 11-20 years. While, 41.3% representing 59 respondent have not stated their years of experience. Abdoulaye et al. 2014 suggested that experience determines the success of the farmers in both practice and subsequent increase in the level of production.

Table 3.1 Demographic Profile of Farmers (n=143)

Variables	Frequency	Percentage
Age		

≤39	10	7.0
40-49	20	14.0
50-59	54	37.8
60-69	39	27.3
≥70	15	10.5
Not stated	5	3.5
Educational Level		
Primary	56	39.2
Secondary	43	30.1
Certificate	5	3.5
Diploma	1	0.7
Others	38	26.6
Land Size(Hectare)		
≤ 0.9	42	29.4
1-1.9	36	25.2
2-2.9	16	11.2
3-3.9	10	7.0
≥ 4.0	8	5.6
Not stated	31	21.7
Work Commitment		
Part time	97	67.8
Full time	46	32.2
Average Yield (tonnes/hectare)		
≤0.9	12	8.4
1-1.9	49	34.3
2-2.9	52	36.4
3-3.9	17	11.9
≥4	8	5.6
Not stated	5	3.5
Experience in Paddy Production (yrs)		
≤10	16	11.2
11-20	9	6.3
21-30	12	8.4
31-40	14	9.8
41-50	22	15.4
≥51	11	7.7
Not stated	59	41.3
Total	143	100.0

Source: Field Survey 2018

3.2 Level of current Agriculture Practices among farmers

The paddy cultivation comprises of important agricultural practices. The practice identified among which are plot preparation, planting and transplanting, water source, fertilization, weeding, pest and disease management and harvesting. All these agricultural practices

stretches influences to paddy cultivation. Thus, it is important to determine the relationship for further evaluation.

3.2.1 Plot Preparation

Table shows the plot preparation level of paddy farmers at IADA Batang Lupar, Sarawak. Based on the result, the total mean of 2.5 is categorized as low level. This means that majority of the paddy farmers in IADA Batang Lupar, Sarawak has a low level of plot preparation. It shows that majority of respondents did not know the important of plot preparation activity in paddy cultivation. The from the results, 72% from the total respondents had low level which is equivalent to 103 respondents from a total of 143. The results further, showed that 28% of respondents were categorized as those with plot preparation at high level which represent a total of 28 respondents from total of 143 total respondents.

Table 3.2.1 Plot Preparation Level

Level	Frequency	Percent (%)	Mean	SD
Low (1.0-2.5)	103	72	2.5	0.69
High (2.6-4.0)	40	28		

Source: Field Survey 2018

3.2.2 Planting and Transplanting

From Table results on the level of planting and transplanting activity by paddy farmers at IADA Batang Lupar, Sarawak were presented. The planting and transplanting activity shows the mean value of 2.8 which is categorized as low level. That means, majority of the paddy farmers at IADA Batang Lupar, Sarawak are not aware of the importance of planting and transplanting activity in paddy cultivation, recording 58% and categorized at low level which constitute a frequency of 85 respondents from the total of 143 respondents. While, the other category recording 42% had high level, which constitute the frequency of 42 respondents out the total number of 143 respondents.

Table 3.2.2 Planting/Transplanting Level

Level	Frequency	Percent (%)	Mean	SD
Low (1.0-2.5)	83	58	2.5	0.51
High (2.6-4.0)	60	42		

Source: Field Survey 2018

3.2.3 Water Source

Table 3.2.3 shows the level of water source used by paddy farmers at IADA Batang Lupar, Sarawak. Based on the data, a mean score of 2.5 was recorded for water source section, which is considered as low level. From the results, 67.1% which represents 96 respondents recorded low level, from the total 143 respondents. That means majority of the paddy farmers at IADA Batang Lupar, Sarawak recorded weak attention and perception on source of water for their paddy cultivation. While, the other category representing 32.9% with a frequency of 47 respondents out of 143 had high level perception on water source.

Table 3.2.3 Water Source Level

Level	Frequency	Percent (%)	Mean	SD
Low (1.0-2.5)	96	67.1	2.5	0.75
High (2.6-4.0)	47	32.9		

Source: Field Survey 2018

3.2.4 Fertilization

Table 3.2.4 presents fertilization activity level by paddy farmers at IADA Batang Lupar, Sarawak. From the data, the mean value of 2.4 recorded and categorized at low level. It conveys that most of the paddy farmers at IADA Batang Lupar Sarawak had no concern about fertilization activity in their paddy plot and as well paddy cultivation. A total of 118 respondents out of the total of 143 respondents had low level which represents 82.5% of respondents. While, only 25 respondents from the total of 143 recorded high level, which constitute only 17.5%.

Table 3.2.4 : Fertilization Level (n=143)

Level	Frequency	Percent (%)	Mean	SD
Low (1.0-2.5)	118	82.5	2.4	0.67
High (2.6-4.0)	25	17.5		

Source: Field Survey 2018

3.2.5 Weeding

Table 3.2.5 shows the weeding level of paddy farmers at IADA Batang Lupar, Sarawak. Based on the result, a total mean of 2.5 is categorized as low level. That means majority of the paddy farmers in IADA Batang Lupar, Sarawak had a low perception level in the weeding activity for their paddy cultivation. It thus indicate that majority of respondents did not know the importance of weeding in paddy cultivation. From the data, 61.5% out of the total respondents had low level which constitute 88 respondents from the total of 143. While, 38.5% of respondents were categorized as having high level in weeding activity which represent 55 respondents out of 143 total population.

Table 3.2.5 : Weeding Level (n=143)

Level	Frequency	Percent (%)	Mean	SD
Low (1.0-2.5)	88	61.5	2.5	0.58
High (2.6-4.0)	55	38.5		

Source: Field Survey 2018

3.2.6 Pest and Disease Management

From Table 3.2.6 Respondents level of pest and disease management activity in paddy farming at IADA Batang Lupar, Sarawak was presented. From the results, mean value of 3.3 was recorded and thus categorize as high level by respondents on pest and disease management activities in the study area. That, means majority of the paddy farmers at IADA Batang Lupar, Sarawak are aware of the importance of pest and disease management activity in paddy cultivation. From the total respondent, 76.2% are on high level which

represent 109 respondents from 143 respondents. While, 23.8% were on low level which represent 34 respondents out of the total of 143.

Table 3.2.6 : Pest and Disease Management Level (n=143)

Level	Frequency	Percent (%)	Mean	SD
Low (1.0-2.5)	34	23.8	3.3	0.47
High (2.6-4.0)	109	76.2		

Source: Field Survey 2018

3.2.7 Harvesting

Table 3.2.7 shows the level of harvesting activity by paddy farmers at IADA Batang Lupar, Sarawak. Based on the data, mean value of 3.3 was recorded for harvesting activity and categorize as high level. From the total respondent, 81.8% which constitute 117 respondents were at high level. While, 18.2% categorize as low level representing 26 respondents from the total 143 respondents. That means only minority of the paddy farmers at IADA Batang Lupar, Sarawak had weak attention and perception towards harvesting activity. This conclude that majority of the paddy farmers at IADA Batang Lupar, Sarawak have strong attention and perception towards harvesting activity.

Table 3.2.7: Harvesting Level (n=143)

Level	Frequency	Percent (%)	Mean	SD
Low (1.0-2.5)	26	18.2	3.3	0.56
High (2.6-4.0)	117	81.8		

Source: Field Survey 2018

3.2.8 Work Performance

Table 3.2.8 capture the work performance level by paddy farmers at IADA Batang Lupar, Sarawak. From the data, a mean score of 3.5 which was categorized at high level was recorded. It convey that the most of the paddy farmers at IADA Batang Lupar Sarawak had high perception about work performance in their paddy plot with a frequency of 131 respondents out of a total of 143 and categorize at high level which constitute about

91.6%. while, only 12 respondents from the total of 143 were at the low level which constitute only 8.4% of the respondents.

Table: 3.2.8 Work Performance Level (n=143)

Level	Frequency	Percent (%)	Mean	SD
Low (1.0-2.5)	12	8.4	3.5	0.37
High (2.6-4.0)	131	91.6		

Source: Field Survey 2018

3.2.9 Summary on the Level of Independent and Dependent Variables with mean and Standard Deviation.

Table 3.2.9 shows mean, standard deviation and level of independent variables and dependent variable. The independent variables were plot preparation, planting and transplanting, water source, fertilization, weeding, pest and disease management and harvesting while the dependent variable is work performance. All the independent variables are components of agriculture practices in paddy cultivation activity. The level of variables were measured using the mean while standard deviation was used to measure the confidence statistical conclusion of the level. In other words, a standard deviation close to 0 indicates that the data points tend to be very close to the mean (also called the expected value) of the set, while a high standard deviation indicates that the data points are spread out over a wider range of values.

From the summary, the level of plot preparation, planting and transplanting, water source, fertilization and weeding among farmers at IADA Batang Lupar, Sarawak recorded low. While, Fertilization mean ranked the lowest among other mean of independent variables with 2.4 and a standard deviation 0.66. The level of pest and disease management and harvesting among farmers in IADA Batang Lupar, Sarawak was high. Hence, pest and disease management and harvesting mean were ranked the highest with mean value of 3.3 and standard deviation 0.47 and 0.56 respectively.

Table 3.2.9 : Level of Independent Variables and Dependent Variable

Independent variables	Mean	SD	Level
Plot preparation	2.5	0.69	Low
Planting or transplanting	2.5	0.51	Low
Water source	2.5	0.75	Low
Fertilization	2.4	0.66	Low
Weeding	2.5	0.58	Low
Pest and disease management	3.3	0.47	High
Harvesting	3.3	0.56	High
Dependent Variable			
Work Performance	3.5	0.37	High

Source: Field Survey 2018

3.3.1 Relationship between agricultural practices and Work Performance among farmers IADA Batang Lupar, Sarawak

Result of the correlation analysis to determine the relationship between all the seven independent factors which are component of paddy agricultural practices such as plot preparation, planting and transplanting, water source, fertilization, weeding, pest and disease management and harvesting with work performance among farmers is shown in Table 3.3.1 From the results, two independent variable pest and disease management and harvesting revealed a significant relationship at 0.01 and 0.05 level with the dependent variable. The other independent variable which are plot preparation, planting and transplanting, water source, fertilization and weeding had no any significant to the dependent variable as shown on the outcome.

**Table 3.3.1: Relationship between Independent Variables towards Dependent Variable
Using Pearson Correlation**

	Plot Preparati on	Planting	Water source	Fertilizati on	Weedi ng	Pest and disease	Harvestin g	Work performa nce
Plot preparation	1	.3225**	.620**	.627**	.324**	.169*	.104	-.079
Planting		1	.145	.188**	.295**	.348**	.069	.040
Water source			1	.592**	.219**	.165*	.279**	-.006
Fertilization				1	.416**	.299**	.140	-.005
Weeding					1	.632**	.309**	.161
Pest and disease						1	.299**	.394**
Harvesting							1	.486**
Work performance								1

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Furthermore, the result displayed on (Table 3.3.2,) which capture agricultural practices such as plot preparation, planting and transplanting, water source, fertilization and weeding which serve as independent factors revealed that, there is no correlation towards the farmers work performance in IADA Batang Lupar, Sarawak. While. pest and disease management indicates positive low correlation towards the work performance of paddy farmers in IADA Batang Lupar, Sarawak. The results also indicates a weak positive relationship between these two variables. In addition, harvesting also shows a low positive correlation towards work performance in IADA Batang Lupar, Sarawak; which indicates a weak positive relationship between these two variables.

However, the findings of the research study thus justified that only the independent variables of pest and disease management and harvesting had strong relationship to work

performance at IADA Batang Lupa, Sarawak. The other independent variables such as plot preparation, planting and transplanting, water source, fertilization and weeding were not significant and had no relationship with work performance among paddy farmers at IADA Batang Lupa, Sarawak. Indeed, this kind of scenario happened because the location where the respondents live and work their paddy plot is quite rural and they were not exposed to the area that is outside of their living environment. Also, the finding of the correlation further reveals that, the paddy farmers at IADA Batang Lupa, Sarawak do not have appropriate knowledge about agriculture practices and agriculture cultivation especially in paddy plantation. That means paddy farmers only apply knowledge that they knew and knowledge that they gain from their ancestry. Also this indicates that paddy farmers have no awareness of the modern implement on the real appropriate practices, skills and knowledges that could be used in paddy plantation and thus utilize the existing or traditional knowledge. In addition, the paddy farmer's perception on their paddy yield and work performance is more than enough for their subsistence and survival.

Table 3.3.2: Correlation of Paddy Agriculture Practices Towards Work Performance

Practices	Work performance	Correlation
Plot preparation	-.079	No significant relation
Planting and transplanting	.040	No significant relation
Water source	-.006	No significant relation
Fertilization	-.005	No significant relation
Weeding	.161	No significant relation
Pest and disease management	.394**	Low positive relation
Harvesting	.486**	Low positive relation

Source: Field Survey 2018

3.4 .1 Contribution of Independent factors towards Work Performance among Farmers

Table 3.4.1 shows the estimated coefficient for the respondent work performance model. The pest and disease management and harvesting are highly significant with work

performance with the t-value of 0.000 meanwhile the others independent variables were not significant to work performance since the t-value is more than and equal to 0.05. The highest value of ($\beta = 0.463$) obtained by harvesting practice. Thus, Agricultural harvesting practices had the highest contribution to work performance by paddy farmers at IADA Batang Lupar, Sarawak.

Table 3.4.1 : Estimated Coefficient (Performance)

Model	Unstandardized	Standardized			
	Coefficients	Coefficients			
	B	Std. Error	Beta	t	Sig.
(Constant)	2.063	.228		9.050	.000
Plot preparation	-.017	.054	-.033	-.323	.747
Planting	-.037	.056	-.051	-.665	.507
Water source	-.064	.048	-.129	-1.325	.187
Fertilization	-.006	.055	-.011	-.109	.913
Weeding	-.122	.061	-.192	-1.996	.048
Pest and disease	.336	.074	.424	4.551	.000
Harvesting	.305	.050	.463	6.070	.000

Dependent variable: Work performance

Source: Field Survey 2018

Regression equation as below:

$$Y = b_0 + b_1X_1 + b_2X_2 + e$$

Y-Dependent variable

b_0 - B value for constant

b_1X_1 and b_2X_2 - Independent variable

b_0 = B value for constant

b_1X_1 =B value for pest and disease management

b_2X_2 = B value for harvesting

e = error

$$Y = 2.063 + (0.336)X_1 + (0.305)X_2 + e$$

Table 3.4.2 Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.602 ^a	.363	.330	.30098

Table 3.4.2 shows a model summary that contains R, R Square and Adjusted R Square. R-square is modified into Adjusted R Square for the number of predictors in the model. The highest Beta value from the information in Table 3.4.1 was harvesting activity which is had a ($\beta = 0.463$), followed by pest and disease management activity with Beta value of 0.424. The adjusted R square value is 0.330 which means pest and disease management activities explained 33.0% variance of work performance while the other 67.0% variance is explained by other factors. Hence, in IADA Batang Lupar, Sarawak, the pest and disease management activities and harvesting activities are the most important activities related to paddy farmers work performance.

3.5 Discussion

In this research, 143 paddy farmers took part as respondents to answer the questionnaires. The highest age range that contribute to answer the questionnaires were between 50 to 59 years old. while, the least age range of respondents that contribute in this study was the ages that are less than 39 years old. Thus, data indicates that only a few young generation take part in paddy production at IADA Batang Lupar, Sarawak. Hence, the potential reasons are such as lack of interest, finance limitation and maybe also they prefer to migrate to the city. We can also sum that, only older generation wanted to work on their paddy plot at IADA Batang Lupar, Sarawak.

The data on education level of the respondents at IADA Batang Lupar, Sarawak, revealed that most of them ended their educational career with only primary education which constitute 56 respondents out of a total of 143 and then followed by the respondents who end their educational career at secondary school constituting about 43 respondents out of the total 143.

The data on the respondents farm size indicates that, most of the respondents at IADA Batang Lupar, Sarawak own land area less than and equal to 0.9 hectares. The data on respondent's work commitment revealed that, the number of respondents working based on part-time and full time. From the result obtained, slightly more than half of the total respondents dedicated their paddy cultivation as part-time work while the other works on full time basis. This is a good information because full-time farmers could attend any meeting with the extension agents in the area anytime. They would help the farmers not to miss the latest information regarding paddy cultivation technology during each visit as their commitment is only for paddy farming. It is concluded that full-time farmers were able to pay more attention to their paddy cultivation.

Results on the average yield by respondents revealed that yield of the respondents at IADA Batang Lupar, Sarawak are between 2.0-2.9 tonnes per hectare which was considered as low. It was represented by 52 respondents from the total of 143 which is equivalent to 36.4% by respondents. The least average is yield less than 4 tonnes per hectare that is equivalent to 8 respondents from the total of 143 and which represent 5.6%.

The data on respondents experience in paddy production revealed that, farmers acquired certain experiences that enable them to do and perform well in this sector. From the data analysis, 15.4% of farmers had experiences between 41-50 years in paddy production. The least category of farmers had experience of 11-20 years representing 6.3 % of respondents at IADA Batang Lupar, Sarawak is between of experience which correspond to 6.3% from the total of 143. While, 41.3% representing 59 respondent have not stated their years of experience in the questionnaire.

Furthermore, results on level of current agricultural practices among the seven independent factors such as plot preparation, planting and transplanting, water source, fertilization, weeding recorded low level based on their mean scores while, pest and disease management and harvesting activities recorded high level. While, results on the level of dependent variable work performance revealed high level among farmers in IADA Batang Lupar, Sarawak.

Results on the relationship between all seven components of agriculture practices as plot preparation, planting and transplanting, water source, fertilization, weeding, pest and disease management and harvesting towards the work performance was identified using correlation analysis, which revealed that only two independent factors as pest and disease management and harvesting agriculture practices that were significant to the work performance of respondents at IADA Batang Lupar, Sarawak. Hence, harvesting activity shows the strongest correlation towards work performance at IADA Batang Lupar, Sarawak this results concluded that harvesting activity is very important to farmers work performance. Furthermore, results of the regression analysis to identify the strongest independent variables that contribute to work performance shows that pest and disease management and harvesting were highly significant to work performance with the t-value of 0.000 while others independent variables are not significant with performance since the t-value was more than 0.05. The highest ($\beta = 0.463$) obtained by harvesting practice. Thus, agricultural practices of harvesting recorded the highest contribution to work performance by paddy farmers at IADA Batang Lupar, Sarawak. The adjusted R square value is 0.330 this means that pest and disease management activities and harvesting explained 33.0% variance on work performance.

3.6 Conclusion and Recommendations

The study concludes that, in IADA Batang Lupar, Sarawak, pest and disease management activities and harvesting activities were recorded as the most important activities related to paddy farmers work performance.

Thus, based on the findings, the study recommended that paddy farmers need to gained much knowledge on how to implement appropriate agricultural practices on paddy cultivation activities. Knowledge could also be enhanced by attending relevant courses or seminars conducted by the extension agent by the agency itself (IADA Batang Lupar) to improve their skills and knowledge in paddy cultivation.

The study equally recommended that, paddy farmers should create good relationship with the experienced farmers as well as the extension agents, by having good relationship so that they can always share their knowledge and opinion based on their experience without being shy.

The study also recommended that, the young generation should be involved in the actively on paddy plantation. This was unveil from the result as most of the paddy farmers were old generation and not youth anymore. Therefore, this indicates that younger generations are not interested to work in paddy plantation. Hence, with the improvement of new, modern and advanced technologies, youth were expected to participate actively. Hence, Youth are very crucial and important to the nation to improve and enhance the paddy plantation in Malaysia.

This study also recommended that, a good implementation of technology will surely increase the yield of paddy per ton to help increase the self-sufficiency level of rice in the country and boost the economy through rice production. It is therefore, important to expose the youth generations on the benefits of becoming farmers and also make them aware that farming is not only for older people or farming does not require higher capital for one to participate with the assistance of the government of the day.

REFERENCES

1. Abdoulaye, T., Abass, A. and Maziya Dixon, B. Awareness and Achoja FO, Uzokwe UN (2012). Income Effect and Correlating Factors of Yam Miniset Technology among Extension Contact Farmers in Delta State, Nigeria. *Experimental Agriculture & Horticulture*. Submitted on August 28th, 2014. 12-20.
2. Bala, B.K. Alias, E.F., Arshad, F.M, Noh, K.M & Hadi, A.H.A. *Modelling of Food Security in Malaysia. Simulation Modelling practice and Theory*. Elsevier 2014 152-164
3. Danso-Abbeam, G., Bosiako, J. A., Ehiakpor, D. S., & Mabe, F. N. Adoption of improved maize variety among farm households in the northern region of Ghana. *Cogent Economics and Finance*, 2017, 5(1). <https://doi.org/10.1080/23322039.2017.1416896>.
4. Department of Statistics , Malaysia Press Release Gross Domestic Product (Gdp) Second Quarter of 14. 2014, 1–3.
5. Department of Statistics Malaysia Official Portal. (n.d.). Retrieved September 2018
6. DOSM. (2017). Department of Statistics Malaysia Press Release. *Department of Statistics Malaysia*, (June), 5–9. <https://doi.org/10.1017/CBO9781107415324.004>
7. Fatimah M.A. Emmy Farha, Alcas Kuslari MN. & Muhammad T. Food Security; Self Sufficiency of Rice in Malaysia. *International Journal of Molecular Sciences IJMS* 18(2): 2011, 83-100.
8. FAO Statistical Pocketbook world food and agriculture. Food and Agriculture Organization of the United Nations. Rome; Anoop D, Khurana R, Singh J, Singh G. Comparative 2015. p. 1–236. 3.
9. Harun, R., Suhaimee, S., Zaffrie, M., Amin, M., & Sulaiman, N. H. *Benchmarking and prospecting of technological practices in rice production (Penanda aras dan prospek amalan teknologi dalam pengeluaran padi)*. *Economic and Technology Management Review* (Vol. 10). Retrieved from [http://etmr.mardi.gov.my/Content/ETMR Vol.10b \(2015\)/Vol10b \(1\).pdf](http://etmr.mardi.gov.my/Content/ETMR Vol.10b (2015)/Vol10b (1).pdf)
10. Krejcie, R. V. & Morgan, D. W. . Determining sample size for research activities: Educational and Psychological Measuring. Stage Publication, Inc. vol. 30, p. 1970, 608.
11. Rahman, M., & Haque, Z. Adoption Of Selected Wheat Production Technologies In Two Northern Districts Of Bangladesh. *International Journal of Agricultural Research, Innovation and Technology*, 3(1), 20135–11. <https://doi.org/10.3329/ijarit.v3i1.16043>

12. Redmond Rahin Shamshiri, Bala Ibrahim, Desa Ahmed, Hasfalina Cheman & Aimoun Wayakok (2018). AnOverview of the System of Rice Intensification for Paddy Field in Malaysia. Indian Journal of Science andTechnology 2018 11(18): 1-6.

UNDER PEER REVIEW