



**SDI FINAL EVALUATION FORM 1.1**

**PART 1:**

Journal Name:	<a href="#">Journal of Pharmaceutical Research International</a>
Manuscript Number:	<b>Ms_JPRI_42178</b>
Title of the Manuscript:	<b>Comparison of the Effect of Intraoperative 1 mg/kg/h and 2 mg/kg/h IV Lidocaine Infusion on Postoperative Pain and Nausea-Vomiting in Laparoscopic Gastric Bypass Surgery</b>
Type of Article:	

**PART 2:**

<b>FINAL EVALUATOR'S comments on revised paper (if any)</b>	<b>Authors' response to final evaluator's comments</b>
<ol style="list-style-type: none"> <li>1. Puzzled by the statement in Line 257: "In the above studies, pain and nausea-vomiting were not compared between two groups of 1mg/kg/h and 2 mg/kg/h lidocaine". This completely contradicts your title and the main idea of your research (Comparison of the Effect of Intraoperative 1 mg/kg/h and 2 mg/kg/h IV Lidocaine Infusion on Postoperative Pain and Nausea-Vomiting in Laparoscopic Gastric Bypass Surgery).</li> <li>2. Please check the dose of midazolam in Line 56: 0.02mcg/kg. It seems the dose is too small for any significance clinically.</li> <li>3. Except the above inaccurate statement, the result showed that there is no difference between these 2 groups. Because of this negative study, the lower dose of lidocaine is preferred.</li> </ol>	

**Reviewer Details:**

Name:	<b>Joe Liu</b>
Department, University & Country	<b>Washington State University, USA</b>