



SDI Review Form 1.6

Journal Name:	Journal of Pharmaceutical Research International
Manuscript Number:	Ms_JPRI_45923
Title of the Manuscript:	Researching The Effects Of , Ellagic Acid On Depletion Exercise
Type of the Article	Original Research Article

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)



SDI Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Compulsory REVISION comments	<p>EDIT THE ABSTRACT TO-</p> <p><u>Introduction:</u> This study was carried out in order to investigate the oxidative stress in rats that are made to perform depletion exercise, effects of oxidative stress if present, and further to analyze the effect of, Ellagic acid supplement against oxidative stress.</p> <p><u>Methods and Materials:</u> The study was carried out on 32 male and adult Spraque - Dawley rats at AKÜ. The experimental animals were equally divided into four groups. Swimming exercises were performed as acute exercises for once and experimental animals were made to swim in groups including two rats following the completion of the study and before decapitation. The rats in the Group 1 (general control group) were not made to swim. At the end of procedures that lasted for four weeks, total oxidant (TOS), total antioxidant (TAS), nitric oxide (NO) and Asymmetric dimethyl Arginine (ADMA), TNF α, INF γ and IL6 plasma and tissue levels was assayed from the blood samples taken from experimental animals.</p> <p><u>Results:</u> NO, IL-6 and TNFα levels were significantly lower in the EA + exercise group than in the exercise group (p <0.05). The plasma and tissue TAS and TOS values of the groups were significantly lower than the total oxidant capacity control group (p <0.05).</p> <p><u>Conclusion:</u> Ellacig acid may have protective effect against damage that may occur during exhaustion exercise.</p>	
Minor REVISION comments	-	
Optional/General comments	-	

PART 2:

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)



SDI Review Form 1.6

Are there ethical issues in this manuscript?	<i>(If yes, Kindly please write down the ethical issues here in details)</i>	
---	--	--

Reviewer Details:

Name:	<i>Tushita Thakur</i>
Department, University & Country	<i>India</i>