

Construction and standardization of knowledge test to measure the level of knowledge of tribal farmers on seed banking

ABSTRACT

Intense knowledge on seed banks is prerequisite for ensuring seed banking and the associated traditional knowledge in tribal areas. Hence, it was thought necessary to construct a test for the purpose and an attempt has been made to develop a test for measuring knowledge of tribal farmers on seed banking. Pertinent items were collected covering all aspects of seed banking. The knowledge test was developed following step by procedures which included preliminary screening of the items based on Likert's method through calculation of t-statistics and mean score, followed by the item analyses through derivation of difficulty index, discrimination index and point biserial correlation coefficient.. The final knowledge test contained 45 items which were retained from 60 items. Each item can be measured through two-point scale. The test was found to be highly stable and reliable which was indicated by highly significant value of reliability co-efficient (0.78). The social science researchers can use this to measure knowledge of tribal farmers on seed banking. It can help the extension personnel to formulate sound strategy to exploit the strong areas of knowledge and develop the weak areas of knowledge of the farmers regarding seed banking.

Keywords: Knowledge Test, Tribal Farmers, Seed Banking, Knowledge, Construction

1. INTRODUCTION

Seed banks can help farmers to access seeds to grow crops during the next planting season or they can be used as an emergency seed supply when their crops are damage and destroyed. These will help to preserve seed of the most adapted varieties for the region. Seed banking is operationalized as tribal farmers behavior in terms of seed saving, seed accessibility, seed production, seed storage, use and distribution to others. Despite having various advantages of seed banks, these did not get tribal farmers acceptance adequately. To promote seed banks in tribal areas it is essential to study knowledge of tribal farmers on seed banking activities, as knowledge forms an essential component in adoption of seed banks. Hence, in order to study the knowledge of tribal farmers on seed banking, a test has been developed.

2. METHODOLOGY

2.1 Collection of items

Initially 75 items were collected focusing on various aspects of seed banking i, e seed accessibility, seed storage, use and seed distribution to others. Experts in the field of plant breeding, seed technology and scientists working in tribal areas were consulted to collect the above 75 items. After screening, fine tuning and editing based on the opinion of the concerned scientists 60 items were retained. These 60 items were subjected to item analysis to screen some more items based on the opinion of the respondents (from non sample area).

35

36 2.2 Item analysis

37 The item analysis was carried out in terms of three indices that are item difficulty index
38 and item discrimination index and point biserial correlation. The item difficulty index indicates
39 the extent to which an item was difficult. The item discrimination index provides information
40 on how well an item discriminates in agreement that is whether an item really discriminates a
41 well informed respondent from a poorly informed respondent. Whereas. The point biserial
42 correlation provided information on how well item measures or discriminates in agreement
43 with the rest of the test.

44 Pretesting of the items was done as suggested by Gonard (1948). The 60 items were
45 revised and administered to 90 respondents selected for the purpose of pretesting in
46 controlled situation.

47 2.3 Item difficulty index (P)

48 The 60 items were administered to 90 non sample respondents with two point
49 response continuum. The scores allotted were one for correct response and zero for
50 incorrect response. After computing the total score obtained for each of the 90 respondents
51 on 60 items, they were arranged in order from highest to lowest scores. Based on which the
52 90 respondents were then divided into six equal groups. These groups were labelled as G₁,
53 G₂, G₃, G₄, G₅ and G₆ with 15 respondents in each group. For the purpose of item analysis,
54 the middle two groups G₃ and G₄ were eliminated keeping only four extreme groups with
55 high and low scores. (Bloom *et al.* 1956).

56 The item difficulty index was worked out as the percentage of the respondents
57 answering an item correctly. The items with 'p' values ranging from 0.2 to 0.8 were
58 considered for the final selection of the knowledge test battery.

59 Item discrimination index (E 1/3)

60 The item discrimination index indicated by "E 1/3" which is calculated by the formula.

$$\begin{aligned} & \text{E 1/3} = \frac{(S1 + S2) - (S5 + S6)}{N/3} \end{aligned}$$

64 Where S1, S2 and S5, S6 are the frequencies of correct answers in the groups G1,
65 G2 and G5, G6 respectively. 'N' is the total member of respondents of the sample selected
66 for the item analysis that is 90.

67 The discrimination index varies from 0 to 1. The items with discrimination index
68 ranging from 0.2 to 0.8 were selected for the final test.

69 2.4 Point biserial correlation (r_{pbis})

70 The main aim of calculating point biserial correlation was to work out the internal
71 consistency of the items i.e. the relationship of the total score to a dichotomized answer to
72 any given item. In a way, the validity power of the item was computed by the correlation of
73 the individual item of preliminary knowledge test calculated by using the formula suggested
74 by Garret (1966).

$$r_{pbis} = \frac{MP - MQ}{SD} \times \sqrt{pq}$$

78 r_{pbis} = Point biserial correlation.

79 MP = Mean of the total scores of the respondents who answered the item correctly.

$$MP = \frac{\text{Sum total of } x \cdot y}{\text{Total number of correct answers}}$$

MQ = Mean of the total scores of the respondents who answered the item incorrectly.

$$MQ = \frac{\text{Sum total of } x - \text{Sum total of } x \cdot y}{\text{Total number of wrong answers}}$$

SD = Standard deviation of the entire sample.

P = Proportion of the respondents giving correct answer to the item.

$$P = \frac{\text{Total number of correct answers}}{\text{Total number of respondents}}$$

q = Proportion of the respondents giving incorrect answer to the item

(or) $q = 1 - P$

X = Total score of the respondent for all items.

Y = Response of the individual for the items i.e. (Correct = 1; Incorrect = 0)

XY = Total score of the respondent multiplied by the response of the individual to the item.
i.e. (Correct = 1; Incorrect = 0)

Items having significant point biserial correlation either at 1 per cent (or) 5 per cent level was selected for the final test of the knowledge.

Representativeness of the test

Care was taken to see that the test items selected finally covered the entire universe of respondent's knowledge on seed banking behaviour.

103

3. RESULTS AND DISCUSSION

105

Out of 60 items, 45 items were finally selected based on

1. Items with difficulty level indices ranging from 0.2 to 0.8
2. Items with discrimination indices ranging from 0.2 to 0.8.
3. Items having significant point biserial correlation either at 1 per cent or 5 per cent level.

Items have 0.80 and 0.20 as correct proportion. The average of these proportions is equal to $(0.80 + 0.20)/2 = 0.50$.

Thus, the finally selected knowledge test items comprised of 4 types of questions viz. true/false, multiple choices, fill up the blank questions and one word answer totaling to 45 items to measure the knowledge on seed banking behaviour. The selected items with P, E1/3 and rpbis values are given in the table 1.

117

118

Table 1. Distribution of respondents based on knowledge test scores of item analysis

S.No.	Frequencies of correct answer of respondents in four extreme groups	Total frequencies of correct	% of giving correct	Difficulty index	Discrimination power	Rpbis
-------	---	------------------------------	---------------------	------------------	----------------------	-------

	G-1	G-2	G-5	G-6	answers by responses all six groups				
1.	15	15	7	6	64	71.11	0.71	0.6	0.642**
2.	11	6	8	5	40	44.44	0.50	0.1	0.188 ^{NS}
3.	12	12	10	9	64	71.11	0.72	0.16	0.219 ^{NS}
4.	12	9	6	0	39	43.33	0.45	0.5	0.443**
5.	12	9	3	0	33	36.67	0.40	0.6	0.514*
6.	13	13	11	9	71	78.88	0.76	0.2	0.239 ^{NS}
7.	12	9	0	0	24	26.67	0.35	0.7	0.670*
8.	6	11	4	6	39	43.33	0.65	0.23	0.171 ^{NS}
9.	15	3	3	1	21	23.33	0.4	0.5	0.254*
10.	7	7	6	4	34	37.78	0.40	0.1	0.115 ^{NS}
11.	12	12	9	0	60	66.67	0.55	0.5	0.460*
12.	12	3	6	0	27	30.00	0.35	0.3	0.361**
13.	12	9	8	8	56	62.22	0.61	0.16	0.232 ^{NS}
14.	10	10	6	6	45	50.00	0.53.33	0.26	0.205 ^{NS}
15.	15	15	12	12	81	90.00	0.90	0.2	0.121 ^{NS}
16.	15	6	0	0	24	26.67	0.35	0.7	0.422*
17.	15	9	6	3	51	56.67	0.55	0.5	0.399**
18.	15	6	6	3	36	40.00	0.50	0.4	0.43**
19.	12	9	6	0	39	43.33	0.45	0.5	0.443**
20.	15	9	3	0	30	33.33	0.45	0.7	0.697*
21.	15	12	6	3	66	73.33	0.60	0.6	0.479**
22.	9	15	6	0	39	43.33	0.50	0.6	0.450*
23.	12	15	3	6	51	56.67	0.66	0.6	0.493*
24.	15	9	3	3	45	50.00	0.50	0.6	0.550*
25.	15	12	6	0	45	50.00	0.55	0.7	0.577*
26.	15	3	3	6	42	46.67	0.45	0.3	0.390**
27.	15	0	3	3	24	26.67	0.35	0.3	0.325**
28.	15	6	3	0	30	33.33	0.40	0.6	0.647*
29.	15	3	3	0	36	40.00	0.35	0.3	0.251**
30.	9	12	3	0	39	43.33	0.40	0.6	0.592*
31.	12	15	3	6	51	56.67	0.66	0.6	0.493*
32.	12	9	3	0	36	40.00	0.40	0.6	0.251**
33.	12	15	3	6	51	56.67	0.66	0.6	0.493*
34.	6	6	0	0	27	30.00	0.20	0.4	0.224 ^{NS}
35.	10	4	1	3	21	23.33	0.3	0.3	0.374**
36.	7	7	3	1	24	26.67	0.3	0.3	0.374**
37.	12	12	9	4	51	56.67	0.65	0.3	0.264**
38.	11	10	9	7	51	56.67	0.61	0.1	0.203 ^{NS}
39.	12	4	0	0	24	26.67	0.30	0.6	0.611*
40.	12	6	0	3	33	36.67	0.35	0.5	0.456*

S.No.	Frequencies of correct answer of respondents in four extreme groups				Total frequencies of correct answers by all six groups	% of giving correct responses	Difficulty index	Discrimination power	Rpbis
	G-1	G-2	G-5	G-6					
41.	9	12	0	0	33	36.67	0.35	0.7	0.612*
42.	12	12	3	0	45	50.00	0.45	0.7	0.476*
43.	15	15	6	6	60	66.67	0.70	0.6	0.539*
44.	15	12	9	3	60	66.67	0.65	0.5	0.414**
45.	9	11	6	9	41	45.56	0.58	0.1	0.117 ^{NS}
46.	15	9	3	0	39	43.33	0.45	0.7	0.580*
47.	15	15	9	6	75	83.33	0.75	0.5	0.562*
48.	15	15	4	6	60	66.67	0.70	0.6	0.539*
49.	12	12	3	0	33	36.67	0.45	0.7	0.655*
50.	15	15	6	12	78	86.67	0.80	0.4	0.439*
51.	11	4	2	4	21	23.33	0.35	0.3	0.381**
52.	10	11	9	6	57	63.33	0.60	0.2	0.186 ^{NS}
53.	14	15	14	12	76	84.44	0.91	0.1	0.183 ^{NS}
54.	13	9	7	8	52	57.78	0.61	0.23	0.201 ^{NS}
55.	10	12	11	07	64	71.11	0.67	0.1	0.223 ^{NS}
56.	9	6	0	3	33	36.67	0.30	0.4	0.379**
57.	15	12	4	0	51	56.67	0.55	0.7	0.675*
58.	15	9	3	0	39	43.33	0.45	0.7	0.580*
59.	13	11	5	2	51	56.67	0.51	0.56	0.596**
60.	15	12	3	3	45	50.00	0.50	0.6	0.546*

* Significant at 0.01 % level of probability, Significant

** Significant at 0.05 % level of probability, NS: Non

3.1 Standardization of the test:

3.1.1 Reliability:

The split half method

Total 45 statements in the knowledge test were divided into two equal halves by putting the odd numbered items on one side and even numbered items on the other side. Both halves were considered as separate schedule with 22 and 23 statements each. Each set of half part of a schedule was administered on the same group of 30 respondents alternatively who were not included in the final sample. To find out the agreement between two sets of statements of the schedule, correlation coefficient was calculated and put to Spearman Brown prophecy formula as given here

$$r_{11} = \frac{2 (\text{roe})}{1 + \text{roe}}$$

Where roe is the coefficient of reliability of two half test i.e. odd and even and r_{11} is the reliability coefficient of the entire test. Reliability coefficient for knowledge test was found

138 to be 0.78. The scores for the subjects on the two forms were correlated and this correlation
139 was taken as a measure of the reliability of the scales.

140 **3.1.2 Validity:**

141 **Content validation**

142 The content validity of the knowledge test was derived from a long list of test items
143 representing the whole universe of seed banking collected from various sources as
144 discussed earlier. It was assumed that the score obtained by administering the knowledge
145 test of this study measures what was intended to measure. . Thus ensuring a fair degree of
146 content validity

147 Thus the knowledge test developed in the present study measures the knowledge of
148 tribal farmers on seed banking as it showed a greater degree of reliability and validity.

149 **Selected items:**

150 **Fill in the blanks**

- 151 1. _____ is the best source of seed in your community
- 152 2. By using _____ seed we can conserve genetic material
- 153 3. In _____ way the demand for seed can be fulfilled
- 154 4. _____ fungicide is used for seed treatment
- 155 5. _____ percent moisture content should be maintained during seed
156 storage
- 157 6. Before storing of harvested seed _____ operation is required
- 158 7. The seed security can be achieved through _____ in tribal areas
- 159 8. Seed exchange with in community members is known as _____

160 **Multiple choices:**

- 161 9. What is meant by community seed bank?
162 a) Seed saving b) Seed accessibility c) Seed distribution d) All the above
- 163 10. In situ conservation of seed means, conserving the seed in
164 a) Natural population b) Community seed bank
165 c) Storage bins d) Conserving the hybrid seed
- 166 11. Can you give the meaning of individual seed exchange?
167 a) Individual purchased seed will be exchanged
168 b) Individual saved seed will be exchanged with other farmers
169 c) Seed exchanged with external agencies
170 d) Seed exchanged with other community members
- 171 12. Which is the best seed in tribal area?
172 a) Local seed varieties b) Hybrid seed
173 c) Seed from govt agencies d) Seed from input dealers
- 174 13. For which purpose the saved seed can be utilized?
175 a) As seed for next season b) For own consumption
176 c) Exchange with others d) Both a& d
- 177 14. Products from which seed is healthier to human being and environment?
178 a) Seed from private agencies b) Hybrid seed
179 c) Seed from **government/ govt** agencies d) Local seed varieties
- 180 15. Which seed will be available at lower price?

- 181 a) Local seed varieties b) Seed from govt agencies
182 c) Hybrid seed d) Seed from private agencies
183 16. In which way seed sovereignty can be achieved?
184 a) Seed from govt agencies b) Hybrid seed
185 c) Local seed varieties d) Seed from private agencies
186 17. Seed accessibility at community level can be improved through?
187 a) Input dealers b) Community seed banks
188 c) Seed from govt agencies d) Seed from private agencies
189 18. Which is the best source of seed for small and marginal farmers?
190 a) Seed from input dealers b) local seed varieties from
191 farmers
192 c) Seed from govt agencies d) Seed from private agencies
193 19. Sustainable use of genetic resources can be achieved through?
194 a) Hybrid seed b) local seed varieties
195 c) Seed from govt agencies d) Seed from private agencies
196 20. Seed conservation and exchange at village level can be happen through?
197 a) Seed from govt agencies b) Hybrid seed
198 c) Community seed banks d) Seed from private agencies
199 21. Farmer's dependence on seed companies can be reduced through?
200 a) Local seed varieties b) Hybrid seed
201 c) Seed from govt agencies d) Seed from private agencies

202 **True/False**

- 203 22. Informal seed distribution system means, seed distribution with neighbors, friends
204 and relatives without any formal procedure.
205 23. Local seed varieties ensure that good quality seed is always available in tribal areas
206 .
207 24. Local seed varieties ensure that seed is available at cheaper price.
208
209 25. The community seed bank become lively hood source of for farmers.
210 26. Local seed varieties will give good yield even in dry land areas also.
211 27. Local seed varieties will reduce input cost for cultivation.
212 28. Seed treatment necessary for the seed that you use.
213 29. Empowerment of farmer's organization can be achieved through activities like
214 Community seed banks.
215 30. By using of high yielding varieties indigenous varieties depletion happen.
216 31. Community seed banks can act as a alternate income generating activity.
217 32. Reason for depletion of seed stock in the villages is use of hybrid seed.

218 **One word answer**

- 219 33. Indigenous seed variety means?
220 34. Please name any two indigenous varieties in your community?
221 35. What is meant by local seed fairs?
222 36. What is meant by farmer's right?
223 37. What is the difference between the local seed variety and hybrid seed?

- 224 38. What are the consequences of continuous using of hybrid seed and replacing the
225 local varieties?
226 39. Which is the best place for seed storage?
227 40. Please mention any one pesticide which will control the storage pest?
228 41. Tell any indigenous practice for rodent control?
229 42. How the seed is distributed from community seed bank?
230 43. Can you give any activity through which we can conserve agro biodiversity?
231 44. What are the different sources of seed collection in your community?
232 45. How can we establish alternate seed supply in tribal areas?
233

234 4. CONCLUSION

235

236 Understanding the knowledge of the individuals is very important in social science
237 research as it influences the adoption phenomenon to a great extent. A reliable and valid
238 knowledge test is required for this purpose. In the present study a knowledge test on seed
239 banking was developed and standardized. This knowledge test covered every possible area
240 of seed banking. It was found to be highly stable and reliable which was indicated by the
241 highly **significant value** of reliability co-efficient. The social science researchers can use this
242 to measure knowledge of tribal farmers on seed banking. It can help the extension personnel
243 to formulate sound strategy to exploit the strong areas of knowledge and develop the weak
244 areas of knowledge of the farmers regarding seed banking.

245 REFERENCES-CAN INCLUDE MORE REFERENCES

246

- 247
248 Prasad.S.V. and Narayana Reddy.G.V. Standard test to measure knowledge of farmers
249 about production recommendations of rainfed castor in Nalgonda district of Andhra
250 Pradesh.*Current biotica*.2010.3(4):570-574.
251 Singh, A.K. Tests, measurements and research methods in behavioural sciences..New Delhi
252 5th ed.Bharati Bhawan.2006.
253 Loukham Devarani and. Bandhyopadhyay A. K. Development of Gender-Disaggregated
254 Knowledge Test for measuring Knowledge Level of Farmers in Improved Rice
255 Cultivation. *Indian Res. J. Ext. Edu.* 2014.14(1): 30-35. **(fullstop)**
256 Roy. M.L and Kadian.K.S. Development and Standardization of a Knowledge Test on Mixed
257 Farming for Farmers. *Indian Res. J. Ext. Edu.* 2016. 16 (2):70-75.
258 Smriti Subba and Souvik Ghosh.. Knowledge Test on Large Cardamom
259 (Amomumsubulatum) Cultivation Practices in Sikkim. *Journal of Community*
260 *Mobilization and Sustainable Development*. 2016. 11 (2), 173-181.
261 Kusuma Kumari.Nand Sakeer Husain.A. A Standardised Knowledge Test to Measure the
262 Extent of Knowledge of Agricultural Extension Personnel on m-tools.*Journal of*
263 *Extension Education*. 2016. 28(1):5614-5619.
264 Sujit Sarkar, R. N. Padaria, K. Vijayaragavan, Himanshu Pathak, Arpan Bhowmik, Pramod
265 Kumar and G. K. Jha. Constructing a Knowledge Test to Measure the Knowledge

266
267

Level of Farmers about Climate Change in Arid Ecosystem of India. *International Journal of Bio-resource and Stress Management*. 2014. 5(4):530-535.

UNDER PEER REVIEW