

2

3 **Economic Opportunity for Investment in**

4 **Soybean+Sunflower Crop System in Mato**

5 **Grosso, Brazil**

6

7

8

9

10 **ABSTRACT**

11

The economic feasibility of soybean and sunflower crop system on a farm in Diamantino MT Brazil is analyzed. Data were retrieved from the 2017-2018 harvest, even though they were repeated for a six-year span. Project-inherent items were grouped in fixed and variable costs. Main financial indexes comprised total yearly income, current net rate, equivalent uniform yearly rate, return internal rate, profit index during the period and discounted payback. In the case of the suggested system, the plantation proved to be viable, with total yearly income of R\$ 3,624,000.00 at the end of six years; current net rate at R\$ 1,468,920.00; equivalent uniform yearly rate at R\$ 334,810.00; 18 % return internal rate; 33 % profit index during the period, and discounted payback of 4.53 years. However, 15 % negative variations in price, productivity or income, or positive variation at 30 % in real operation costs proved the unfeasibility of the project, with special reference to current negative net rate. Supplementary profit (hectare) from sunflower was 33 % higher than that of soybean. Fixed costs paid by soybean suggested two annual crops. Method for the application of production costs is highly relevant since it provides a good assessment on the implementation project and presents a good diagnosis for decision-taking with more profitable alternatives in planning soybean production to dilute costs and increase income.

12

13 *Keywords: agribusiness; administration of costs; Glycine max L.; Helianthus annus L.;*

14 *economic feasibility.*

15

16 **1. INTRODUCTION**

17

18 Agribusiness is one of the most relevant sectors in Brazilian economy, with special reference

19 to agriculture and its basic role in economic growth. Soybean (*Glycine max* L.) is an

20 oleaginous plant with great relevance in agriculture. Due to increasing food demands,

21 soybean is one of the basic sources for vegetal protein and a prime matter for several

22 products such as animal diet, oil and others [1,2,3,4,5,6,7].

23 Increase in demand has enhanced the economic importance of soybean and, consequently,

24 cultivated area and production, with greater productivity rates [8], particularly in the state of

25 Mato Grosso, Brazil, as Brazil's greatest producer (30 % of total production). The state is

26 also the greatest national producer (78 %) in sunflower (*Helianthus annus* L.), with special

27 reference to the municipality of Campo Novo do Parecis, due to its excellent soil and climate

28 conditions [9,10]. Owing to demands of the region's industrial and commercial sectors

29 triggered by high quality oil and bran [11,12,10,13], the sunflower is a relevant economic

30 alternative in crop rotation, intercalation and succession to soybean within a second harvest

31 system. The latter improves soil without competing with other plant species sown during the

32 period, such as corn (*Zea mays* L.), cotton (*Gossypium hirsutum* L.) and popcorn maize (*Zea*
33 *mays everta* L.) [14,10].

34 However, agriculture is subjected to high risks and uncertainty due to economic [15] and
35 environmental factors. It is a well-known fact that climate is one of the main factors of
36 uncertainty in agricultural production [16]. Biological and market vicissitudes affect
37 productivity and production costs. Consequently, income from productivity may oscillate
38 when profit margins depend on soil and climate conditions, technology employed and
39 management [17].

40 The structure and analysis of production costs provide the producer sufficient data for
41 decision-taking within the production cycle and determines the best time for commercializing
42 production with profits [18]. In fact, accounting tools have been more and more frequently
43 employed for elucidations and strategic management, monitoring income and expenses,
44 pinpointing mistakes and the best improvements, and even indicating where financial
45 resources should be applied for a successful entrepreneurship [19,20,21].

46 Further, costs survey is an asset for the producer to analyze items involving production,
47 costs and benefits, and decision-making, and, coupled to market data, to identify risks and
48 opportunities.

49 Current study determines the economic viability of soybean+sunflower crop system on a
50 plantation in the mid-northern region of the state of Mato Grosso, Brazil.

51

52

53 2. MATERIAL AND METHODS

54

55 Current study was based on data retrieved from an agricultural plantation in the municipality
56 of Diamantino MT Brazil (13°37'47.87" S and 57°23'51.71" W). According to Köppen's
57 classification, climate type is Aw, or rather, a tropical climate with well-defined dry and rainy
58 seasons. The dry season ranges between May and September and the rainy one between
59 October and April.

60 The farm's produce consisted of soybean as the main crop and corn in the inter-harvest
61 period. However, sunflower production as secondary crop has been proposed to replace
62 corn, with one's own capital, due to the producer's eagerness. The plantation's total area
63 comprises 1,630 hectares, with 800 hectares for crops, 800 hectares as legal and mandatory
64 preservation area, and 30 hectares with premises, dirt roads, pasture, orchards and others.
65 During the summer, soybean covers the entire crop area and sunflower crop occupies 50 %
66 (400 ha) of the area.

67 Machines (tractor 260 CV/191 kW; tractor 75 CV/55 kW and harvester 300 CV/220 kW) and
68 new equipments (22-line sower, sunflower platform, front transporter, self-propelled sprayer,
69 water tank truck, transport truck, 40-disc plowing machine and 64-disc leveler), one unit
70 each, were acquired at the start of the experiment, for the installation, transport and
71 harvesting of crops. Total initial investment reached R\$ 2,545,000.00 and R\$ 45,096.00 for
72 the preparation and correction of the soil.

73 Maintenance costs comprise expenses for fuel (diesel), spare parts, lubricants and filters,
74 and eventual salaries to mechanics and electricians. Technical assistance (0.4 + 0.2 bags of
75 soybean and sunflower, per hectare) was the *pro labore* of the assistant technician and
76 owner (agronomic engineer) of the plantation. Eventual technical assistance provided by

77 agricultural retailers is free. Administration costs comprise telephone bills, electricity, fuel
78 and car maintenance. Freight included in harvest costs is the cost of transporting produce to
79 silos some 45 km distant from the farm. There are no storage costs since the producer
80 delivers the grains to the trading firm, with sales commitment at any time. Insurance of
81 machines and equipments costs 1.2 % per annum.

82 **2.1. Production costs of soybean and sunflower**

83 Estimates for soybean and sunflower production costs were undertaken by grouping of items
84 into variable and fixed costs [22], namely: a) variable costs (VC), comprising inputs, seeds,
85 crop treatments, spare parts, fuel, seasonal manpower, technical assistance, harvest,
86 freight, trading taxes (Fethab/Facs and Funrural) and income tax (IT) of presumed profit (15
87 %). Above-mentioned costs plus interest on working capital (WC) composed Total Variable
88 Costs (TVC); b) Fixed costs (FC), wholly attributed to the main crop, comprised Payable
89 Fixed Costs (soil preparation and correction, fixed manpower, management and renting
90 (opportunity costs) and costs of capital stock (CCS) or depreciations and mortgage; leasing
91 was anticipated capital (prior to soybean sowing); c) Total Costs (TC) as TVC plus FC.

92 Rates in Brazilian Real (R\$) for soybean (2017-2018 harvest) and sunflower (2018 harvest)
93 production costs were retrieved during the second semester of 2017 and the first semester
94 of 2018 during agricultural commercialization in Campo Novo do Parecis and with producers
95 of the region. Transgenic soybean (RR and Bt) with zero tillage was featured, with straw and
96 vegetal residues left on the soil surface. Machines and equipments had a 10-year useful life,
97 with a 40 % residue rate which returned by the end of the sixth year as profit, when sold.
98 Improvements were estimated at R\$ 200,000.00, and included a house made of bricks (90
99 m²) and another made of timber (110 m²), a shed (680 m²), built some ten years ago, with
100 another ten years of useful life, at 40 % residual rate.

101 Depreciation rate was calculated linearly and land costs were the mean leasing rate of eight
102 sacks of soybeans ha⁻¹ year⁻¹. WC was the sum of VC + PFC, on the former, interests at
103 9.75 % p.a. and 9.75 % p.a. for CCS, composing opportunity costs, or rather, profits at
104 saving account rates and activity risks.

105 Fethab/Facs was calculated following Technical Information 206/2018 by the Association of
106 Soybean and Corn Producers of Mato Grosso¹ and Decree 217/2017 by the Economy
107 Secretary of the state of Mato Grosso² (Table 1). Funrural is the 1.5 % rate on Total Income
108 (TI), according to Act 13606 published on 9/1/2018³, on the Rural Tax Regulation Program
109 (RTRP).

110 **Table 1. Monetary rates to Facs, FETHAB and regional FETHAB, January 2018**

¹ Association of Soybean and Corn Producers of Mato Grosso [APROSOJA]. 2018. Informe Técnico Aprosoja nº 206/2018. Available at: <<http://www.aprosoja.com.br/produtor/informes-tecnicos/2018>> on 22/01/2018.

² State Secretary of Revenues [SEFAZ/MT]. 2017. Decree 217/2017, of 28 Decz. 2017. Dealing with coefficients of monetary correction, applied to fiscal debts and updated rate of UPF/MT during the period and other items. Diário Oficial de Mato Grosso, Cuiabá. Available at: <<http://app1.sefaz.mt.gov.br/0325677500623408/7C7B6A9347C50F55032569140065EBBF/016721B15DCA09EA8425820A007BA97A>> on 22/01/2018].

³ Planalto. President of the Republic. 2018. Act 13.606, 09/01/2018, dealing with the Program for the Regulation of Rural Tributes (PRR) of the Secretary of Federal revenue of Brazil and General Attorney. Diário Oficial da União, Brasília. Available at <http://www.planalto.gov.br/ccivil_03/_ato2015-2018/2018/lei/L13606.htm> on 22/01/2018].

Description	% FSU ^a	R\$ ton ⁻¹	R\$ sack ⁻¹
Fethab ^b soybean	9.605	12.3175	0.7390
Regional Fethab	9.605	12.3175	0.7390
Facs ^c	1.260	1.6158	0.0969
Total (R\$)	20.47	26.2507	1.5750

111 *Source: Elaborated by author, based on APROSOJA (2018)*

112 ^a Fiscal Standard Unit FSU/MT = R\$ 128.24, ^b State Fund for Transport and Housing, ^c Fund
113 pro soybean crop.

114 2.2. Economic analysis

115 2.2.1. Costs system

116 The economic analysis of the costs system assessed mean productivity of crops during the
117 last three harvests (58 sacks ha⁻¹ for soybeans and 30 sacks ha⁻¹ for sunflower) on the
118 plantation and/or region [14] and respective mean prices (R\$ 60 sack⁻¹ soybean and R\$ 70
119 sack⁻¹ sunflower) to constitute TI. TFC comprised FC of CCS + PFC, whereas TC was
120 calculated by VC + interests on WC (TVC) + TFC. Taking leasing into account, Real
121 Operation Costs (ROC) amounted to TVC + PFC. Weighted Average Revenue, weighted TC
122 and weighted LT are, respectively, income from total soybean area + income from total
123 sunflower area divided by available area; TC of total soybean area + TC of total sunflower
124 area divided by available area and total yearly profit divided by available area.

125 Whereas Gross Contribution Range (GCR) consists of income minus TVC, the True
126 Operational Contribution Margin (TOCR) comprises GCR subtracted from PFC (total yearly
127 profit + depreciations, taking into account opportunity costs – leasing), also known as
128 financial profit; Contribution Range Index (CRI) is the result of GCR divided by income.
129 Profits prior to the removal of interests and depreciations consisted of TOCR + interests on
130 WC. Operational Profit (OP) was income surplus minus TC (including interests on CCS,
131 depreciation and mortgage); Total Profit (TP) is income surplus minus TC (excluding
132 interests on CCS), whereas Profit Range (PR) is the profit percentage with regard to income
133 [(income – COT) / income].

134 Further, equilibrium points (EP) were determined with regard to area (ha) by dividing TFC
135 (R\$) by GCR (R\$ ha⁻¹); with regard to productivity (sc ha⁻¹), mean costs (MC, R\$ ha⁻¹)
136 divided by selling price (R\$ sc⁻¹); with regard to production (sacks), TFC (R\$) divided by
137 GCR (R\$ sc⁻¹); with regard to income (R\$), TFC (R\$) divided by CRI; with regard to selling
138 price (R\$ sc⁻¹), with TC (R\$ sc⁻¹) and equilibrium income (EI) for the activity (association of
139 crops). In addition, Net Current Rate (NCR), Equivalent Uniform Annual Rate (EUAR),
140 Payback Internal Rate (PIR), Profitability Index (PI) during the period and Discounted
141 Payback (DPB) were calculated, following [23].

142 Simulations for different scenarios were performed to assess the business's sensitiveness to
143 the market's natural oscillations, due to the seasonality of agricultural prices. Besides the
144 basic scenario, positive and negative variations of 15 and 30 % were defined for ROC,
145 productivity, prices and incomes of soybean and sunflower so that one could register the
146 performance of their respective financial indexes TI, NCR, EUAR, PIR, PI during the period
147 under analysis and DPB for each scenario.

148

149

150 **3. RESULTS AND DISCUSSION**

151

152 The 2017-2018 soybean harvest had a total production cost equivalent to R\$ 2,450,698.00
 153 divided into R\$ 1,291,490.00 as variable costs; R\$ 835,789.00 fixed costs; R\$ 210,714.00
 154 interests on capital stock; \$ 112,703.00 interests on working capital (Table 2), with R\$
 155 2,745,000.00 investments in stock capital with regard to machinery, equipments and
 156 improvements. Rates per hectare amount to R\$ 3,063.00; R\$ 1,614.00; R\$ 1,044.00; R\$
 157 263.00 and R\$ 140.00, respectively.

158 **Table 2. Annual production costs for soybean crop for 2017-2018 harvest. Diamantino**

159 **MT Brazil, 2018**

Item	R\$ ha ⁻¹	Total (R\$ 800 ha ⁻¹)	% ^a
I – Variable costs			
<i>Inputs</i>			
Seeds	271.08	216,864.00	8.85
Seed treatment	35.00	28,000.00	1.14
Inoculants	8.00	6,400.00	0.26
Fertilizer, seeding and coverage	586.68	469,344.00	19.15
Micronutrients	23.17	18,536.00	0.76
Herbicides	67.49	53,992.00	2.20
Insecticides	45.00	36,000.00	1.47
Fungicides	70.01	56,008.00	2.29
Adjuvants	37.75	30,200.00	1.23
Periodic maintenance	20.00	16,000.00	0.65
Kitchen expenses	18.75	15,000.00	0.61
<i>Total inputs</i>	1,182.93	946,344.00	38.62
<i>Mechanized operations</i>			
Fertilization and seeding	18.07	14,456.00	0.59
Application with machines	23.22	18,576.00	0.76
Harvest and transport	170.00	136,000.00	5.55
Post-harvest management	3.87	3,096.00	0.13
<i>Total mechanized operations</i>	215.16	172,128.00	7.02
<i>Other costs</i>			
Seasonal labor	30.00	24,000.00	0.98
Divers costs ^b	18.72	14,976.00	0.61
Technical assistance	24.00	19,200.00	0.78
Fethab/Facs ^c	91.35	73,082.03	2.98
Funrural ^d	52.20	41,760.00	1.70
<i>Total costs (others)</i>	216.27	173,018.03	7.06
SUBTOTAL I	1,614.36	1,291,490.03	52.70
II – Fixed costs			
<i>Payback of fixed costs</i>			
Lime placed on the farm	52.50	42,000.00	1.71
Fixed labor	82.94	66,349.66	2.71
Management	20.00	16,000.00	0.65
Leasing (opportunity costs)	480.00	384,000.00	15.67
<i>Total payback of fixed costs</i>	635.44	508,349.66	20.74
<i>Fixed costs CCS</i>			
Insurance machines and equipments	41.18	32,940.00	1.34

Depreciation of machines and equipments	343.13	274,500.00	11.20
Depreciation of premises	25.00	20,000.00	0.82
<i>Total fixed costs CCS</i>	409.31	327,440.00	13.36
Interests on CCS	263.39	210,714.67	8.60
SUBTOTAL II (except interests on CCS)	1,044.75	835,789.66	34.10
TOTAL (I+II) (except interests on CCS)	2,659.11	2,127,279.69	86.80
Interests on WC	140.88	112,703.92	4.60
III – Interests (CCS + WC)	404.27	323,418.59	13.20
TOTAL COSTS (I+II+III)	3,063.38	2,450,698.28	100.00

160 *Source: original results of research*

161 ^a % of item on total costs; ^b relative costs to soil correction; ^c State Fund for Transport and
162 Housing/Fund pro soybean crop; ^d Fund for the Assistance of the Rural Worker.

163 Variable costs in percentage were predominantly represented in production total costs (53
164 %), with inputs ranking first in financial expenditures (39 %), mainly fertilizers, (seeding,
165 fertilizers and micronutrients) with 20 % and seeds, with 9 % (Table 2). The great importance
166 of fertilizers and seeds in production costs may be surmised from the fact that they are
167 responsible for R\$ 609.85 and R\$ 271.08 per hectare, respectively. Royalties have been
168 included in seed costs at R\$ 144.00 ha⁻¹. Fixed costs amount to 34 % of total costs, with 21
169 % of non-payable fixed costs, with the greatest part related to leasing (16 %) and 13 % to
170 capital stock, specifically depreciation of machines and equipments at (11 %).

171 When production costs and profitability of soybean (2013-2014 harvest) for southeastern
172 Mato Grosso are taken into account, [8] reported total costs at R\$ 2,609.90 ha⁻¹, with R\$
173 1,868.52 for real operational costs (R\$ 1,355.14 for inputs; R\$ 460.23 for activities, and R\$
174 53.14 for labor) and R\$ 741.40 for other costs (depreciation, general expenditure, technical
175 assistance, taxes on labor, contribution to social security, financial changes, taxes and
176 trading expenditures). Inputs had the highest percentage (52 %) in total costs, with fertilizers
177 ranking first (26 %), followed by insecticides (9 %), fungicides (7 %) and seeds (6 %).

178 [24] analyzed soybean production costs in the state of Mato Grosso, Brazil, for the 2014-
179 2015 harvest, and underscored a total cost of R\$ 2,295.98 ha⁻¹, with R\$ 1,484.97 for inputs
180 and R\$ 811.01 for other fixed and variable costs. In the case of intakes, with 65 % of total
181 production costs, the items with the highest percentages were fertilizers (39 %), insecticides
182 (19 %), seeds (14 %), fungicides (11 %) and herbicides (10 %).

183 In the case of the second crop (sunflower/2018 harvest), total production costs reached R\$
184 582,803.38 (Table 3), divided into R\$ 535,168.00 for variable costs and R\$ 47,635.38 for
185 interests on working capital alone, due to the fact that fixed costs were allotted to the main
186 crop. Rates per hectare were R\$ 1,457.01; R\$ 1,337.92 and R\$ 119.09, respectively.

187 **Table 3. Annual production costs for sunflower crop in the 2018 harvest. Diamantino**

188 **MT Brazil, 2018**

Item	R\$ ha ⁻¹	Total (R\$ 400 ha ⁻¹)	% ^a
I – Variable costs			
<i>Inputs</i>			
Seeds	155.17	62,068.00	10.65
Seed treatment	18.72	7,488.00	1.28
Fertilizer seeding	256.67	102,668.00	17.62

Covering fertilizer (N)	149.00	59,600.00	10.23
Micronutrients (B)	62.40	24,960.00	4.28
Herbicides	107.75	43,100.00	7.40
Insecticides	141.33	56,532.00	9.70
Fungicides	112.63	45,052.00	7.73
Periodic maintenance	10.00	4,000.00	0.69
Kitchen expenses	9.40	3,760.00	0.65
<i>Total inputs</i>	<i>1,023.07</i>	<i>409,228.00</i>	<i>70.22</i>
<i>Mechanized operations</i>			
Pre-seeding management	30.00	12,000.00	2.06
Fertilization and seeding	45.00	18,000.00	3.09
Applications with machines	100.00	40,000.00	6.86
Harvest and transport	85.00	34,000.00	5.83
<i>Total mechanized operations</i>	<i>260.00</i>	<i>104,000.00</i>	<i>17.84</i>
<i>Other costs</i>			
Diverse Costs ^b	9.35	3,740.00	0.64
Technical assistance	14.00	5,600.00	0.96
Funrural ^b	31.50	12,600.00	2.16
<i>Total costs (others)</i>	<i>54.85</i>	<i>21,940.00</i>	<i>3.76</i>
SUBTOTAL I	1,337.92	535,168.00	91.83
II – Fixed costs	-	-	-
<i>Payback fixed costs</i>	-	-	-
<i>Payback total fixed costs</i>	-	-	-
<i>Fixed costs CCS</i>	-	-	-
<i>Total fixed costs CCS</i>	-	-	-
SUBTOTAL II (except interests on CCS)	-	-	-
TOTAL (I+II) (except interests on CCS)	1,337.92	535,168.00	91.83
III – Interests on WC	119.09	47,635.38	8.17
Total costs (I+II+III)	1,457.01	582,803.38	100.00

189 *Source: original results of research*

190 ^a % item on total costs; ^b relative costs to soil correction; ^c Fund for the Assistance of the
191 Rural Worker.

192 Variable costs almost reached total production costs (92 %), with inputs impacting crops (70
193 %) with highest rates for fertilizers (32 %) and seeds (11 %) (Table 3); remaining costs
194 comprised interests on working capital (8 %), corroborated by [12]. In fact, fertilizers and
195 seeds amounted to R\$ 468.07 and R\$ 155.17 ha⁻¹, respectively.

196 [25] analyzed the technical and economic viability of irrigated sunflower crop in Lavras
197 region in the state of Minas Gerais, Brazil, and reported that the most relevant factors for
198 increased fixed costs (25 %) were machines and equipments (17 %), followed by alternative
199 costs (7 %), labor (5 %) and general expenditure/administration (3%). In the case of variable
200 costs (75 %), the most relevant were fertilizers (41 %), general expenditure/post-harvest (7
201 %) and alternative costs (4 %).

202 Further, [26] assessed costs and profitability in sunflower production in the state of Mato
203 Grosso, Brazil, for the 2013-14 harvest and calculated total costs at R\$ 1,385.65 ha⁻¹, with
204 relevant costs for fertilizers (53 %), followed by machine (34 %) and manual (3 %) activities,
205 transport and a month payment for storage (3 %). In total expenditure for inputs (R\$ 737.99
206 ha⁻¹), fertilizer expenses reached almost 64 %, whereas expenditure in pesticides and seeds
207 were 30 % and 7 %, respectively. In the case of expenditure with machinery (R\$ 467.50 ha

208 ¹), the harvest had the biggest share (32 %) and expenditure with sowing and fertilizing
 209 reached 25 %.

210 Further, the economic analysis of soybean and sunflower production determined several
 211 economic indexes, together and alone (Table 4). For example, mean income reached R\$
 212 3,480.00 per hectare for soybean and R\$ 2,100.00 for sunflower, with total yearly income at
 213 R\$ 2,784,000 and R\$ 840,000, respectively. Costs per soybean sack produced were
 214 composed of R\$ 30.26 total variable cost and R\$ 21.38 total fixed cost, with R\$ 51.64 total
 215 costs, and a profit of R\$ 8.36 (R\$ 484.73 ha⁻¹).

216 **Table 4. Economic analysis (costs and profit) for soybean and sunflower crops for**

217 **2017-2018 harvest. Diamantino MT Brazil, 2018**

Items	Soybean	Sunflower
Area (ha)	800	400
Productivity (sacks ha ⁻¹)	58	30
Production (sacks)	46,400	12,000
Price (R\$ sack ⁻¹)	60.00	70.00
Mean income (R\$ ha ⁻¹)	3,480.00	2,100.00
Mean weighted income (R\$ ha ⁻¹)	4,530.00	
Total income (R\$)	2,784,000.00	840,000.00
Initial mean VC (R\$ ha ⁻¹)	1,300.81	1,221.42
WC (R\$)	1,155,937.66	488,568.00
Interests on WC (R\$)	112,703.92	47,635.38
Total VC (R\$)	1,404,193.95	582,803.38
PFC (R\$)	499,289.66	-
FC CCS (R\$)	2,790,096.00	-
ROC (R\$)	1,903,483.60	582,803.38
Total FC (R\$ ha ⁻¹)	1,240.03	-
TC (R\$ ha ⁻¹)	2,995.27	1,457.01
Weighted TC (R\$ ha ⁻¹)	3,723.78	
TC (R\$ sc ⁻¹)	51.64	48.57
TP (R\$ ha ⁻¹)	484.73	642.99
Weighted TP (R\$ ha ⁻¹)	806.23	
Total FC (R\$ sc ⁻¹)	21.38	-
Total VC (R\$ sc ⁻¹)	30.26	48.57
TVC (R\$ ha ⁻¹)	1,755.24	1,457.01
GCM (R\$)	1,379,806.05	257,196.62
GCM (R\$ ha ⁻¹)	1,724.76	642.99
CMI (%)	49.56	30.62
TOCM (R\$)	880,516.40	257,196.62
TOCM without leasing (R\$)	753,713.02	
EBITDA (R\$)	880,516.40	257,196.62
Total annual profit (R\$)	387,785.73	257,196.62
Profit range (ML) (%)	21.50	30.62
Annual total WC + interests (R\$)	1,268,641.59	536,203.38
Total Investments (R\$)	5,186,310.27	582,803.38
Equilibrium point area (PEA) (ha)	575.17	-
Equilibrium point productivity (PEProd) (sack ha ⁻¹)	49.92	20.81
Equilibrium point production (PEPr) (sack)	33,359.57	-
Equilibrium point income (PER) (R\$)	2,001,574.48	-

Equilibrium point price (PEP) (R\$ sack ⁻¹)	51.64	48.57
Equilibrium income (REq) (R\$)	3,076,215.47	

218 *Source: Original research results*

219 **In the case of sunflower crop**, each sack comprised R\$ 48.57 of total variable costs, or
 220 rather, total costs, with a profit of R\$ 21.43 (selling price R\$ 70,00 sack⁻¹) or R\$ 642.99 ha⁻¹
 221 (Table 4). The above demonstrates a 33 % complementary profit **per unit (hectare)** with
 222 sunflower crop higher than that of soybean. Since the above was due to the fact that all fixed
 223 costs belonged to soybean, producers have to exploit **maximum of economic return** of this
 224 activity, with two crops per year (investment in fixed capital will not change). Further,
 225 **soybean and sunflower crop system** has the best environmental performance when
 226 compared with monocultures, due to possible synergies, sharing land use and other
 227 resources, such as the advantages of associating nitrogen-fixing legumes (soybean) with
 228 other plant species [27,10].

229 [25] investigated the technical and economic viability of sunflower production in irrigated and
 230 non-irrigated conditions and reported that payback in productivity increase was due to
 231 irrigation. In non-irrigated conditions, mean total cost was R\$ 32.71 sacks⁻¹. If the land were
 232 to be left fallow during the between-harvest period, it would be an asset to invest in
 233 sunflower crop. The producer would be paying the crop's variable costs and part of the fixed
 234 ones already invested in the main activity. This would contribute towards soil coverage and
 235 decrease in weed infestation, enhancing the soil's conservationist system. Further, [26]
 236 reported a gross income of R\$ 1,590.00 ha⁻¹, operational profit of R\$ 204.35 ha⁻¹ and a 13 %
 237 profit index for a mean productivity of 30 sacks ha⁻¹ at a unit selling price of R\$ 53.00. The
 238 above data corroborated profitability in sunflower production worldwide [18,28,12].

239 Gross contribution range for soybean reached R\$ 1,379,806.05 (R\$ 1,724.76 ha⁻¹), with a 50
 240 % contribution range index and a real operation contribution range of R\$ 880,516.40 (Table
 241 4). In the case of sunflower crop, rates reached R\$ 257,196.62 (R\$ 642.99 ha⁻¹), 31 % and
 242 R\$ 257,196.62, respectively. Producer will earn R\$ 753,713.02 when total real operational
 243 contribution range (**soybean + sunflower**) minus opportunity costs with leasing is calculated.
 244 Likewise, [8] obtained a gross income for soybean of R\$ 2,815.98 ha⁻¹ (54.42 sacks ha⁻¹ x
 245 R\$ 51.75 sacks⁻¹), with a gross range of 8 %, operational profit of R\$ 206.08 ha⁻¹ and profit
 246 index of 7 %.

247 Discarding interests, taxes, depreciation and mortgage (EBITDA), profits were R\$
 248 880,516.40 and R\$ 257,196.62, respectively for soybean and sunflower (Table 4). However,
 249 after tabulating interests, taxes, depreciation and mortgage, profits were **respectively R\$**
 250 **387.785,73 and R\$ 257,196.62, with 22 and 31 % profit ranges.**

251 The highly important equilibrium point should be analyzed and performed since production at
 252 the equilibrium point is sufficient to cover costs of activities, or rather, profit amounts to zero.
 253 In this case, the equilibrium point with regard to area, productivity, production, income and
 254 price for soybean amounted to 575.17 ha, 49.92 sacks ha⁻¹, 33,359.57 sacks, R\$
 255 2,001,574.48 and R\$ 51.64 sack⁻¹ (Table 4), whereas for the equilibrium points for sunflower
 256 were 20.81 sacks ha⁻¹ and R\$ 48.57 sacks⁻¹, respectively, and income from combined
 257 equilibrium (soybean + sunflower) reached R\$ 3,076,215.47. [8] elaborated an economic
 258 analysis for soybean and reported equilibrium points 50.43 sacks ha⁻¹ and 47.96 R\$ sacks⁻¹,
 259 respectively, for productivity and selling price.

260 The above variations corroborate current study and that by [26]. The later stated that the
 261 producer must produce at least 26 sacks to cover total costs or produce 30 sacks ha⁻¹, and
 262 receive at least R\$ 48.41 sack⁻¹ to cover costs.

263 It is a well-known fact that production costs of any activity is one of the issues with which
 264 rural producers have to cope with. In fact, they have to determine the manner of production
 265 within a determined range of production costs that would be an asset according to market
 266 prices. These studies and their results demonstrate that the producer has to efficiently
 267 manage the acquisition of fertilizers (with high representativeness in the costs sheet) and
 268 harvest not merely on costs but also in efficiency and in the minimization of losses in the
 269 field, as insisted upon by [26].

270 In the case of the analysis of sensitiveness through simulated scenarios (the best and the
 271 worst) to compare with the real scenario (base), one should note the behavior of the financial
 272 indicators (TI, NCR, EUAR, PIR, PI) and define the limit of variation so that the activity could
 273 be still worthwhile. Therefore, for a combined analysis (soybean + sunflower) at the base
 274 scenario (Table 5), indicators show a retrieval of R\$ 3,624,000.00 per year; R\$
 275 1,468,917.29; R\$ 334,807.04; 18 %; 33 % and 4.63 years, respectively.

276 **Table 5. Synthesis of financial indexes of total annual income (TI), Net Current Rate**
 277 **(NCR), Equivalent Uniform Annual Rate (EUAR), Payback Internal Rate (PIR), Profit**
 278 **Index during the period (PI) and discounted payback (DPB) for the analysis of**
 279 **sensitiveness with regard to variations (Δ) in price (Pr), productivity (Prod), Real**
 280 **Operational Costs (ROC) and income (I) for soybean (S) and sunflower (F) crops.**
 281 **Diamantino MT Brazil, 2018**

ΔPr (R\$ sc ⁻¹)			Financial Indexes					
Δ (%)	PrS	PrF	TI (R\$) (1000)	NCR (R\$) (1000)	EUAR (R\$) (1000)	PIR (%)	PI (%)	DPB (years)
-30	42.0	49.0	2,536.8	-	-469.87	-2.91	-46.56	6.40
-15	51.0	59.5	3,080.4	-296.27	-67.53	7.98	-6.69	5.77
0	60.0	70.0	3,624.0	1,468.92	334.81	18.37	33.12	4.63
15	69.0	80.5	4,167.6	3,234.11	737.14	28.40	72.87	3.21
30	78.0	91.0	4,711.2	4,999.30	1,139.48	38.18	112.55	2.59
$\Delta Prod$ (sacks ha ⁻¹)								
	ProdS	ProdF						
-30	40.6	21.0	2,536.8	-	-556.82	-5.31	-55.09	6.75
-15	49.3	25.5	3,080.4	-487.01	-111.00	6.83	-10.98	5.90
0	58.0	30.0	3,624.0	1,468.92	334.81	18.37	33.12	4.63
15	66.7	34.5	4,167.6	3,424.85	780.62	29.49	77.23	3.07
30	75.4	39.0	4,711.2	5,380.78	1,226.43	40.32	121.34	2.44
ΔROC (R\$ ha ⁻¹)								
	ROC S	ROC F						
-30	1,665.55	1,019.91	3,624.0	4,250.51	968.81	34.09	95.85	2.92
-15	2,022.45	1,238.46	3,624.0	2,859.72	651.81	26.31	64.49	3.50
0	2,379.35	1,457.01	3,624.0	1,468.92	334.81	18.37	33.12	4.63
15	2,736.26	1,675.56	3,624.0	78.12	17.81	10.22	1.76	5.52
30	3,093.16	1,894.11	3,624.0	-	-299.20	1.79	-29.60	6.51

	ΔI (R\$ ha ⁻¹)								
	IS	IF							
-30	2,435.00	1,470.00	2,536.0	-	2,585.53	-589.31	-6.22	-58.30	6.88
-15	2,958.00	1,785.00	3,080.4	-558.30	-127.25	6.40	-12.59	5.95	
0	3,480.00	2,100.00	3,624.0	1,468.92	334.81	18.37	33.12	4.63	
15	4,002.00	2,490.00	4,197.6	3,496.14	796.87	29.89	78.84	3.02	
30	4,524.00	2,730.00	4,711.2	5,523.36	1,258.93	41.10	124.55	2.39	

282 *Source: Original research results.*

283 When there is a -15 % (worst scenario) variation in the prices of agricultural products, the
 284 sensitiveness of the activity is revealed. In other words, financial indexes have a negative
 285 behavior (Table 5), with the exception of TI (decrease) and NCR (8 %) which decrease
 286 somewhat below the minimum attractiveness rate (MAR). This shows that the activity covers
 287 costs but fails to recompense entirely the investor at the rate of 9.75 % p.a. Or rather, the
 288 activity should be discarded or, at least, the investor may opt for a lower MAR or equal to
 289 PIR. Moreover, DPB reached 5.77 years. It goes without saying that a -30 % scenario makes
 290 conditions more negative still.

291 However, for the best scenarios (15 and 30 %), profits with regard to base scenario were
 292 encouraging, at TI = R\$ 4,711,200.00 for a 30 % variation, featuring NCR, EUAR, PIR, PI
 293 during the period, and DPB at R\$ 4,999,299.80; R\$ 1,139,479.25; 39 %; 113 % and 2.59
 294 years, respectively (Table 5).

295 Although income for productive variation was stable with regard to price and income
 296 variations (Table 5), there was a change in other financial indexes. **This is due** to the fact
 297 that taxes Fethab/Facs (for soybean) + Funrural are applied on productivity/production.
 298 Therefore, in the case of a -15 % variation, there was a lack of attractiveness for the activity:
 299 NCR, EUAR and PI were negative, in contrast to the best scenarios. In fact, rates reached
 300 R\$ 5,380,780.62; R\$ 1,226,429.32 and 121 % for the above-mentioned indexes, besides
 301 PIR at 40 % and DPB of 2.44 years.

302 When the worst variation (15 %) was taken into account in the real operational costs (ROC),
 303 activity remained feasible (Table 5), albeit with reduced paybacks (NCR, EUAR, PIR and PI,
 304 during the period) and increased DPB (5.52 years) with regard to base scenario. However,
 305 the activity should be disregarded when the scenario changes from 15 to 30 %, due to the
 306 negativity of the indexes. However, this was not reported for the best variations at scenarios
 307 (-15 and -30 %). Regardless of these scenarios, incomes were constant since they did not
 308 depend on ROC but merely on productions and on grain prices

309 Negative variations (-15 and -30 %) in the crop income demonstrated a lack of attractiveness
 310 of the activity (Table 5), whereas positive variations improved paybacks, with NCR and
 311 EUAR increasing 3.7 times for the 30 % variation with regard to base scenario. Moreover,
 312 NCR, PI and DPB increased to 41 %, 125 % and 2.39 years, respectively.

313 Each and every plantation has its own peculiarities with regard to topography, physical
 314 conditions, soil fertility, type of machines, planted area, technological level and even
 315 management. All these items differentiate the structure and rates of production costs. Costs
 316 may be different and the equilibrium point may vary according to alterations in production
 317 costs or in the product's price, with greater or lesser profitability. Every producer must
 318 calculate his production costs, even though assessments as analyzed in current study may
 319 contribute for decision-taking.

320
321
322
323
324
325
326
327

4. CONCLUSIONS

Within the proposed system, a farm may be feasible with a total annual income of R\$ 3,624,000.00, net rate R\$ 1,468,920.00, annual equivalent uniform rate R\$ 334,810.00, internal payback rate 18 %, profitability index at 33 % and discounted payback of 4.63 years, at the end of a six-year period.

328 However, a 15 % negative variation in price, productivity and income and a 30 % positive
329 variation in real operational costs of the two crops make the project unfeasible, especially
330 due to negative net rate.

331 Complementary profit per hectare for sunflower crop is 33 % higher than that of soybean,
332 since fixed costs are paid by soybean, suggesting two crops per year.

333 The method for the application of production costs employed in current research is highly
334 relevant since it provides a good evaluation on the implementation project with an adequate
335 diagnosis for decision-taking by the producer. In fact, current research is a contribution to the
336 producer since it provides more profitable alternatives to the planning of soybean production,
337 with dilution of costs and income increase.

338
339

COMPETING INTERESTS

340
341 Authors have declared that no competing interests exist.
342
343

344
345

REFERENCES

346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366

1. Busse S, Brümmer B, Ihle R. Price formation in the German biodiesel supply chain: a Markov-switching vector error-correction modeling approach. *Agr Econ*. 2012;43(5):545-560. DOI:<https://doi.org/10.1111/j.1574-0862.2012.00602.x>.
2. Semerci A. Productivity analysis of sunflower production in Turkey. *Pakistan Journal of Agricultural Sciences*. 2012;49(4):577-582.
3. Semerci A. Functional analysis of sunflower (*Helianthus annuus* L.) production in Turkey: A case study of Thrace region. *Journal of Food, Agriculture & Environment*. 2013;11(1):436-440.
4. Aiking H. Protein production: planet, profit, plus people?. *Am J Clin Nutr*. 2014;100(suppl):483S-489S. DOI:<http://dx.doi.org/10.3945/ajcn.113.071209>.
5. Pickardt C, Eisner P, Kammerer DR, Carle R. Pilot plant preparation of light-coloured protein isolates from de-oiled sunflower (*Helianthus annuus* L.) press cake by mild-acidic protein extraction and polyphenol adsorption. *Food Hydrocolloids*. 2015;44:208-219. DOI:<https://doi.org/10.1016/j.foodhyd.2014.09.020>.
6. Du X, Lu L, Reardon T, Zilberman D. Economics of agricultural supply chain design: A portfolio selection approach. *Am J Agric Econ*. 2016;98(5):1377-1388. DOI:<https://doi.org/10.1093/ajae/aaw074>.
7. Zilberman D, Lu L, Reardon T. Innovation-induced food supply chain design. *Food Policy*. 2017;68:1-7. DOI:<https://doi.org/10.1016/j.foodpol.2017.03.010>.
8. Carvalho LC, Esperancini MST, Santos JZ dos, Ribas LC. Comparative analysis of production costs and profitability of RR1 and RR2 Pro/Bt soy. *Energ. Agric*.

- 367 2016;31(2):186-191. DOI:<http://dx.doi.org/10.17224/EnergAgric.2016v31n2p186-191>.
368 Portuguese.
- 369 9. Dalchiavon FC, Montanari R, Andreotti M, Dallacort R, Souza MFP. Relationship between
370 sunflower productivity and soil's chemical properties by geo-statistical techniques. Afr J
371 Agric Res. 2015;10(35):3525-3532. DOI:<http://dx.doi.org/10.5897/AJAR2014.9472>.
372 10. Castro C, Leite RMVBC. Main aspects of sunflower production in Brazil. Oilseeds & fats
373 Crops and Lipids (OCL). 2018;25(1):2-11. DOI:<https://doi.org/10.1051/ocl/2017056>.
374 11. Weisz GM, Kammerer DR, Carle R. Identification and quantification of phenolic
375 compounds from sunflower (*Helianthus annuus* L.) kernels and shells by HPLC-DAD/ESI-
376 MSn. Food Chemistry. 2009;115(2):758-765.
377 DOI:<https://doi.org/10.1016/j.foodchem.2008.12.074>.
378 12. Khatun M, Hossain TMB, Miah MAM, Khandoker S, Rashid MA. Profitability of sunflower
379 cultivation in some selected sites of Bangladesh. Bangladesh J. Agril. Res.
380 2016;41(4):599-623.
- 381 13. Dalchiavon FC, Birck M, Stasiak D, Hiolanda R, Carvalho CGP de. Agronomic
382 Performance of Sunflower Hybrids in Brazilian Savannah Region. Journal of
383 Experimental Agriculture International. 2018;28(2):1-8.
384 DOI:<http://dx.doi.org/10.9734/JEAI/2018/44619>.
- 385 14. Dalchiavon FC, Carvalho CGP de, Amabile RF, Godinho V de PC, Ramos NP, Anselmo
386 JL. Agronomic traits and their correlations in sunflower hybrids adapted to second crop.
387 Pesq. agropec. bras. 2016;51(11):1806-1812. DOI:<http://dx.doi.org/10.1590/s0100-204x2016001100002>. Portuguese.
388
- 389 15. Watanabe K, Zylbersztajn D. Building Supply Systems from Scratch: The Case of the
390 Castor Bean for Biodiesel Chain in Minas Gerais, Brazil. Int. J. Food System Dynamics.
391 2012;3(2):185-198. DOI:<https://doi.org/10.18461/ijfsd.v3i2.327>.
392 16. Vear F. Changes in sunflower breeding over the last fifty years. Oilseeds & fats Crops
393 and Lipids (OCL). 2016;23(2):1-8
- 394 17. Grunvald AK, Carvalho CGP de, Leite RS, Mandarino JMG, Andrade CA de B, Amabile
395 RF, Godinho V de PC. Influence of temperature on the fatty acid composition of the oil
396 from sunflower genotypes grown in tropical regions. J Am Oil Chem Soc. 2013;90(4):545-
397 553. DOI:<https://doi.org/10.1007/s11746-012-2188-6>.
- 398 18. Choudhary MA, Lodhi AS, Ahmad M, Ahmed M. A comparative study of cost of
399 production and decision making analysis in case of onion and sunflower crops in Quetta
400 district. Sarhad Journal of Agriculture. 2008;24(3):469-478.
- 401 19. Takahashi LS, Gonçalves FD, Abreu JS de, Martins MIEG, Ferreira ACM. Economic
402 viability of the piauçu *Leporinus macrocephalus* (Garavello and Britski, 1988) production.
403 Sci. Agric. 2004;61(2):228-233. DOI: <http://dx.doi.org/10.1590/S0103-90162004000200017>.
404
- 405 20. Lie H, Richb KM, Kurwijilac LR, Jervell AM. Improving smallholder livelihoods through
406 local value chain development: a case study of goat milk yogurt in Tanzania. IFAMA.
407 2012;15(3):55-86.
- 408 21. Donovan J, Franzel S, Cunha M, Gyau A, Mithöfer D. Guides for value chain
409 development: A comparative review. Journal of Agribusiness in Developing and
410 Emerging Economies. 2015;5(1):2-23.
- 411 22. Engindeniz S, Gül A. Economic analysis of soilless and soil-based greenhouse
412 cucumber production in Turkey. Sci. Agric. 2009;66(5):606-614.
- 413 24. Kunitake A, Mota EP. Comparative analysis of payment of soy's inputs in the production
414 of Mato Grosso State. Revista iPecege. 2016;2(4):24-41.
415 DOI:<https://doi.org/10.22167/r.ipecege.2016.4.24>. Portuguese.
- 416 25. Silva MLO, Faria MA, Reis RP, Santana MJ, Mattioli W. Technical and economic viability
417 of the cultivation of late summer cultivation period of the sunflower irrigation in the
418 Lavras, MG region. Ciênc. agrotec. 2007;31(1):200-205.
419 DOI:<http://dx.doi.org/10.1590/S1413-70542007000100029>. Portuguese.

- 420 26. Tarsitano RA, Laforga G, Proença ÉR, Rapassi RMA. Costs and profitability of the
421 production of sunflower of the Mato Grosso state, Brazil. *Espacios*. 2016;37(12):26-34.
422 Portuguese.
- 423 27. Matsuura MISF, Dias FRT, Picoli JF, Lucas KRG, Castro C, Hirakuri MH. Life-cycle
424 assessment of the soybean-sunflower production system in the Brazilian Cerrado. *The*
425 *International Journal of Life Cycle Assessment*. 2017;22(4):492–501.
- 426 28. Rashid MH, Nasrin S, Mahalder D. Zero Tilled Dibbled Sunflowers Enables Planting
427 Earlier and Harvests More in the Coastal Saline Area of Bangladesh. *International*
428 *Journal of Environmental Science and Development*. 2014;5(3):260-264.
429 DOI:<https://doi.org/10.7763/IJESD.2014.V5.488>.
- 430 23. Bruni AL. *Investment Valuation*. 2013. 2nd ed. Editora Atlas, São Paulo, SP, Brazil. 581
431 p.

UNDER PEER REVIEW