

Original Research Article

Land Size Class Wise Change in Cropping Pattern in Malda District – A Block Level Analysis

Abstract

Proportion of area under different crops and change therein remains a concern before policymakers, researcher, public policy analysts and, academia like geographers. As cropping pattern determines food security, internal consumption demand and export of crops, sustainable cropping arrangements are essential to follow. The ~~present paper is an attempt to examine~~ the pattern and extent of cropping across land size categories at block level in Malda district of West Bengal. The change in cropping pattern from 1995-96 to 2015-16 has been assessed through secondary sources of data. The data for 2015-16 is extrapolated based on previous years (2005-06 and 2015-16) interpolated data. Data were processed in Excel spreadsheets and results are shown through maps and tables. The maps were prepared in QGIS 2.18. The findings of the study show that gross cropped area under cereals, pulses and vegetables ~~noted~~ ~~indicated~~ negative growth while fibres, oilseeds and fruits area increased across land size classes but gain is maximum under marginal land size class. Total area under food crops decreased substantially over non-food crops. The study suggests policy intervention measure to boost up economically profitable crops for the sake of the development of the Maldadistrict.

Keywords: cropping pattern, land size category, food and non-food crops

Comment [VNO1]: Gain or grain? Check spelling

Introduction: Cropping pattern means the proportion of area under various crops at a point in time. Cropping pattern is however, a dynamic concept as it changes over space and time. The cropping pattern of a region is closely influenced by the geo-climatic, socio-cultural, economic, historical and political factors (Husain M., 1996). The cropping pattern is influenced by the physical factors such as soil, climate; technological factors like irrigation, improved varieties and qualities of seeds, availability of fertilizers, and plant protection chemicals; institutional factors like land reform, consolidation of holdings, credit facilities, price structure, procurement policies, and storage facilities (Shafi, 2006). Climate plays a crucial role in determining the existing cropping pattern. From the time the crops are sown, till the produce is harvested and stored they are more or less at the mercy of the climate. Any abnormalities in the climate during the growing season, such as delay in the onset of rains, dry spells or excess rains, too high or too low temperatures would seriously affect the growth and final yield of the crop. The cropping pattern varies from region to region due to the variation in the terrain, slope, temperature, amount and reliability of rainfall, soils, availability of water for irrigation, use of area specific fertilizers, pesticides and mechanization.

Cropping pattern must ensure the greatest efficiency of labour by providing quality fertilizers, in optimum quantity that ensure preservation of soil quality, timely availability of water through area specific irrigation, effective pesticides that do not degrade soil fertility and ensure overall yield improvement and other inputs. It is a dynamic concept as no cropping pattern can be suitable in a farm for all times to come. A successful cropping pattern implies the most efficient use of arable land, consequent upon application of water resources, bio-chemical inputs and other essential inputs on time in optimum quantity. In addition, it must offer the cultivators the possibility to maximize agricultural productivity per unit area in per unit of time. But there is often a tendency for the cropping pattern to stabilize over a period of time in the different agro-climatically homogeneous farming area (Singh and Sharma, 1985). Krishna (1972) in his studies has also stressed that the cropping pattern of the country should be arranged after proper study of its climatic and soil conditions which constitute the regional and sub-terranean environment of crop plants. In most of the situations, the physical environment reduces the choice of enterprise, either by

Comment [VNO2]: Use the Vancouver system of in-text citation where numbers are used to represent name of author(s) and year of publication. i.e (Husain, 1996) should be [1]

Comment [VNO3]: [2]

Comment [VNO4]: Your most recent reference is 13 years ago. Are there no studies of this nature that author can cite and relate the result of this study to? It would be proper for the literatures to be updated with similar studies published in 2015, 2016, 2017 and 2018. At least one each in these years

Comment [VNO5]: Check https://shodhganga.inflibnet.ac.in/bitstream/10603/10376/13/13_chapter%205.pdf

Comment [VNO6]: [3]

Comment [VNO7]: [4]

prohibiting the growing of certain crops altogether or by reducing their level of output to an unprofitable degree (Morgan and Munton, 1971). The rationale of the study lies in its nature as land size class wise change in cropping pattern not being studied yet with proper method for selected study area.

Comment [VNO8]: [5]

Comment [VNO9]: How true?

Study Area

Malda district of West Bengal is located between 24°40'20" and 25°32'8" N latitudes and 87°45'50" to 88°28'10" E longitudes (Figure 1). It is bordered ~~in~~on the south by Murshidabad district and on the north by Uttar Dinajpur district. On the east, the Malda district is bounded by Bangladesh, on the west by the state of Bihar, on the northeast by Dakshin Dinajpur district and, on the southwest Jharkhand state. Spreading over an area of 3733 sq.km, the Malda district has a population of 3,988,845 as per census of 2011. The district covers 4.7 percent of the total area of the state and is home to 4.1




Figure: 1?? Title missing

Source: Base map sourced from Census of India 2011

percent of the total state population. According to AgricultureCensus 2015-16, class wise land size categories are 83.40 percent marginal (below 1 ha.), 12.65 percent small (1-2 ha.), 3.66 percent semi-medium (2-4 ha.), 0.29 percent medium (4-10 ha.) and about 0.00 percent large (above 10 ha.). There are multiple numbers of crops grown of different seasons in the district (see Annexure 7)

Comment [VNO10]: Why Annexure 7 instead of 1?

Objectives

The overall objective of the study is to examine the extent of cropping pattern change across land size class categories at the block level from 1995-96 to 2015-16.

Database and Methodology

The present work is based on secondary data obtained from Agriculture Census of India and Statistical Handbook of Malda.

Data for 2015-16 Agriculture Census and 2016-17 Input Survey are extrapolated. For extrapolation, data on Agriculture Census of 2005-06 and 2010-11 is interpolated first, and then an average of last three years is taken as the data for 2015-16. The same technique has been used for 2006-07 and 2011-12 input survey data to get 2016-2017 data.

$$\text{Interpolation} = \frac{\text{Base year data} + (\text{Recent year data} - \text{Base year data})}{\text{Number of years (here Five)}}$$

For Agriculture Census data, the base is 2005-06 and the recent year is 2010-11

Results and Discussion

Gross Cropped Area (GCA) is the total area sown once and as well as more than once in a particular year. When the crop is sown on a piece of land twice, the area is counted twice in GCA. This total area is also known as total cropped area or total area sown. The term “agricultural land use” denotes the extent of the gross cropped area during the agricultural year under various crops (Vaidya, B.C. 1997).

Comment [VNO11]: As commented before

Increase in gross crop area is an indication of intensive cultivation process that only found when component of agriculture development increases substantially in a region. Along with physical environment, human infrastructure in the form of irrigation, machinery, high yield variety (HYV) seeds, fertilizers, insecticides and pesticides, credit system, market infrastructure and socio-economic circumstances individually or combined in all have been impacted positively, thereby totally increasing gross cropped area in any region. Subsistence agriculture always is intensive in nature which fetches increased output through cropped area more than once - twice, and even thrice. Here cropping pattern under different crop categories has been explained at two points of slots (1995-96 and 2015-16).

Change in Gross Cropped Area

Figure 2, based on Annexure 1 to 6 illustrates positive change in GCA under marginal land size category while other land size classes have recorded the negative change from 1995-96 to 2015-16 in the district. Under marginal class, Kaliachak-III noted maximum positive growth i.e., 27.26 percent. Manikchak (12.53%) in small land

Kaliachak –III (0.14%). Semi-medium land size class also have found positive change. None of the blocks recorded negative growth in marginal land size class but Harishchandrapur-II (13.88%) in small, Ratua-I (16.73%) in semi-medium, Ratua –I (17.33%) in medium and Kaliachak-III (0.29%) in large land size class have shown maximum negative change in GCA over two decades. Increasing use of modern agricultural inputs for intensive cultivation is likely to be the reason behind substantial improvement in GCA under marginal land size classes in the district.

Change in GCA under Cereals

In 1995-96 six types of cereals, which increased to eight in 2015-16 (see Annexure -1 to 6). Paddy share maximum area in both the year. Majority amongst all land size classes in the district show substantial decrease in gross cropped area under cereals crops category (Figure 2). Low productivity, instability of price and market opportunities might have been responsible for such a negative change. It appears (Table 3.10) that marginal (9.57%), small (9.53%), semi-medium (5.19%), large (31.19%) and all land size classes (9.29%) have recorded the negative change in the district. English Bazar with 25.45 and 25.82 per cent in marginal and small land size classes recorded maximum decrease among all the blocks. Ratua-II (29.54%), Chanchal –II (31.28%), Kaliachak-III (19.45%), and English Bazar (23.90%) depict negative change under semi-medium, medium, large and all land size classes respectively. The positive change traces across land size classes in Gazole block. Except marginal and all size category, Ratua –I have found positive change. Except medium class, same is true for Old Malda block.

Comment [VNO12]: Why is annexure 7 coming before 1-6?

Comment [VNO13]: How did Table 3.10 find its way here when we did not see tables 1 or table 2. Please number all tables correctly starting from Table 1, Table 2 table 3




Figure: 2 ??title missing: What is this figure suppose to show? Again indentifythe figures properly by using 2 (a),2(b)....
Source: seeAnnexure 1 to 6

Change in GCA under Pulses

According to Agriculture Census, four types of pulses have increased to seven in 2015-16 (see Annexure 1 to 6). Among all pulses, share of urad (black gram) and masure (lentils) were higher than other pulse crops in both the years. Figure 3 shows that GCA under pulses decreased across all the land size class category in the district. The maximum decrease is noticed under medium land size class category i.e., 4.84 percent area in the district. Among the blocks Bamangola and Chanchal-II indicate an improvement in different land size class category from 1995-96 to 2015-16. Harishchandrapur-II also indicates positive growth, except medium land size class category. Significantly high negative growth is noticed in the blocks Kaliachak-III (12.26% in marginal), Ratua-I (12.83% in small), Ratua-I (17.54% in semi medium), English Bazar (6.87% in medium) and Kaliachak-III (12.02% in all land size classes) in the district. Large land size category adds positively in the gross cropped area under pulses. Low productivity, diseases and climate variability could be the reasons behind such negative change despite being high value crops.

Comment [VNO14]: Masure or measure?

Change in GCA under Spices

In total spice crops, chilies' share remains maximum in total GCA in 1995-96 and 2015-16. Four crops under spices raised to fifteen over two decades. Gross crop area under spices crop in the district shows a positive change only marginally and all land size class category (see Annexure -1 to 6 and Figure 3) due to high profit and low cost of cultivation. Five blocks namely, Bamangola, English Bazar, Harishchandrapur-II, Kaliachak-III, and Ratua-II recorded the positive change in gross cropped area under the spice's crops (see Annexure 1 to 6) across different land size class category. Maximum positive change among the blocks was found under marginal land size class for English Bazar (1.64%) block. The maximum negative growth records were under small land size class in Chanchal – II (0.53%) block. In semi medium category maximum positive and negative change was recorded in Manikchak and Chanchal-II respectively. In all land size class category, English Bazar (1.01%) and Gazole (0.10%) show the maximum and minimum change in the district.

Change in GCA under Oilseeds

In terms of share in total GCA under oilseeds, mustard is the number one crop in six and nine oilseeds of 1995-96 and 2015-16 respectively (see Annexure-1 to 6). Figure 3 provides information on positive change in gross cropped area under oilseeds because of

higher profit opportunity, family consumption and low inputs required. Except large category,
other land




Figure :3 ?? Missing titles. Again there are two figures here, identify the by using fig 3(a)... 3(b).....

Source:see Annexure 1 to 6




Figure :4??? ditto
Source:see Annexure 1 to 6

size classes report an increase from 1995-96 to 2015-16. Bamongola is the most consistent block in the district which recorded growth under all land size class category. Maximum growth in marginal (15.86%), small (17.06%) and all land size class (14.78%) was recorded under Habibpur while Bamongola block gains maximum under semi-medium (17.47%), medium (13.28%), and large (14.43%) land size among the blocks in the district. The maximum decrease is recorded in Kaliachak-II under marginal (4.16%), small (3.71%), semi-medium (5.46%) while Gazole (2.78%) in medium, Kaliachak-III (20.79%) in large and Kaliachak-II (3.64%) in all land size classes.


Change in GCA under Fibers

Agriculture Census disclosed four types of fiber crops are grown in the district for 1995-96 and 2015-16. In total fiber crops (jute, cotton, mesta and sunhemp). Area under jute was maximum in both census years. Annexure(1 to 6) depicts gross cropped area under fiber crops recorded an increase under marginal (5.11%), small (4.09%), semi-medium (2.37%), large (7.06%), and all land size classes (4.57%) in the district. The reason behind overall growth in GCA under fibers is; risk free, durable and can be stored for long. The maximum increase was recorded for Kaliachak -III in small (28.41%), semi- medium (22.44%), medium (15.24%) large (15.59%) and all land size classes (24.87%) among the blocks in the district (Figure 3). In marginal land size class category, Manikchak block recorded maximum increase that is 24.28 percent. Gazole is the only block that exhibited negative change across different land size class categories in the district. The overall district scenario is as follows; Chanchal-I shows negative change under marginal (9.37%), small (10.31%) and semi-medium (10.24%) classes whereas Chanchal-I (6.79%) and Chanchal-II (9.28%) recorded negative change under medium and all land size classes respectively.

Change in GCA under Vegetables

Under vegetables, maximum number of crops were reported from 1995-96 (3 crops) to 2015-16 (25 crops) in the district (see Annexure 1 to 6). Though number of crops have increased, share of vegetables in total GCA of the district has decreased. In both the years potato was the number one crops among vegetables. Annexure 1 to 6 illustrate negative growth in the gross cropped area under vegetables across different land size category in the district. In medium category except for Ratua-II and Old Malda category of Old Malda, all other blocks have recorded negative growth from 1995-96 to 2015-16 in the district. The reason for the decrease of GCA under vegetables could be due to high risk, instability of price

and some external causes such as market demand making vegetable cultivation less profitable to the






Figure :5ditto
Source:see Annexure 1 to 6

farmers. The maximum and consistent decrease in percentage of GCA among the block was found in Bamangola under marginal (10.64%) class, small (9.09%), semi-medium (8.64%), in all land size classes (8.80%) and English Bazar (8.80%) in medium in the district. The maximum increase in the district reports under medium land size class category for Old Malda block that is 11.31 percent (Figure 5).

Comment [VNO15]: Which is being referred to since there are two maps under figure 5!

Change in GCA under Fruits

An increase of nine crops (4 to 13) in 2015-16 has been noticed. Mango shared maximum share of GCA among all the fruits in the district. Percentage of GCA occupied by varieties of fruits shows an increasing trend due to profit and consumption. Except for large land size class category, the district reported positive change in gross cropped area is noticed under fruits dominated by mango and litchi. Maximum percentage gain in descending order is follows from small class (6.74%), semi-medium (6.24%), all classes (5.76%), marginal (5.29%), and medium (4.56%) land size category from 1995-96 to 2015-16 in the district (Annexure 1-6 and Figure 5). Along with fruits cultivation especially mango other crops such as oilseeds and other could be grown on same field. Because of this fruits area in district has increased substantially from last two decades. In the block-wise scenario, Chanchal-I has achieved a positive growth under marginal (23.45%). The maximum increase among the blocks is found in Chanchal-I (43.41%) in medium category followed by Kaliachak-II (33.30%) in semi medium and Chanchal-I (22.13%) in all classes land size category in the district.

Change in GCA under Total Food Crops

Agriculture Census mentioned food crops are those which can be consumed directly. Therefore, cereals, pulses, vegetables, fruits and spices are counted under food crops. Except spices, all other food crops area reported a decrease in the district. Spices are grown for both local population consumption and marketing. Because of this dual demand reasonably impulse good income to the farmer. Figure 6 depicts that Gross cropped area under food crops is showing a decrease across different land class categories in the district. It showed maximum decline under large land size class (12.50%), followed by marginal (10.41%), all classes (10.20%), small (9.48%), semi-medium (7.49%), medium (5.86%) in the district (See Annexure 1 to 6). Except Chanchal-I in marginal, small and semi-medium, Harishchandrapur-II in small and

semi-medium, Manikchak in medium, Old Malda in small, Gazole in medium,
Chanchal -I in medium and Chanchal -I all land size class category, all others block




Figure:6 ditto
 Source: see Annexure 1 to 6

under different land size class categories have shown negative change in gross cropped area under food crops in the district. Market risk, low productivity, rainfall variability and lack of storage facilities have been identified as causes behind such decrease.

Change in GCA under Non-Food Crops

Agriculture Census has categorized non-food crops as fibers, oilseeds, floriculture, green fodder, drug and narcotics, bamboos and mulberry. From 1995-96 to 2015-16, area under non-food crops increased substantially because it has open up new avenue for income and employment in the district. Gross cropped area under non-food crops exhibits positive change across different land class categories in the district. It experienced maximum gain under large land size class (13.06%), followed by marginal (10.41%), all classes (10.20%), small (9.48 %), semi-medium (7.49%), medium (5.86%) and the district (Figure 5). Except for Chanchal -II in marginal, Chanchal -II, Harishchandrapur-II Kaliachak-II, and Old Malda in small, Chanchal -II, Harishchandrapur-II Kaliachak-II in semi medium, Chanchal-I, Gazole, and Manikchak in medium and Chanchal-II in all land size classes categories have noted positive change in gross cropped area under non-food crops in the district. GCA under non-food crops increased because of profit opportunities and low risk of cultivation.

Conclusion

The present study on change in cropping pattern based on land size class categories found that net sown area, net cropped area and total area of the district shrunk from 1995-96 to 2015-16. Despite this decline, gross cropped area reported an increase during the time. Share of gross cropped area under cereals, pulses and vegetables noted negative growth while fibres, oilseeds and fruits area increased across land size classes. Gain is maximum under marginal land size class. Total area under food crops decreased substantially compared to non-food crops. The amount of change in cropping pattern in land size classes indicates that marginal category at top is followed by the semi-medium and small. Keeping in view of marginalisation of change in cropping pattern under food and non-food crops the study suggests a balance cropping pattern where should be profitable and viable sustainable alternative option in present situation. Here the role of government is to introduce crop policy measure in keeping view of balance cropping pattern.

Comment [VNO16]: Wondering why this figure is here?

Comment [VNO17]: Include recommendation

References

- Baker, O.E. (1926). *Agricultural Regions of North America*. Economic Geography. Vol.2. P459-493
- Bucks, J.L. (1937). *Land Utilization of China*. Council of Economic and Cultural Affairs. New York.
- Coleman, A. (1985). *Land Use studies in Britain*. Annual of the Tohky Geographical Association. 37. P306-312.
- De And Chattopadhyay (2013): An Assessment of Agricultural Development in West Bengal, *The Journal of Tropical Geography*, Vol. 198, pp- 18-21
- Dhiewonski, K. (1956). *Detailed Survey of Land Utilization in Poland*. Paper Presented and Published in Proceeding of International Geography Seminar. Aligarh. Uttar Pradesh
- Dutt, Ruddar and Sundaram, K.P.M. (1986): Evolution of the Indian Economy, New Delhi, p. 234-238
- Husain, Majid (1996): *Systematic Agricultural Geography*, Reprinted 2007, Rawat Publication, Jaipur and New Delhi, pp. 217, 218
- Kariel, H.G. and Kariel, P.E., (1972). *Exploration in Social Geography*. Addison Westley Publishing House. London. P117, 193 and 335-370.
- Mohammad Ali (1978): Studies in Agricultural Geography. *Rajesh Publication*, New Delhi, p.-30, pp. 82-88.
- Nanavathi, M.B., (1957) (Forward). *Reading in land Utilization*. The Indian Society of Agriculture Economics. Bombay. P2.
- Noor Mohammed, (1980). *Perspectives in Agricultural Geography, The Field of Agricultural Geography*, Edited by Noor Mohammed. Concept Publishing Company. New Delhi. Vol.3. P159.
- Shafi, M. (1951). A Plea for Land Utilization Survey. *The Geographer*, Vol. 4, No.2.
- Siddiqui, S.H. and Ahmad, M. (2008): Impact of Technology on the development of agriculture, *The Geographer*, Vol. 55, No. 1, pp. 69-72.
- Siddiqui, S.H. and et al. (2011): Technology and levels of Agricultural Development in Aligarh District, *The Geographer*, Vol. 58, No. 2, pp. 12-16.
- Stamp, L.D. (1962). *The Land of Britain, Its Use and Misuse*. Longmans London. P426. sustainable development, The Earth Institute, Columbia.
- Terminology (II edition), Indian Society of Agronomy, IARI, New Delhi.

Comment [VNO18]: References did not follow the approved style for the journal. Use Vancouver style and update all cited studies and references

Annexure - 1
Gross Cropped Area under Marginal Land Size Category in Malda District

| Block | 1995-96 | | | | | | | | 2015-16 | | | | | | | |
|---------------------|----------|---------|--------|--------|----------|-------|------------|--------|----------|---------|--------|--------|----------|-------|------------|--------|
| | % of GCA | Cereals | Pulses | Spices | Oilseeds | Fiber | Vegetables | Fruits | % of GCA | Cereals | Pulses | Spices | Oilseeds | Fibre | Vegetables | Fruits |
| Bamangola | 32.83 | 73.72 | 0.07 | 0.01 | 12.08 | 0.05 | 13.96 | 0.11 | 53.71 | 67.64 | 0.43 | 0.19 | 25.15 | 2.43 | 3.32 | 0.82 |
| Chanchal-I | 44.72 | 69.54 | 2.04 | 0.01 | 1.53 | 17.9 | 8.94 | 0.03 | 62.89 | 58.22 | 13.97 | 0.29 | 5.86 | 18.95 | 2.18 | 0.53 |
| Chanchal-II | 50.58 | 74.32 | 0.55 | 0.01 | 3.65 | 12.11 | 9.13 | 0.15 | 56.37 | 55.39 | 5.34 | 0.06 | 9.11 | 2.74 | 3.75 | 23.6 |
| English Bazar | 40.82 | 65.94 | 10.9 | 0.1 | 0.68 | 0.69 | 11.99 | 8.63 | 54 | 40.49 | 2.41 | 1.74 | 9.09 | 8.78 | 10.27 | 26.93 |
| Gazole | 32.39 | 73.95 | 1.66 | 0.19 | 9.34 | 3.44 | 11.03 | 0.01 | 55.66 | 75.74 | 0.05 | 0.01 | 11.69 | 3.12 | 4.04 | 5.33 |
| Habibpur | 32.82 | 86.18 | 0.43 | 0.01 | 3.69 | 0.24 | 9.46 | 0 | 45.99 | 74.63 | 0.01 | 0 | 19.55 | 1.64 | 4.16 | 0 |
| Harishchandrapur-I | 55.69 | 81.46 | 0.27 | 0.02 | 4.18 | 11.3 | 2.75 | 0 | 64.72 | 72.54 | 0.44 | 0.13 | 8.08 | 16.79 | 1.77 | 0.22 |
| Harishchandrapur-II | 39.52 | 79.03 | 1.01 | 0 | 0.82 | 9.76 | 9.3 | 0.05 | 59.07 | 73.72 | 12.68 | 0.33 | 4.72 | 7.1 | 1.39 | 0.04 |
| Kaliachak-I | 58.83 | 34.7 | 1.4 | 0 | 0.5 | 0.39 | 6.55 | 24.64 | 68.17 | 16.36 | 0.4 | 1.16 | 3.91 | 8.5 | 6.07 | 37.33 |
| Kaliachak-II | 51.64 | 35.68 | 6.65 | 0 | 4.39 | 0.32 | 7.43 | 6.95 | 62.98 | 43.37 | 1.05 | 0.02 | 0.23 | 20.24 | 5.19 | 8.83 |
| Kaliachak-III | 35.8 | 56.7 | 13.84 | 0.24 | 1.35 | 16.47 | 10.05 | 0.48 | 63.06 | 47.76 | 1.59 | 0.72 | 4.52 | 39.79 | 5.32 | 0.23 |
| Manikchak | 57.32 | 60.82 | 17.46 | 0.68 | 0.48 | 7.64 | 8.67 | 2.94 | 59.79 | 38.41 | 6.24 | 0.77 | 7.89 | 31.92 | 6.19 | 7.84 |
| Old Malda | 40.97 | 82.31 | 1.2 | 0.12 | 1.33 | 1.44 | 13.54 | 0.04 | 57.64 | 87.8 | 0.07 | 0.08 | 4.19 | 1.42 | 5.54 | 0.9 |
| Ratua-I | 33.71 | 63.48 | 15.11 | 0 | 0.97 | 8.97 | 10.37 | 0.98 | 60.52 | 56.19 | 7.35 | 0.11 | 7.27 | 19.73 | 3.95 | 5.34 |
| Ratua-II | 37.06 | 87.22 | 6.56 | 0.07 | 0.06 | 2.05 | 1.32 | 2.73 | 60.63 | 71.58 | 1.96 | 0.09 | 7.29 | 8.26 | 2.2 | 8.62 |
| District | 41.32 | 70.26 | 5.2 | 0.12 | 3.17 | 6.88 | 9.01 | 2.32 | 58 | 60.69 | 4.15 | 0.32 | 9.29 | 11.99 | 3.97 | 7.61 |

Source: Agriculture Census 1995-96 and 2015-16

Annexure - 2
Gross Cropped Area under Small Land Size Category in Malda District

| Block | 1995-96 | | | | | | | | 2015-16 | | | | | | | |
|---------------------|----------|---------|--------|--------|----------|-------|------------|--------|----------|---------|--------|--------|----------|-------|------------|--------|
| | % of GCA | Cereals | Pulses | Spices | Oilseeds | Fiber | Vegetables | Fruits | % of GCA | Cereals | Pulses | Spices | Oilseeds | Fiber | Vegetables | Fruits |
| Bamangola | 27.71 | 75.54 | 0 | 0 | 12.73 | 0 | 27.71 | 0 | 27.96 | 69.81 | 1.01 | 0 | 24.28 | 1.84 | 27.96 | 0.43 |
| Chanchal-I | 33.28 | 68.45 | 2.57 | 0.56 | 2.44 | 18.14 | 33.28 | 0.03 | 23.88 | 60.19 | 13.36 | 0.03 | 7.08 | 15.26 | 23.88 | 2.21 |
| Chanchal-II | 27.43 | 74.14 | 0.71 | 0 | 4.3 | 11.54 | 27.43 | 0.2 | 29.33 | 57.29 | 6.15 | 0 | 9.11 | 1.23 | 29.33 | 23.41 |
| English Bazar | 28.19 | 63.81 | 12.21 | 0.82 | 0.39 | 0 | 28.19 | 13.08 | 28.58 | 37.99 | 1.04 | 1.05 | 4.46 | 11.27 | 28.58 | 34.72 |
| Gazole | 33.17 | 77.46 | 1.21 | 0.05 | 8.03 | 3.19 | 33.17 | 0.21 | 27.3 | 82.14 | 0.08 | 0 | 11.09 | 1.71 | 27.3 | 2.99 |
| Habibpur | 34.82 | 85.78 | 0.66 | 0.02 | 4.11 | 0.06 | 34.82 | 0 | 29.46 | 74.48 | 0.03 | 0 | 21.17 | 1.75 | 29.46 | 0.07 |
| Harishchandrapur-I | 20.05 | 80.83 | 0.36 | 0 | 6.52 | 10.47 | 20.05 | 0 | 23.56 | 77.22 | 0.59 | 0.05 | 5.57 | 14.82 | 23.56 | 0 |
| Harishchandrapur-II | 39.53 | 78.56 | 1.89 | 0 | 0.37 | 10.12 | 39.53 | 0.09 | 25.65 | 71.19 | 16.6 | 0.03 | 1.54 | 8.27 | 25.65 | 0.08 |
| Kaliachak-I | 15.74 | 48.03 | 3.17 | 0 | 1.3 | 2.36 | 15.74 | 19.38 | 24.9 | 33.95 | 0.07 | 0 | 3.24 | 14.77 | 24.9 | 31.79 |
| Kaliachak-II | 19.13 | 50.48 | 7.28 | 0 | 3.84 | 3.55 | 19.13 | 14.03 | 20.98 | 70.62 | 0.25 | 0 | 0.13 | 13.34 | 20.98 | 9.14 |
| Kaliachak-III | 23.67 | 60.33 | 13.42 | 0.2 | 1.64 | 13.19 | 23.67 | 1.73 | 21.62 | 51 | 2.67 | 0.59 | 1.78 | 41.59 | 21.62 | 0.27 |
| Manikchak | 21.21 | 61.1 | 16.44 | 0.42 | 0.73 | 7.94 | 21.21 | 3.2 | 33.73 | 44.79 | 4.19 | 0.01 | 7.71 | 26.85 | 33.73 | 13.79 |
| Old Malda | 32.31 | 86 | 0.29 | 0.07 | 1.51 | 0.86 | 32.31 | 0 | 28.86 | 92.45 | 0.03 | 0.01 | 1.41 | 0.88 | 28.86 | 0 |
| Ratua-I | 18.81 | 60.98 | 18.45 | 0 | 1.22 | 8.58 | 18.81 | 1.29 | 26.31 | 61.31 | 5.62 | 0 | 4.8 | 18.03 | 26.31 | 7.92 |
| Ratua-II | 31.93 | 87.37 | 6.45 | 0 | 0 | 1.84 | 31.93 | 3.76 | 25.79 | 69.07 | 0.71 | 0 | 5.5 | 10.16 | 25.79 | 13.93 |
| District | 28.53 | 74.25 | 4.52 | 0.14 | 3.67 | 6.18 | 28.53 | 2 | 26.88 | 64.72 | 3.9 | 0.09 | 8.98 | 10.27 | 26.88 | 8.74 |

Source: Agriculture Census 1995-96 and 2015-16

Annexure - 3
Gross Cropped Area under Semi-Medium Land Size Category in Malda District

| Block | 1995-96 | | | | | | | | 2015-16 | | | | | | | |
|---------------------|----------|---------|--------|--------|----------|-------|------------|--------|----------|---------|--------|--------|----------|-------|------------|--------|
| | % of GCA | Cereals | Pulses | Spices | Oilseeds | Fiber | Vegetables | Fruits | % of GCA | Cereals | Pulses | Spices | Oilseeds | Fiber | Vegetables | Fruits |
| Bamangola | 26.5 | 80.69 | 0 | 0 | 8.63 | 0 | 10.68 | 0 | 13.86 | 70.84 | 0.11 | 0 | 26.1 | 0.78 | 2.04 | 0.16 |
| Chanchal-I | 17.32 | 71.99 | 1.54 | 0 | 2.51 | 15.64 | 8.22 | 0.11 | 11.81 | 66.29 | 11.22 | 0 | 4.49 | 15.78 | 1.61 | 0.62 |
| Chanchal-II | 16.78 | 72.25 | 0.68 | 0 | 5.38 | 11.26 | 8.96 | 1.47 | 13.18 | 63.5 | 5.89 | 0 | 8.2 | 1.02 | 3.26 | 18.16 |
| English Bazar | 17.83 | 63.46 | 10.01 | 0 | 1.42 | 0.35 | 8.76 | 15.69 | 14.69 | 47.01 | 0.63 | 0 | 10.12 | 4.01 | 13.77 | 24.44 |
| Gazole | 24.42 | 78.45 | 1.5 | 0 | 7.55 | 2.06 | 9.5 | 0.47 | 15.05 | 83.69 | 0.13 | 0 | 10.9 | 0.78 | 3.14 | 1.32 |
| Habibpur | 22.37 | 81.76 | 1.2 | 0.77 | 6.37 | 0.19 | 9.71 | 0 | 17.55 | 77.01 | 0.06 | 0.08 | 17.51 | 2.41 | 2.98 | 1.26 |
| Harishchandrapur-I | 16.12 | 88.29 | 0.3 | 0.19 | 1.57 | 8.95 | 0.71 | 0 | 11.14 | 80.46 | 0.02 | 0.01 | 5.34 | 11.84 | 1.62 | 0.74 |
| Harishchandrapur-II | 17.09 | 79.32 | 1.1 | 0 | 0.86 | 9.43 | 8.88 | 0.22 | 14.83 | 80.89 | 6.04 | 0 | 1.09 | 8.01 | 1.3 | 2.65 |
| Kaliachak-I | 17.01 | 49.89 | 8.77 | 0.04 | 2.09 | 1.78 | 6.28 | 18.69 | 6.34 | 44.98 | 0.83 | 0 | 2.68 | 0.17 | 0.59 | 31.46 |
| Kaliachak-II | 15.26 | 60.77 | 1.26 | 0 | 5.67 | 0 | 6.25 | 13.99 | 15.4 | 41.64 | 0.05 | 0 | 0.21 | 10.08 | 0.23 | 47.29 |
| Kaliachak-III | 25.31 | 58.41 | 16.13 | 0 | 1.32 | 13.46 | 5.83 | 1.07 | 13.33 | 56.35 | 2.69 | 0.19 | 2.48 | 35.9 | 1.6 | 0.39 |
| Manikchak | 12.88 | 62.8 | 15.72 | 0.31 | 0.51 | 7.41 | 7.93 | 4.58 | 5.56 | 40.71 | 2.44 | 0.75 | 14.2 | 23.06 | 0.96 | 17.84 |
| Old Malda | 16.46 | 86.18 | 0.35 | 0.11 | 0.6 | 1.44 | 11.29 | 0 | 11.26 | 91.07 | 0.04 | 0.01 | 2.12 | 0.56 | 5.59 | 0.6 |
| Ratua-I | 28.12 | 57.85 | 19.73 | 0.13 | 0.75 | 11.29 | 8.06 | 2.19 | 11.39 | 59.93 | 2.19 | 0.01 | 4.61 | 21.77 | 1.2 | 10.29 |
| Ratua-II | 23.44 | 90.43 | 2.15 | 0 | 0 | 1.56 | 1.75 | 4.11 | 12.64 | 60.9 | 0.14 | 0 | 4.8 | 9.92 | 2.31 | 21.96 |
| District | 20.3 | 73.58 | 5.39 | 0.12 | 3.64 | 5.72 | 8.01 | 2.59 | 13 | 68.38 | 2.31 | 0.03 | 9.05 | 8.09 | 2.92 | 8.83 |

Source: Agriculture Census 1995-96 and 2015-16

Annexure - 4
Gross Cropped Area under Medium Land Size Category in Malda District

| Block | 1995-96 | | | | | | | | 2015-16 | | | | | | | |
|---------------------|----------|---------|--------|--------|----------|-------|------------|--------|----------|---------|--------|--------|----------|-------|------------|--------|
| | % of GCA | Cereals | Pulses | Spices | Oilseeds | Fiber | Vegetables | Fruits | % of GCA | Cereals | Pulses | Spices | Oilseeds | Fiber | Vegetables | Fruits |
| Bamangola | 12.58 | 82.83 | 0 | 0 | 9.27 | 0 | 7.9 | 0 | 4.3 | 72.82 | 0.43 | 0 | 22.55 | 2.44 | 1.76 | 0 |
| Chanchal-I | 4.69 | 74.98 | 1.04 | 0.13 | 3.06 | 9.12 | 9.06 | 2.61 | 1.42 | 43.7 | 0.14 | 0.02 | 6.61 | 2.33 | 1.19 | 46.02 |
| Chanchal-II | 5.21 | 78.89 | 0 | 0 | 1.65 | 5.54 | 10.13 | 3.78 | 1.12 | 65.1 | 0 | 0 | 1.68 | 12.71 | 7.31 | 13.21 |
| English Bazar | 12.5 | 66.55 | 9.03 | 0 | 0 | 0 | 11.58 | 11.58 | 2.69 | 59.01 | 2.16 | 0 | 2.18 | 4.22 | 2.77 | 29.35 |
| Gazole | 9.76 | 79.26 | 1.58 | 0.09 | 8.64 | 2 | 8.36 | 0 | 1.98 | 80.32 | 0.52 | 0.03 | 5.86 | 1.37 | 4.68 | 7.02 |
| Habibpur | 9.52 | 81.63 | 4.78 | 0.07 | 3.83 | 0.15 | 9.53 | 0 | 6.98 | 83.45 | 0.28 | 0.01 | 13 | 0.8 | 2.47 | 0 |
| Harishchandrapur-I | 7.96 | 77.84 | 0 | 0 | 8.3 | 13.86 | 0 | 0 | 0.58 | 75.58 | 1.91 | 0 | 7.48 | 14.55 | 0 | 0 |
| Harishchandrapur-II | 3.59 | 67.79 | 3.57 | 0 | 1.26 | 15.67 | 11.71 | 0 | 0.43 | 65.16 | 1.45 | 0 | 0.51 | 28.13 | 4.75 | 0 |
| Kaliachak-I | 8.01 | 69.31 | 2.74 | 0 | 0 | 0 | 11.71 | 0 | 0.57 | 55.42 | 3.38 | 0 | 7.12 | 4.07 | 5.75 | 17.29 |
| Kaliachak-II | 13.96 | 57.45 | 16.18 | 2.31 | 0 | 0.1 | 12.94 | 4.67 | 0.64 | 60.21 | 13.43 | 1.92 | 4.48 | 0.08 | 10.74 | 3.88 |
| Kaliachak-III | 14.83 | 57.2 | 11.92 | 0 | 0.51 | 13.96 | 9.78 | 4.24 | 1.89 | 50.42 | 5.24 | 0 | 4.34 | 29.2 | 7.6 | 1.87 |
| Manikchak | 8.6 | 69.43 | 13.58 | 0 | 0.43 | 4.31 | 8.49 | 2.68 | 0.72 | 45.65 | 9.4 | 0 | 0.27 | 3.61 | 5.31 | 35.1 |
| Old Malda | 10.02 | 85.88 | 0.94 | 0.04 | 1.52 | 1.25 | 10.37 | 0 | 2.22 | 65.75 | 1.9 | 0.02 | 3.28 | 6.23 | 21.67 | 0 |
| Ratua-I | 19.1 | 62.18 | 13.03 | 0 | 0.59 | 12.83 | 8.31 | 2.29 | 1.77 | 65.62 | 7.69 | 0 | 4.18 | 15.98 | 3.75 | 2.15 |
| Ratua-II | 7.57 | 79.29 | 6.87 | 0 | 0.62 | 4.05 | 1.07 | 7.77 | 0.93 | 81.87 | 1.99 | 0 | 0.18 | 13.31 | 0.31 | 2.25 |
| District | 9.61 | 72.21 | 6.47 | 0.13 | 3.15 | 5.61 | 8.69 | 2.58 | 2.09 | 72.24 | 1.63 | 0.03 | 9.62 | 5.36 | 3.68 | 7.14 |

Source: Agriculture Census 1995-96 and 2015-16

Annexure - 5
Gross Cropped Area under Large Land Size Category in Malda District

| Block | 1995-96 | | | | | | | | 2015-16 | | | | | | | |
|---------------------|----------|---------|--------|--------|----------|-------|------------|--------|----------|---------|--------|--------|----------|-------|------------|--------|
| | % of GCA | Cereals | Pulses | Spices | Oilseeds | Fiber | Vegetables | Fruits | % of GCA | Cereals | Pulses | Spices | Oilseeds | Fiber | Vegetables | Fruits |
| Bamangola | 0.38 | 94.34 | 0 | 0 | 0.94 | 0 | 0 | 5.66 | 0.18 | 84.24 | 0 | 0 | 15.37 | 0 | 0 | 0.47 |
| Chanchal-I | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A |
| Chanchal-II | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A |
| English Bazar | 0.65 | 92.04 | 0 | 0 | 41.79 | 0 | 0 | 7.96 | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A |
| Gazole | 0.26 | 89.94 | 0 | 0 | 34.91 | 2.37 | 2.37 | 5.33 | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A |
| Habibpur | 0.47 | 95.43 | 0 | 0 | 40.61 | 0 | 0 | 4.57 | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A |
| Harishchandrapur-I | 0.18 | 100 | 0 | 0 | 25 | 0 | 0 | 0 | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A |
| Harishchandrapur-II | 0.27 | 100 | 0 | 0 | 0 | 0 | 0 | 0 | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A |
| Kaliachak-I | 0.41 | 96.3 | 0 | 0 | 1.85 | 0 | 0 | 3.7 | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A |
| Kaliachak-II | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A |
| Kaliachak-III | 0.39 | 51.61 | 25.81 | 0 | 33.33 | 0 | 18.28 | 4.3 | 0.1 | 32.17 | 26.48 | 0 | 12.55 | 15.59 | 4.03 | 0.95 |
| Manikchak | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A |
| Old Malda | 0.24 | 100 | 0 | 0 | 39.62 | 0 | 0 | 0 | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A |
| Ratua-I | 0.26 | 100 | 0 | 0 | 14.74 | 0 | 0 | 0 | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A |
| Ratua-II | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A | N. A |
| District | 0.24 | 91.63 | 2.11 | 0 | 53.04 | 0.35 | 1.85 | 4.05 | 0.04 | 60.44 | 2.87 | 0 | 21.07 | 7.42 | 0.54 | 1.99 |

Source: Agriculture Census 1995-96 and 2015-16

Annexure - 6
Gross Cropped Area under All Land Size Classes in Malda District

| Block | 1995-96 | | | | | | | | 2015-16 | | | | | | | |
|---------------------|----------|---------|--------|--------|----------|-------|------------|--------|----------|---------|--------|--------|----------|-------|------------|--------|
| | % of GCA | Cereals | Pulses | Spices | Oilseeds | Fiber | Vegetables | Fruits | % of GCA | Cereals | Pulses | Spices | Oilseeds | Fiber | Vegetables | Fruits |
| Bamangola | 100 | 77.3 | 0.02 | 0 | 10.94 | 0.02 | 11.68 | 0.04 | 100 | 68.95 | 0.55 | 0.1 | 24.91 | 2.03 | 2.88 | 0.58 |
| Chanchal-I | 100 | 69.86 | 2.08 | 0.19 | 2.07 | 17.17 | 8.41 | 0.16 | 100 | 59.44 | 13.3 | 0.19 | 6 | 17.46 | 2.03 | 1.59 |
| Chanchal-II | 100 | 74.16 | 0.59 | 0 | 4.01 | 11.47 | 9.14 | 0.58 | 100 | 57.12 | 5.59 | 0.03 | 8.91 | 2.19 | 3.45 | 22.71 |
| English Bazar | 100 | 65.14 | 10.81 | 0.23 | 0.64 | 0.34 | 10.42 | 11.45 | 100 | 41.25 | 1.75 | 1.24 | 7.73 | 8.66 | 9.78 | 28.85 |
| Gazole | 100 | 76.77 | 1.46 | 0.02 | 8.38 | 2.88 | 9.82 | 0.19 | 100 | 78.78 | 0.08 | 0 | 11.29 | 2.35 | 3.34 | 4.12 |
| Habibpur | 100 | 84.66 | 1.09 | 0.01 | 4.43 | 0.16 | 9.47 | 0 | 100 | 75.62 | 0.04 | 0 | 19.21 | 1.75 | 3.37 | 0.31 |
| Harishchandrapur-I | 100 | 82.18 | 0.27 | 0 | 4.55 | 10.94 | 2.01 | 0 | 100 | 74.54 | 0.44 | 0.1 | 7.18 | 15.76 | 1.72 | 0.23 |
| Harishchandrapur-II | 100 | 78.55 | 1.46 | 0 | 0.66 | 10.03 | 9.16 | 0.09 | 100 | 74.1 | 12.66 | 0.2 | 3.35 | 7.62 | 1.63 | 0.44 |
| Kaliachak-I | 100 | 42.41 | 3.03 | 0 | 0.86 | 0.9 | 7.18 | 20.72 | 100 | 22.78 | 0.36 | 0.79 | 3.68 | 9.5 | 4.26 | 35.45 |
| Kaliachak-II | 100 | 45.38 | 7.28 | 0 | 3.87 | 0.86 | 7.8 | 9.06 | 100 | 48.93 | 0.81 | 0.01 | 0.23 | 17.1 | 3.99 | 14.79 |
| Kaliachak-III | 100 | 58.05 | 14.08 | 0.05 | 1.28 | 14.57 | 8.61 | 1.48 | 100 | 49.64 | 2.06 | 0.6 | 3.65 | 39.44 | 4.11 | 0.29 |
| Manikchak | 100 | 61.87 | 16.69 | 0.09 | 0.53 | 7.39 | 8.56 | 3.19 | 100 | 40.7 | 5.35 | 0.49 | 8.11 | 29.49 | 4.24 | 10.71 |
| Old Malda | 100 | 84.54 | 0.74 | 0.02 | 1.29 | 1.23 | 12.09 | 0.02 | 100 | 89.03 | 0.1 | 0.04 | 3.14 | 1.27 | 5.8 | 0.59 |
| Ratua-I | 100 | 61.27 | 16.6 | 0 | 0.88 | 10.26 | 9.13 | 1.62 | 100 | 58.13 | 6.31 | 0.07 | 6.26 | 19.45 | 3.21 | 6.53 |
| Ratua-II | 100 | 87.42 | 5.51 | 0 | 0.07 | 2.02 | 1.16 | 3.76 | 100 | 69.68 | 1.4 | 0.05 | 6.44 | 9 | 1.8 | 11.61 |
| District | 100 | 72.31 | 5.16 | 0.04 | 3.4 | 6.31 | 8.6 | 2.3 | 100 | 63.01 | 3.79 | 0.21 | 9.18 | 10.88 | 3.42 | 8.07 |

Source: Agriculture Census 1995-96 and 2015-16

Annexure – 7: Crop Listing

| 1995-96 | | 2015-16 | | | |
|-------------------------|----------------------|----------------|----------------------|----------------------|-------------------|
| Cereals | Fiber | Cereals | Coriander | Litchi | Other Tuber Crops |
| Wheat | Jute | Bajra | Fennel | Mandarin Orange | Other Vegetables |
| Paddy | Cotton | Barley | Fenugreek | Mango | Peas |
| Maize | Mesta | Jowar | Green Chilies | Miscellaneous fruits | Potato |
| Barley | Other Fiber | Maize | Garlic | Other Citrus | Pumpkin |
| Small Millet | Total Oilseed | Other Cereal | Ginger | Papaya | Radish |
| Other Cereals | Coconut | Paddy | Large Cardamom | Pineapple | Spinach |
| Total Fruits | Sesamum Till | Ragi | Other Condiments | Sapota | Sweet Potato |
| Banana | Rapeseeds&Mustared | Wheat | Radhuni | Guava | Tomato |
| Mango | Other Oilseeds | Pulses | Red Chili | Temperate fruits | Yam |
| Orange | Niger Seeds | Gram | Red yellow Chili | Vegetables | |
| Other Fruits | Linseeds | Horse gram | Turmeric | Beans | |
| Total Spices | Total Pulses | Masur | Oilseeds | Bitter Guard | |
| Chilies | Tur | Moong | Castor Seed | Bottle Guard | |
| Ginger | Masur | Other Pulse | Coconut | Brengle | |
| Cardamom | Gram | Tur | Groundnut | Cabbage | |
| Other Condiments | Other Pulse | Urad | Linseed | Capsicum | |
| Total Vegetables | | Fiber | Rapeseed & Mustarded | Carrot | |
| Onion | | Cotton | Safflower | Cauliflower | |
| Potato | | Jute | Sesamum- Till | Colocasia | |
| Other Vegetables | | Mesta | Soybean | Cucumber | |
| | | Sun hemp | Sunflower | Drumstick | |
| | | Spices | Fruits | Elephant Foot Yam | |
| | | Beetle nut | Banana | Lady Finger | |
| | | Black Cumin | Guava | Onion | |
| | | Black Pepper | Jackfruit | Other Guard | |

Source: Agriculture Census (for Malda only)

