



SDI Review Form 1.6

Journal Name:	Journal of Scientific Research and Reports
Manuscript Number:	Ms_JSRR_46939
Title of the Manuscript:	Radiation Absorbed Dose Rates from Selected Mobile Phone Base Stations in Ibadan, Oyo State, Nigeria
Type of the Article	Original Research Article

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<u>Compulsory</u> REVISION comments	The study presented in Ms_JSRR_46939 is superficial with a little appreciable scientific validity. It is presented as a simple radiation intensity measurement report carried out at different distances from the issuing base station. Is the tool able to give scientifically reproducible measures? In addition, the study does not bring any relevant news on the emissions of mobile phone base stations. The authors speculate on the known effect produced by the irradiation of the increase in tissue temperature without bringing real data. There are many typos The bibliography can be integrated with more recent publications	Thanks. More work on the bibliography was done as suggested.
<u>Minor</u> REVISION comments		
<u>Optional/General</u> comments		

PART 2:

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	(If yes, Kindly please write down the ethical issues here in details)	