Health Risk Implication among Solid Waste Workers in Obio Akpor LGA of Rivers State.

10 ABSTRACT

11

1

2

3

4

5

6 7 89

Aims: To examine the Health Risk implication among solid waste workers in Obio Akpor LGA of Rivers state

Study design: Descriptive design

Place and Duration of Study: The study was carried out at the Rivers State Waste Management Agency in Obio-Akpor Local government area of Rivers State between January 2019-March 2019

Methodology: The survey method was employed whilst 265 copies of questionnaire were used to elicit information from the number of employee.

Results: The findings showed that the major source of solid waste is from the residential area and plastics is one of the major composition of solid waste furthermore it was discovered that majority of the individuals in Obio akpor local government area prefer to dump their waste at authorized dump site and this is normally done within 1-5days and this is done daily. It was also discovered that majority of the respondents had a pre requisite knowledge on the effect of poor waste disposal to human health likewise the health implication of such action as they indicated that they are prone to typhoid and other forms of diseases.

Conclusion: The Government of Rivers State should adopt a Waste Policy which entails occupational safety, health and environmental management issue

12 13

Keywords: Health and solid waste

14 15

16 1. INTRODUCTION

Solid waste comprises of different type of discarded goods mainly left-over food, textile, glass, paper, metals and other spoiled goods [1]. The process of generation, storage, collection, transportation and final disposal of waste are important process which most times involves the use of human labour in many developing country including Nigeria [2].

It is also of importance to note that waste management contributestremendously in upholding public health by reducing the risk of diseases,

however the job exposes those who are involved and are known as solid
waste workers to high risk of fatal and non-fatal occupation accidents [3].

26

However, in the early days, the population of humans were small and there were relatively no adverse health effects of waste considering the large land mass. People migrated from one location to another, so there was tendency to relocate from previous waste dump site to new environment. Thus, waste was disposed of without the fear of its consequences to the environment and of any serious health risk to people [5].

33

As man increased on the surface of the earth, as well as the onset of 34 civilization, the quality and quantity of waste production also changed and 35 increased. The advent of industrialization has altered the nature and quantity 36 37 of waste generated on a higher level. The increasing complicated arena of waste handling harbours significant potential for human health and safety 38 risks. [6] Contend that workers not properly and adequately managed may 39 cause some health and environmental risk which may result in sickness, 40 41 impaired health and well-being or significant discomfort among people. The aim of solid waste workers is to remove garbage to safeguard public health 42 and welfare as well as prevent environmental pollution. 43

44

Despite the significance of this job done by the waste workers, they are
exposed to several kinds of hazards in the cause of discharging their duties.
Major hazards faced by solid waste workers can be chemical, biological,
agronomic, physiological hazard.

49

Amongst the injuries experienced by theses solid waste workers are accidental injuries such perforation wounds, laceration, burns, dog and rat bites which are deep cuts caused by scrap metals, jagged edges of cans and bins, glass cutters or nails in waste bag and when they drop heavy containers on their feet or legs [7]

55

In developing countries example Nigeria , waste segregation is rarely practised, that is why traces of medical waste and poisonous industrial wastes are mixed with the domestic waste stream [8].Furthermore nothing has really be done about the health and safety of these solid waste workers.

60

It is against this background that the aim of this research was to examine the Health Risk Implication among solid waste workers in Obio Akpor LGA of Rivers State . The specific objectives of the study were to: identify the source and composition of solid waste in Obio Akpor Local Government area of Rivers State, Identify the waste disposal method in Obio Akpor local government area and to identify the Waste disposal method in Obio Akpor Local Government area of Rivers State.

68

69 2. METHODOLOGY

70

The population of the study will consist of the staff of Rivers state waste 71 management agency (RIWAMA). For the purpose of the study the sampling 72 technique adopted was the simple random sampling technique. This 73 74 technique helped in giving a number to each subject or individual from the open populace putting the numbers in a compartment and picking them 75 randomly. It gives every unit of the population an equal and known chance of 76 being chosen in the sample and it has to do with a definite number of 77 population. Furthermore sampled respondents were given structured 78 questionnaires. 79

The questionnaires were self-administered randomly to selected sample respondents of RIWAMA. The data retrieved from the questionnaire was put together using the statistical package for social sciences (SPSS). For the purpose of a clear and detailed representation of data, the uses of tables were employed in order to present the gathered data for the research study. Descriptive analysis was used which consists of the Mean, Median mode of analyzing

- 87
- 88

89 3. RESULTS AND DISCUSSION

90

3.1: Demographic Characteristics of Sampled Population

92

Table 1: Distribution of Solid waste handlers at RIWAMA according to their job task

Job Task	Number of employee	S	
	(N=265)	(%)	
Truck Drivers	46	17	
Refuse Collector	67	25	
Street sweepers	79	30	
Waste Pickers	73	28	

10101	203	100
Total	265	100

95 Source: [8]

Table 1 above shows the distribution of Solid waste handlers at RIWAMA according to their job task. It reveals that majority of the respondents under survey 30% (70) were street sweepers, 28 (73%) were waste pickers, 25% (67) were refuse collector and the least 17% (46) are truck drivers. The implication of this result is that majority of the respondents have an overview of the issue discussed based on their experience in the handling of solid waste in course of their job description

103 **3.2 Sources and composition of solid waste in Obio Akpor LGA**

To examine the source and composition of solid waste in Obio Akpor LGA two category of questions were asked, they included what are the source of

- 106 Solid waste and what are the type of Solid waste
- 107

108Sources of Solid Waste

109 Table 2 Sources and Types of Solid Waste (n=265)

Items	Freq.	%
Residential	178	67
Commercial	67	25
Industrial	87	33
Institutional	78	29
Others	65	25

110 Source: [8]

• Multiple Response

Table 2 above shows the sources of solid waste as indicated by the 112 respondents. Data Analysis based on multiple response revealed that 113 114 majority of the respondents had their opinion that the major source of solid waste is from residential buildings, 33% (87) respondents had opinion that 115 the source was from industrial, 29%(78) had opinion that the source was 116 from institutional while 25% (67) and 25% (65) respondents had opinion that 117 118 the major source of solid waste was from commercial and other sources not 119 mentioned respectively.

120

121 **Types of Solid Waste**

122 Table 3: Types of Solid Waste (n=265)

Item	Freq.	%	
Paper	45	17	

	Sanitary	77	29
	Food Waste	87	33
	Debris	22	8
	Hazardous Waste	66	25
	Animal Waste	24	9
	Ashes	33	12
~	0		

123 Source:[8]

• Multiple Response

On the type of solid waste, data analysis as seen in table 3 revealed that 36% (95) of the respondents indication that metal was part of the composition of the solid waste they handle, 33% (87) respondents indicated food waste, 29% (77) indicated sanitary waste, 25% (66) respondents indicated hazardous waste , 12% (33) respondents indicated ashes, 17% (45) indicated paper 29% (76) respondents indicated glasses and majority 71% (187) indicated plastic as major composition of solid waste.

132

133 3.3 Waste Disposal Method in Obio Akpor LGA

134

To identify the waste disposal method three categories of questions were asked, they included the waste disposal method, how long it takes to dispose waste and how often do they dispose waste.

138

139 Waste Disposal Method

140 Table 4: Waste disposal Method

Item	Freq.	%	
RIWAMA	23	9	
Authorized dump site	164	62	
Unauthorized empty plot	34	13	
Burning	15	6	
Personal Bin	29	11	
Total	265	100	

141 Source: [8]

142

Table 4 shows the waste disposal method adopted by residents. Data analysis reveals that majority of the respondents 62% (164) indicated that residents use authorized dump site to dispose their waste, 13% (34) respondents indicated that residents use unauthorised empty plot so as to dispose their waste, 11% (29) of the respondent indicated that most residents use their personal bin , 6% (15) of the respondents indicated that most residents prefer burning and 9% (25) use RIWAMA as a source of dumping their waste

- 151
- 152

153 How long does it takes to dispose waste

154 **Table 5: Duration of Waste Disposal**

Tuble 0. Duration of Music Disposal		
Items	Freq.	%
1-5 days	198	75
6-10 days	23	9
11-15 days	44	16
>15 days	-	-
Total	265	100
0		

155 Source: [8]

156

On how long it takes residents to dispose their waste, majority of the respondents said most residents normally dispose their waste within 1-5 day, 16% (44) of the respondents indicated that most residents dispose their waste within 11-15days while 9% (23) of the respondents dispose their waste within 6-10days

162

163 Frequency of Waste Disposal

164 **Table 6: Frequency of Waste Disposal**

Items	Freq.	%
Daily	95	36
Once a week	103	38
Twice a week	67	25
Total	265	100

165 Source: [8]

166

On how often they do dispose their waste, majority of the respondents indicated that majority 38% (103) indicated that residents dispose their waste once a week, 36%(95) respondents indicated that residents dispose their waste daily and 25% (67) indicated that residents dispose their waste twice a week

3.4 Major health risk affecting solid waste solid waste workers in Obio Akpor LGA

175 To identify the major health risk affecting solid waste workers in Obio Akpor

176 LGA two categories of questions were asked, they included if poor waste

disposal are harmful to human health and its health implication.

178

179 **If Poor Waste disposal are harmful to Human Health**

180 Data analysis as seen in Table 7 reveals that all the respondents were 181 conscious of the fact poor waste disposal is harmful to human health.

2	Table 7 Harmful consequences of poor waste disposal to human Health			
_	Item		Freq.	%
_	Yes		265	100
	No		-	-
	l don't know		- / .	S -
	Total		265	100
3 -	Source: [8]		\sim	
4	Multiple Response			
5				
6				
7	Health Implication			
8	Table 8: Health Implication	\bigcirc		
_	Item	Freq.	%	
-	Malaria	143	54	
	Diarrhoea	109	41	
	Typhoid	178	67	
	Acute Back pain	56	21	
	Painful joint	67	25	
	Possible Liver and Kidney	23	9	
	damage			
	Others	178	67	
9 -	Source: [8]			

• Multiple Response

Table 8 shows respondents opinion on the health implication of poor waste disposal, 67% (178) of respondents indicated that when waste are not properly handled it could make them vulnerable to typhoid, 54% (143) respondents had opinion that they could be vulnerable malaria, 41% (109) respondents had opinion that they could be vulnerable to Diarrhoea, 25 % (67) respondents had opinion they could be expose to experiencing painful joints, 21% (56) respondents had opinion that they could be exposed to
experiencing acute back pain, 9% (23) had opinion that they could
experience a possible liver and kidney damage and 67% (178) respondents
had opinion that they could experience other symptoms not mentioned

201202 4. CONCLUSION

This study was able to examine the sources and composition of solid waste 203 204 in the study area. In this study participant under survey expatiated on the source and composition of solid waste. In order to get the views of the 205 206 understanding of the question posed, respondents were asked the sources of solid waste and the type of solid waste. This question was posed so as to 207 208 see if really they had a deeper understanding of the issues on ground. From the analysis it indicated that majority of the respondents indicated that the 209 major source of solid waste is from the residential area while the plastics is 210 one of the major composition of solid waste. 211

212 Waste Disposal Method in Obio Akpor LGA

On the waste disposal method data analysis revealed by respondents that majority of the individuals in Obio akpor local government area prefer to dump their waste at authorized dump site, also it was discovered that it takes 1-5days for majority of the individuals to dispose their waste and this occurs daily

218 Major health risk affecting solid waste workers in Obio Akpor LGA

219 On the aforementioned objective it was concluded that majority of the 220 respondents understudy had a pre requisite knowledge on the effect of poor 221 waste disposal to human health likewise the health implication of such action 222 as majority indicated that they will be prone to typhoid and other forms of 223 diseases.

224 ACKNOWLEDGEMENTS

225

The Authors would like to acknowledge the comments and suggestions from Sokorie Andra from the Department of Geography and Environmental Management, University of Port Harcourt. Choba Rivers state

230 **COMPETING INTERESTS**

231

233

232 Authors have declared that no competing interest exist

234 ETHICAL APPROVAL

235

Approval for this study was obtained from the Department of geography and 236 Environmental Management, University of Port Harcourt Choba. Also, verbal 237 238 informed consent was obtained from each respondent. All the participants were informed that the study is voluntary and that they could opt out of the 239 study at any time. Also participants were assured that confidentiality would 240 be maintained during and after data collection and that information given will 241 be used for research purposes only. And lastly articles and authors used 242 243 were sighted accordingly in this research

- REFERENCES
- 245 246 247

248

249 250

251

252

253

254 255

259 260 261

262

263

264 265

266

267

268 269

244

- 1. Alli B.O (2008), Fundamental Principles of Occupational Health and Safety. Geneva: International Labour Organization.
- An H, Englehard J, Fleming L and Bean. J (1999). Occupational health and safety amongst municipal solid waste workers in Florida. Waste Manag Res, 17(5):369– 377.
- Bastan. M, Cerlik. N and Schubertt. C, 2014.Assessment of Occupational and Environmental Health and Safety Risks in Solid Waste Systems. Quarterly Progress Report III January 31st, 2014 – May 1st, 2014University of Miami Coral Gables, FL, USA. Accessed 24 August 2017
 - 4. Melanie S. M, (2004). ILO Organizing in the Informal Economy: A Case Study of the Municipal Waste Management Industry in South Africa. Geneva, International Labour Office.
- Merson MH, Black R and Mills AJ (2001). International Public Health: Diseases, Programs, Systems and Policies. Gaithersburg, Maryland: Aspen Publishers; 2001.
- Olorunnishola OA, Taylor AK, Byrd L (2010). Occupational injuries and illnesses in solid waste industry: a call for action. Journal of Morgan State University School of Community Health and Policy.20 (2):211–23.
- 273 274

- 7. Taderera, H. (2012). Occupational Health and Safety Management Systems: institutional and regulatory frameworks in Zimbabwe. International Journal of Human Resource Studies Vol. 2, No. 4.
 - 8. Cookey A.T(2019) Field work in Obio Akpor local government area of Rivers State