

Original Research Article

Face Recognition using 2D-FLDA based on Approximate SVD obtained with Kronecker Products with one Training Sample

ABSTRACT

Aims: In a face recognition task, it is a challenging problem to find lots of images for a person. Even, sometimes there can be only one image, available for a person. In these cases many of the methods are exposed to serious performance drops even some of these fail to work. Recently this problem has become remarkable for researchers. In some of these studies the database is extended using a synthesized image which is constructed from the singular value decomposition (SVD) of the single training image. In this paper, for such a method, SVD based 2 Dimensional Fisher Linear Discriminant Analysis (2D-FLDA), it is proposed a new approach to find the SVD of the image matrix with the aim of to increase the recognition performance.

Study design: In this paper, in a face recognition task with 2D-FLDA, in one training sample case, instead of original SVD of the image matrix, the approximate SVD of its based on multiple kronecker product sums is used. In order to obtain it, image matrix is first reshaped thus it is to be lower dimensional matrices and, then the sum of multiple kronecker products (MKPS) is applied in this lower dimensional space.

Methodology: Experiments are performed on two known databases Ar-Face and ORL face databases. The performance of the proposed method is evaluated when there are facial expression, lightning conditions and pose variations.

Results: In each experiment, the approximate SVD approach based on multiple kronecker product sum gets approximately 3% better results when compared with the original SVD.

Conclusion: Experimental results verify that the proposed method achieves better recognition performance over the traditional one. The reason for this is the proposed approximate SVD has the advantages of simplicity, and also as the kronecker factors possess additional linear structure, kronecker product can capture potential self-similarity.

Keywords: Face recognition, Singular Value Decomposition (SVD), Approximate SVD, Multiple Kronecker product sum, Single training image per person

1. INTRODUCTION

In a face recognition task, the aim is to identify or verify a person from its stored face images and many areas can be seen such as person identification, law enforcement, security and etc. In many of these researches it is focused on the basis of the algorithm, to improve the recognition system accuracy [1] but, they ignore the face database at hand. However in

order to obtain high recognition rates in many methods, there must be sufficient number of images for a person. Nevertheless, it cannot be found many image samples in many applications. Some of these applications are passport identification, law enforcement, drive license and etc. In this case most well-known methods such as Eigen face [2, 3] and fisher face [4-6] will suffer and some of them even fail to work. In a recognition task, for instance the methods that require the intra class scatter matrix fail to work if there is only one image sample as the training set for each person. Because in this case the intra class scatter matrix would be zero and the method will fail to work. Recently this problem has become remarkable for researchers. In [7], an algorithm which makes Fisher linear discriminant analysis (FLDA) to be applicable in the case where there is only one training sample in the training set is proposed. In their work they propose a method which evaluates the intra class variation from the available single training image. The database is extended using a synthesized image which is constructed from the SVD of the single training image. Thus FLDA has become applicable on this extended database. In this paper for face recognition, the efficiency of, the approximate SVD that is based on kronecker products and the traditional SVD are evaluated, in the case of there is only one image sample per person. Thus the effectiveness of the approximate SVD over on the traditional SVD is investigated. This analysis is performed via approximate SVD which is a better and more intuitive way based on kronecker products. The proposed approximate SVD has the advantages of simplicity, and also as the kronecker factors possess additional linear structure, kronecker product can capture potential self-similarity. These make the performance of the proposed method better than the other methods given in [8] especially when there are changes in illumination, facial expression and pose variations in the face images.

In the rest of paper, in case of one training sample, the procedure of traditional 2D-FLDA and, the procedure of 2D-FLDA are briefly given. Section three reviews the representation of images using the multiple kronecker product sums. Section four performs experiments on the well-known databases and then conclusion is given.

2. SVM-BASED 2D-FLDA IN ONE TRAINING SAMPLE CASE

FLDA has emerged as a popular 1D feature extraction approach for facial recognition problems. This approach tries to find, a series of projection vectors in order to project the face images onto a space, in which different classes are separated as possible and the similar classes are gathered together. For 2D case, Ye et al. [9] proposed 2D-FLDA, in which 2D reflection matrices are estimated directly from 2D images. 2D-FLDA can theoretically be formulated as follows. It is assumed that there are C classes and each class has K training image samples with the size $A_k \in R^{m \times n}$ ($k = 1, 2, \dots, K$). In 2D-FLDA it is tried to found a vector set w_j ($j = 1, \dots, d$) to construct a transformation matrix $W = [w_1 \ w_2 \ \dots \ w_d]$ by maximizing the following criteria

$$J(W) = \frac{\text{tr}(W^T S_b W)}{\text{tr}(W^T S_w W)} \quad (1)$$

here tr is used to denote the trace of a matrix and the superscript " T " is used to denote matrix transpose. S_b and S_w , that are the inter class and the intra class scatter matrices respectively, are given as follows

$$S_b = \sum_{i=1}^C \frac{K_i}{K} (\bar{A}_i - \bar{A})^T (\bar{A}_i - \bar{A})$$

$$S_w = \frac{1}{C} \sum_{k=1}^K \sum_{A_k \in C_i} \frac{1}{K_i} (A_k - \bar{A}_i)^T (A_k - \bar{A}_i) \quad (2)$$

where $K = \sum_{i=1}^C K_i$, \bar{A} is the overall image mean of all samples in the set of training, and \bar{A}_i gives the i .th class's (C_i) mean image.

2.1 SVD based image decomposition

Maximizing Eq.1 corresponds the generalized eigenvalue solution problem: $S_b W = \Lambda S_w W$, where Λ is a diagonal matrix, and eigenvalues are placed on the main diagonal. In the SVD-based FLDA application in the case where there is only one sample as training using SVD the image is decomposed as to be two supplementary sections, thus the first section of the image is constructed using the SVD basis images obtained by the several singular values that are the largest, and the second section of the image is constructed using the SVD basis images obtained by the rest of the singular values. Image matrix's first section represents the general appearance of that image, while second section represents the difference between the original image and the first part. The difference image can reflect, the variations between the images in the same class images. In this method in order to evaluate the intra class scatter matrix, the second part of the image matrix is used, while the first part is used to evaluate the inter class scatter matrix.

Image decomposition using SVD is given in the following expression. Let $A \in R^{m \times n}$ and suppose $m \geq n$,

$$A = \sum_{i=1}^n \sigma_i u_i v_i^T \quad (3)$$

where u_i is the i th column vector of $U \in R^{m \times m}$ which is constructed from the eigenvectors of AA^T , v_i is the i th column vector of $V \in R^{n \times n}$ which is constructed from the eigenvectors of $A^T A$ and σ_i is the i th singular value of image matrix A . According to the Eq.3 A can be decomposed into the basis images $F_i = \sigma_i u_i v_i^T$, $i = 1, \dots, n$ and a large amount of energy from image A is concentrated on images F_i obtained using large singular values.

3. APPROXIMATE SVD BASED ON KRONECKER PRODUCTS

As a mathematical tool kronecker product [10] of matrices is very important and recently several researchers began to use this technique in image processing such as image restoration [11, 12], fast transform generation [13] and image quantization and coding [14]. In [8] it is used for image representation and processing. To get a lower dimension representation the image matrix is decomposed into small simpler matrices with using the multiple kronecker product sum (MKPS). Thus the original high dimension image matrix is represented with lower dimension matrices. Then they applied singular value decomposition (SVD) to the lower dimension matrices so as to find the SVD of the original high dimension image matrix and it can be seen kronecker product based SVD analyses is a better and more intuitive way to analyze an image matrix.

In general SVD any $m \times n$ matrix can be factored as

$$A = U \Sigma V^T \quad (4)$$

where U is an $m \times m$ orthogonal matrix whose columns are the eigenvectors of AA^T , V is an $n \times n$ orthogonal matrix whose columns are the eigenvectors of $A^T A$ and Σ is an $m \times n$ diagonal matrix of the form

$$\Sigma = \begin{bmatrix} \sigma_1 & 0 & 0 & 0 & 0 \\ 0 & . & 0 & 0 & 0 \\ 0 & 0 & . & 0 & 0 \\ 0 & 0 & 0 & \sigma_r & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix} \quad (5)$$

$\sigma_1 \geq \sigma_2 \geq \dots \geq \sigma_r > 0$ and $r = \text{rank}(A)$. Here $\sigma_1, \sigma_2, \dots, \sigma_r$ are the square roots of the eigenvalues of $A^T A$. They are called the singular values of A .

The theory of the approximate SVD is as given below:

The kronecker product of two matrices B and C of $m_1 \times n_1$ and $m_2 \times n_2$ respectively is an $m_1 m_2 \times n_1 n_2$ matrix (say A) defined by

$$A = B \otimes C = \begin{bmatrix} b_{11}C & b_{12}C & . & b_{1n_1}C \\ b_{21}C & b_{22}C & . & b_{2n_1}C \\ . & . & . & . \\ . & . & . & . \\ b_{m_1 1}C & b_{m_1 2}C & . & b_{m_1 n_1}C \end{bmatrix} \quad (6)$$

here B is the left, and C is right factor matrix of A . In Zhang et al. [8] as A_i $i = 1, 2, \dots, k$ to be matrices of size $m_i \times n_i$

$$\bigotimes_{i=1}^k A_i = \left(\bigotimes_{i=1}^{k-1} A_i \right) \otimes A_k = A_1 \otimes A_2 \otimes \dots \otimes A_k \quad (7)$$

this is called a multiple kronecker product. They approximate a given matrix A by the sum of several multi kronecker products. They called it in their study multiple kronecker product sum approximation (MKPS) of matrix A .

A matrix A of dimension $m \times n$ with $m = m_1 \times m_2$ and $n = n_1 \times n_2$, matrices B and C of size $m_1 \times n_1$ and $m_2 \times n_2$ respectively that minimize the following error

$$f_A(B, C) = \|res(A) - vec(B)vec(C)^T\|_F \quad (9)$$

where $vec(X) = (X(1:m,1) \ X(1:m,2) \ \dots \ X(1:m,n))^T \in R^{m \times 1}$ and reshape operation $res(A) = (A_1, A_2, \dots, A_{m_1})^T$ $A_j = (vec(A_{1,j}^T), vec(A_{2,j}^T), \dots, vec(A_{m_1,j}^T))$, where

$A_{ij} = A((i-1)m_2 + 1 : im_2, (j-1)n_2 + 1 : jn_2)$ are blocks of A with dimension $m_2 \times n_2$. It follows that

$$f_A(B, C) = \|res(A) - vec(B)vec(C)^T\|_F \quad (10)$$

Then the following theorem is obtained.

According to Theorem 1 that $A \in R^{m \times n}$ with $m = m_1 \times m_2$ and $n = n_1 \times n_2$. Assume the SVD of \tilde{A} which corresponds to $res(A)$ is as follows

$$U^T \tilde{A} V = S = diag(\sigma_1, \dots, \sigma_n) \quad (11)$$

Here $(\sigma_1, \dots, \sigma_n)$ the singular value sequence is given in descending order and $diag(.)$ means to generate the diagonal matrix using the elements of this sequence. Let U_1, V_1 are the corresponding singular vectors of the largest singular value (σ_1) , the matrices $B \in R^{m_1 \times n_1}$ and $C \in R^{m_2 \times n_2}$ are defined by

$$vec(B) = \sqrt{\sigma_1} U_1, \quad vec(C) = \sqrt{\sigma_1} V_1 \quad (12)$$

minimize $f_A(B, C)$.

Theorem 2. Same as the assumption as Theorem 1 and let U_i, V_i be the corresponding singular vectors of (σ_i) , then the matrix $B \in R^{m_1 \times n_1}$ and $C \in R^{m_2 \times n_2}$ defined by

$$vec(B_i) = \sqrt{\sigma_i} U_i, \quad vec(C_i) = \sqrt{\sigma_i} V_i \quad \text{minimize} \quad \left\| A - \sum_{i=1}^k B_i \otimes C_i \right\|_F. \quad \text{Accordingly, when}$$

the k is equal to the matrix rank, it is evident that the matrix can be fully represented by the kronecker product sum, since the approach will not fail theoretically.

4. EXPERIMENTAL STUDIES

In the experimental studies, the performance of the proposed method is evaluated using the AR-Face database [15] and ORL face database [16]. In order to see, the performance of the approximate SVD based on kronecker products over the traditional SVD, experiments are performed for both, traditional SVD-based FLDA [7] and kronecker product based approximate-SVD FLDA.

Using the Ar-Face database the method's performance proposed in this study is evaluated. This evaluation is made for expression variations among the face images. 37 individuals as to be 17 females and 20 males were taken and used, that are corresponds to only the non-occluded images. The images were cropped as to be 50x40 pixels. An example from AR-Face for a person is shown in Figure1.



Fig. 1. A sample from AR-Face Database

Two different experiments are performed on this database. In the first one, the first three images are used for each person as the database. Then, each of the three images is used as the training image once and the remaining two images are used as the test images. The average of the recognition results obtained from these three experiments is given in Table 1. In the second experiment, database is constructed from the all six images of a person given in Figure 1. As it is in the first experiment each of the six images are used as the training image once and the remaining five images are used as the test images then the average recognition result that belongs to the the six experiment, is given in Figure 1.

ORL face database contains 10 grayscale images from 40 subjects. In Figure 2 a sample from the database is given. The size of the images is 112x92 and they contain different lighting conditions and facial expressions. They also were taken at dark background and subjects are in the frontal position with tolerance to some side movement. In the experimental study ORL face database is used in its original size.




Fig. 2. A sample from ORL Database

Table 1. Recognition results of the experimental studies.

Databases	Recognition Results	
	Approximate SVD-based FLDA (%) (proposed)	Traditional SVD-based FLDA (%)
AR_Face 1	90.5405	87.3873
AR_Face 2	71.3738	68.5586
ORL	77.0834	74.3229

5. CONCLUSION

In this paper, a novel usage of approximate SVD decomposition of an image matrix is performed, that is a face recognition application. This decomposition is used in order to extend the face database at hand when there is only one sample image per person in the training set. The performance of the proposed method is evaluated with the experimental studies. To see the performance of the method experiments are performed for both approximate SVD decomposition based 2D-FLDA face recognition algorithm and the traditional SVD based 2D-FLDA face recognition algorithm. Experimental results verify that the proposed method achieves better recognition performance over the traditional one. The reason for this is the proposed approximate SVD has the advantages of simplicity, and also as the kronecker factors possess additional linear structure, kronecker product can capture potential self-similarity.

REFERENCES

1. Zhao W., Chellappa R., Phillips P.J., Rosenfeld A... Face recognition: A literature survey, ACM Comput. Surv. December Issue 2003; 399-458.
2. Turk M. and Petland A.. Eigenfaces for recognition, Journal of Cognitive Neuroscience, 1991;3 ;72-86
3. Sirovich L., Kirby M.. Low dimensional procedure for the characterization of human faces, J. Opt. Soc. Am. A 1987;4 ;3; 519-524.
4. Belhumeur P.N., Hespanha J.P. and Kriegman D.J.. Eigenfaces vs. Fisherfaces: Recognition using class specific linear projection, IEEE Trans. on Pattern Analysis and Machine Intelligence, 1997;19;7; 711-720.
5. Swets D.L., Weng J.. Using discriminant eigenfeatures for image retrieval, IEEE Trans. Pattern Anal. Mach. Intell., 1996;18;8; pp. 831-836.
6. Zhao W., Chellappa R., Phillips P.J.. Subspace linear discriminant analysis for face recognition, Technical Report CAR-TR-914, Center for Automation Research, University of Maryland 1999.

7. Gao Q., Zhang L., Zhang D.. Face recognition using FLDA with single training image per-person, *Applied Mathematics and Computation*. 2008;205;12; 726–734.
8. Zhang H., Qi D., Tai C.-L., and Bao H.. Representing images by multiple kronecker product sum, *CAD/Graphics Macau*.2003.
9. Ye J., Janardan R., Li Q.. Two-dimensional linear discriminant analysis, in: *Proceedings of Neural Information Processing Systems (NIPS)*, Vancouver, BC, Canada. 2004.
10. Graham A.. *Kronecker products and matrix calculus with applications*, Halsted Press, John Wiley and Sons, NY.1981.
11. Kamm J.. *Singular value decomposition-based methods for signal and image restoration*, Phd thesis, Southern Methodist University, Southern Methodist University, Dallas, TX. 1998.
12. Kamm J. and Nagy J. G.. Optimal kronecker product approximation of block toeplitz matrices, *SIAM Journal on Matrix Analysis and Applications*, 2001;22;1; 155-172.
13. Pitsianis N. P..*The Kronecker Product in Approximation and Fast Transform Generation*. Phd thesis, Cornell University, Ithaca, NY. 1997.
14. Canta G. R. and Poggi G., Kronecker-product gain-shape vector quantization for multi-spectral and hyper-spectral image coding, *IEEE Trans. on Image Processing*, 1998;7;5; 668-678.
15. Martinez A. M. and Benavante R.. *The Ar Face Database*, CVC Tech. Report \# 24. 1998.
16. ORL face database <http://www.cam-orl.co.uk>