

**Overview of the components of soy production
in the state of Paraná and in two decades**

ABSTRACT

Aims: The aim of this work was by means of the simple linear regression analysis and correlation to evaluate the panorama of production, the planted area and the production and yield of soybean production in the state of Paraná, in the last two decades

Study design: The data collection was carried out

Place and Duration of Study: State University of Western Paraná, Post-Graduation in Agronomy, between July 2018 and December 2018.

Methodology: The data were obtained at the Portal of the Brazilian Institute of Geography and Statistics, for the years 1997 to 2017. We used the Pearson correlation coefficient and linear correlation.

Results: The results obtained, it was possible to observe significant increases of soybean production in Paraná in comparison to Brazil in this period of 20 years. The Paraná obtained an increase of 105% in area planted, 190% in production and 60% of production with the average yield

Conclusion: There was a linear correlation between the production components demonstrating increased during the period examined in the components of the soy production.

Keywords: Production, yield, Area Planted, *Glycine max*.

1. INTRODUCTION

The soybean (*Glycine max* (L.) Merrill) is a crop of great socioeconomic importance, occupying one of the largest areas planted in Brazil. In the harvest of 2017/2018 production amounted to 119.80 million tonnes, in a planted area of 35.10 million hectares [1]. The state of Paraná is the second largest national producer, with a planted area of 5.444 million hectare producing approximately 19.070 million tons [2].

In a context marked by the growth in consumption of animal protein and the concern with the health and the development of new energetic matrices, soy has become one of the major commodities markets, sustained by different segments, such as production of meat, soy-based drinks, manufacture of oils [4]. Additionally, another factor that stimulated the increase of the demand for soybeans was the extension of the use of biofuels in the world to replace petroleum derivatives [5].

The analysis of the dynamics of the cultivated area, production and yield of grains are important, since it allows you to align actions of research and technology transfer to producers of soybeans. Furthermore, it enables the development of technologies and the generation of knowledge aimed to maximize productivity [6].

34

35 Thus, it is crucial to know the history of the production, considering that culture is of great
36 economic and social importance for the country. The objective of this work was to use simple
37 linear regression analysis and correlation with production data (planted area, production and
38 yield of soybean production in the state of Paraná, between 1996 and 2017 seasons.

39

40 2. MATERIAL AND METHODS

41

42 The study was conducted with data obtained from the Portal of the Brazilian Institute of
43 Geography and Statistics (IBGE/cider). We used information from the planted area, quantity
44 produced and soybean yield in the state of Paraná and in Brazil, between the years of 1997
45 to 2017.

46

47 Pearson's correlation coefficient was performed to measure the existence and degree of
48 intensity between each of the variables considered by means of the following expression by
49 equation 1:

$$r = \frac{\sum XY - \frac{(\sum X)(\sum Y)}{n}}{\sqrt{\left(\sum X^2 - \frac{(\sum X)^2}{n}\right)\left(\sum Y^2 - \frac{(\sum Y)^2}{n}\right)}}$$

50

51 The correlation coefficient (r) for a sample of n pairs of values can demonstrate that X and Y
52 are positively correlated, or are negatively correlated, or even, that there is no correlation.

53

54 In the following we used linear regression model to check the adjustment of the data by
55 equation 2:

56

$$Y_i = \alpha + \beta X_i + \mu_i$$

57

58 Where α represents the linear coefficient of the straight; β is the angular coefficient of the
59 straight and μ the error. The calculation of the estimate of trend was applied by F test ($H_0: \beta$
60 $= 0$; $H_1: \beta \neq 0$). The coefficient of determination (r^2) was considered for the regression
61 analysis, which is the amount of variation in Y explained by the regression line ($0 \leq r^2 \leq 1$),
62 obtained by equation 3:

63

$$r^2 = \frac{SQRegress\tilde{a}o}{SQTotal} = \frac{\sum_{i=1}^n (\hat{y}_i - \bar{y})^2}{\sum_{i=1}^n (y_i - \bar{y})^2}$$

64

65 The coefficient of determination (r^2) is a descriptive measure of the quality of the adjustment
66 is obtained.

67

68 Thus, with the use of a spreadsheet Microsoft Excel, the analysis of variance (ANOVA) was
69 performed and the dispersion graphs were generated, to demonstrate the adjustment of the
70 linear model between the variables studied

71

72 3 RESULTS AND DISCUSSION.

73

74 The analysis of variance of linear regression to the planted area, quantity
75 produced and soybean yield showed 5% of probability and observed by the correlation
76 coefficient of Person (Table 1).

77

78 **Table 1. Analysis of variance of simple linear**
 79 **regression and correlation of components of production in the years 1997 to 2017 for**
 80 **the state of Paraná.**
 81


Variables analyzed	R2	F
The planted area and years	0.94	344, 19**
Quantity produced and years	0.84	107, 64**
Quantity produced and income	0.62	34, 21**

82 Rejects the hypothesis $H_0: \beta = 0$, and whether to accept the alternative hypothesis $H_1: \beta \neq$
 83 0
 84

85 Based on the results of the area planted with soy in Brazil, between the years of 1997 to
 86 2017, it is possible to observe that there was an increase of 195.44%, corresponding
 87 to an increase of more than 20 million hectares (Figure 1).
 88

89 Similarly, in the state of Paraná shows an increase of area planted with soy
 90 in 104.97% when comparing the years 1997 to 2017, including more than 2 million hectares
 91 in these 20 years (Figure 1). However, both for the state and for the country there were
 92 fluctuations over the period averages of planted area.
 93

94 This analysis to realize the tremendous growth of the cultivation of soybeans in Brazil.
 95 Increase as a result, almost exclusively, the incorporation of new areas in the production
 96 process rather than by an increase of the average yield of culture, especially in the
 97 last 20 years [3].
 98




99 **Fig. 1. Soybean planted area in hectares in the state of Paraná and in Brazil in the**
 100 **years 1997 to 2017. Source: IBGE**
 101
 102

103 The Paraná stood out over the years, however presented instability, being possibly related to
 104 climatic adversities [7]. Although there were fluctuations in the course of 20 years, it is
 105 observed that the increase in the planted area, both for Brazil and for the state of

106 Paraná, possibly due to the degree of performance and availability of key
107 factors of production and the technological advancement in the state and in the country [8].

108
109 In addition to this, the data showed that possibly the adoption and implementation of public
110 policies, based on the incentive for research, development and innovation, in a public-
111 private partnership model, may allow the increase of national production and state of
112 the cultivation of soy due to a significant evolution of the planted area [9].

113
114 The area planted to soybeans understood at the time of the harvest of 1997/98 to 2016/17
115 in Brazil shows growth with oscillations (Figure 2). In the period between 2006 to 2009, there
116 was a decrease in the planted area, when compared to the period of 2001 to 2006,
117 but, from the year 2011 until the end of 2017 Brazil reached 5.45 million hectares.



138 **Fig. 2. Correlation between the area planted with soybeans (ha) and the years of 1997**
139 **to 2017 in the state of Paraná. Source: IBGE**

140
141 The lack of regular rains, coupled with the currency appreciation in real and the low
142 prices of agricultural products in the international market led to a fall of 15.1% in nominal
143 value of production of the agricultural harvest in 2006 compared to 2005, reducing the value
144 of production in 5.2% of the planted area of the harvest 2006 in relation to
145 2005, interrupting the sequence of growth since 2001 [10].

146
147 Over the years, it is possible to observe a strong correlation of growth in the area
148 planted (R^2 0.95) which represents an increase of 48.4 %. Furthermore, the investments in
149 the agrochemicals contributed in the increase of productivity, as well
150 as the researches of new genetic varieties more resistant. Also joined the innovative
151 techniques of crop rotation and soil management [11]. This
152 evolution has contributed to preventing hair loss of productivity and quality losses caused by
153 climatic problems and also plant protection.

154
155 According to the Department of Rural Economy [12] In addition to the increase in area, the
156 productivity of crops in Paraná favors the gradual increase in the production state, driven by
157 exports of culture. In 2016 Brazil exported 49.6 million tons of soybeans. Of this total,


158 75% had as a destination to China, Spain was the destination for 3.3% of the total exported
159 to Thailand 3%, the Netherlands with 2.9% and 2.4% Iran around.

160
161 The growth of the planted area is directly proportional to the quantity harvested
162 over the years. In this way, the adjusted model of regression of quantity produced of soy in
163 function of years is expressed by the equation $y = 552,812,07x - 1,097,830,584.77$
164 (Figure 3).

165
166 The model showed a coefficient of determination (R^2) of 0.85 and the correlation
167 coefficient (R) of 0.92, indicating a strong relationship between the production and
168 harvests over the years. Similar results were observed by [13], in a study where he
169 performed the analysis of correlation and regression of the Brazilian
170 production of soya and maize, in the harvests of 1976/77 to 2015/2016.

171
172 In the last twenty years of soy production in Paraná increased 189.82%, i.e., passed and
173 6.58 million tonnes in 1997 to 19.07 million tons, representing 17.2% of the national total in
174 the harvest of 2017.

175




176
177 **Fig. 3. Correlation between the production of soybean (t ha-1) and the years of 1997 to**
178 **2017 in the state of Paraná. Source: IBGE**

179
180 The average yield represents a central aspect and fundamental for the analysis of
181 the economic performance of culture in the field, in virtue of the income
182 be a coefficient that measures the optimization obtained from the optimal
183 application of factors of production, given the existing technological levels [3].

184
185 In Figure 4 It appears that the Paraná presents excellent yield, since production
186 increased from 6.58 million tons of soy in 1997, with average yield of 2,590 kg ha-1 to
187 19.07 million tons, with average yield of 3,663 kg ha-1 in 2017. There is an evolution of
188 59.95% when one compares the average yield over the last 20 years in Paraná.

189
190 The mathematical model adjusted by regression on the average yield of soybean
191 production in the state of Paraná in the production function is expressed by the equation $y =$
192 $0.00x + 1,891,6$.

193



194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228

Fig. 4. Correlation between the production (t ha⁻¹) and the average yield (kg ha⁻¹) of soybeans in the years 1997 to 2017 in the state of Paraná. Source: IBGE

The average productivity of soybean reached a level of productive balance, in which the average yield is optimized, given the degree of performance and availability of key factors of production and also given the level of accessible technology, widespread commercially and economically viable [3].

The average yield of soybean production in the state of Paraná is above the national who was in 2017 of 3,377 kg ha⁻¹. Investments in technology, the adoption of practices for the conservation and management of the soil, which mitigate the risk inherent in the activity, makes the Paraná is evident in the second position among the producing states [14].

Therefore, the transformation of raw material into product reflects the level of applied technology, the degree of investment bank employee, the pattern of development and technical progress, added to the productive inputs, the use of natural resources so great, finally, maximizing the average yield results from the application of this entire set of variables of great way [3]. On the other hand, it is necessary to the constant pursuit of change in production, by means of technological innovation, is, of inputs or in the productive process, because the cultivation of soy can achieve higher levels of income.

4. CONCLUSÃO

The regression analysis and the correlation demonstrated the influence between the production components planted area, quantity produced and soybean yield evaluated in the period from 1997 to 2017, which fostered the prospect of increased grain production chain in Brazil and in the state of Paraná, evidencing that the technological standard, the basket of inputs, production techniques, among other factors relevant for the production of soya, disseminated and commercially available in the major centers producers can provide results that achieve higher levels of productivity.

229 **COMPETING INTERESTS**

230

231 Authors have declared that no competing interests exist.

232

233

234 **REFERENCES**

235

236 1. Usda - United States Department of Agriculture. World Agricultural Production. Accessed
237 30 October 2018.

238 Available: <https://www.fas.usda.gov/data/world-agricultural-production>

239

240 2. CONAB. National Supply Company. Monitoring of the Brazilian harvest of grain -
241 season 2017/2018. Brasilia: Embrapa. 2018; 1:178.

242 Available:

243

244 3. Conab - National Supply Company. The yield of soybean: analysis and perspectives.
245 2017. Accessed 31 October 2018.

246 Available: [https://www.conab.gov.br/uploads/arquivos/17_08_02_14_27_28_10_compendio
247 _de_estudos_conab_a_produtividade_da_soja_-_analise_e_perspectivas_-_
248 _volume_10_2017.pdf](https://www.conab.gov.br/uploads/arquivos/17_08_02_14_27_28_10_compendio_de_estudos_conab_a_produtividade_da_soja_-_analise_e_perspectivas_-_volume_10_2017.pdf)

249

250 4. Rigo AA, Dahmer AM, Steffens C, Steffens J, Carrão-Panizzi MC. Characterization of
251 soybean genetically improved cultivars for human consumption. International Journal of
252 Food Engineering. 2015; 1:7.

253 Available: [https://www.alice.cnptia.embrapa.br/alice/bitstream/doc/1018826/1/2015IJFEv1n1
254 p1.pdf](https://www.alice.cnptia.embrapa.br/alice/bitstream/doc/1018826/1/2015IJFEv1n1_p1.pdf)

255

256 5. Solano L, Yamashita OM. Soybean cultivation in different spacing between lines. *Varies*
257 *Scientia Agrarias*. 2011; 35:47. Portuguese. Accessed 31 October 2018.

258 Available: <http://e-revista.unioeste.br/index.php/variascientiaagraria/article/view/5382/5043>

259

260 6. Room AAB, Hirakuri MH, Franchini JC, Debiasi H, Ribeiro RH. Analysis of the area,
261 production and yield of soybean in Brazil in two decades (1997-2016). Londrina: Embrapa.
262 2017; 21. Portuguese. Accessed 31 October 2018.

263 Available: [https://ainfo.cnptia.embrapa.br/digital/bitstream/item/156652/1/Boletim-de-PD-
264 11.pdf](https://ainfo.cnptia.embrapa.br/digital/bitstream/item/156652/1/Boletim-de-PD-11.pdf)

265

266 7. Barbosa, M. Z., Sampaio, R. M. Soybeans: high productivity and technology.
267 Analyzes and indicators of agribusiness, São Paulo. 2017. Portuguese.
268 Accessed 31 October 2018.

269 Available: <http://www.iea.sp.gov.br/ftpiea/AIA/AIA-28-2017.pdf>

270

271 8. Oecd - Organization for Economic Cooperation and Development. Crop production
272 (indicator). France: OECD, 2018. doi: 10.1787/49a4e677. Accessed 30 October 2018.

273 Available: www.oecd.org

274

275 9. Guimarães TA. The dynamics of soybean crop in the state of Paraná: the role of
276 the Embrapa between 1989 and 2002. Showcase of the conjuncture, Curitiba. 2011.
277 Portuguese. Accessed 30 October 2018.

278 Available: <https://img.fae.edu/galeria/getImage/1/2496584274915073.pdf>

279

280 10. Farid OJ. *Estadão de São Paulo*. Portuguese. Accessed 31 October 2018.

281 Available: <https://economia.estadao.com.br/noticias/geral,valor-da-safra-agricola-de-2006->
282 [teve-queda-de-15-1,22423.](https://economia.estadao.com.br/noticias/geral,valor-da-safra-agricola-de-2006-)
283
284 11. Ieag - Institute for the Study of agribusiness. The Future of the national soy -
285 socioeconomic impacts of the Asian rust in soybeans in the next ten years. 28, 2015.
286 Accessed 20 October 2018.
287 Available: <http://www.abag.com.br/media/images/0-futuro-da-soja-nacional---ieag--->
288 [abag.pdf.](http://www.abag.com.br/media/images/0-futuro-da-soja-nacional---ieag---)
289
290 12. Federal - Department of Rural Economy. Soybean - Analysis of the agricultural
291 situation - November 2016. PARANÁ - season 2016/17. Accessed 20 October 2018.
292 Available: http://www.agricultura.pr.gov.br/arquivos/File/deral/Prognosticos/2017/Soja_2016
293 [_17.pdf](http://www.agricultura.pr.gov.br/arquivos/File/deral/Prognosticos/2017/Soja_2016)
294
295 13. Egewarth VA, Mattei , And Chiapetti T, Macedo Junior EK, Egewarth J
296 F, Bartzen BT. Analysis of correlation and regression of the Brazilian
297 production of soya and maize. Journal of Sciences, Umuarama seeds. 2017; 134:140.
298 Portuguese. Accessed 20 October 2018.
299 Available: <http://www.dca.uem.br/V6N1/14.pdf>
300
301 14. Demarchi, M. Analysis of the agricultural situation, safra 2011/2012. Paraná: Seab.
302 2011; 14. Portuguese. Accessed 31 October 2018.
303 Available: https://www.faq.edu.br/upload/revista/cultivando_o_saber/54eb1d17c9e96.pdf