



SDI Review Form 1.6

Journal Name:	Asian Hematology Research Journal
Manuscript Number:	Ms_AHRJ_45295
Title of the Manuscript:	Correlating Automated IRIA ESR Analyzer and Westergreen Method for Determination of Erythrocyte Sedimentation Rate
Type of the Article	Original Research Article

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Compulsory REVISION comments	In the paper I couldn't find the IRIA method and how they calculated if there is a device, the author should explain the theory of the device working and fundamental. The study more in statistics without any technical explanation. Final the author didn't explain and inform if he has followed and get a permission from the ethic committee.	
Minor REVISION comments		
Optional/General comments		

PART 2:

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	(If yes, Kindly please write down the ethical issues here in details)	

Reviewer Details:

Name:	Aoday Mohammad
Department, University & Country	University of Malaya, Malaysia