### SCIENCEDOMAIN international

www.sciencedomain.org



### **SDI Review Form 1.6**

Journal Name:	Asian Journal of Case Reports in Surgery
Manuscript Number:	Ms_AJCRS_45734
Title of the Manuscript:	Recurrent Intestinal Necrosis due to polystyrene sulphonate use - a case report
Type of the Article	Case Report

### **General guideline for Peer Review process:**

This journal's peer review policy states that <u>NO</u> manuscript should be rejected only on the basis of '<u>lack of Novelty</u>', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline)

### **PART 1:** Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<u>Compulsory</u> REVISION comments	This is interesting, but not 100% proven. The Achilles heel is whether patient had any vascular compromise that could ALSO explain this presentation. I.e. Mesenteric ischemia. This needs to be addressed as a possible cause in ddx. If a CTA or MRA was done this needs to be mentioned it was not.	
Minor REVISION comments		
Optional/General comments		

## PART 2:

	Reviewer's comment	<b>Author's comment</b> (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	(If yes, Kindly please write down the ethical issues here in details)	

# **Reviewer Details:**

Name:	Ramy M Hanna
Department, University & Country	University of California, USA

Created by: EA Checked by: ME Approved by: CEO Version: 1.6 (10-04-2018)