

### **SDI Review Form 1.6**

Journal Name:	Asian Journal of Medicine and Health
Manuscript Number:	Ms_AJMAH_47334
Title of the Manuscript:	PREVALENCE, PATTERN AND CORRELATES OF INTIMATE PARTNER VIOLENCE AMONG POSTPARTUM WOMEN IN O
Type of the Article	Original Research Article

### General guideline for Peer Review process:

This journal's peer review policy states that <u>NO</u> manuscript should be rejected only on the basis of '<u>lack of Novelty'</u>, provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline)

## OSOGBO, NIGERIA

### SCIENCEDOMAIN international www.sciencedomain.org



## SDI Review Form 1.6

## PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed highlight that part in the manu- his/her feedback here)
Compulsory REVISION comments		
Compulsory REVISION comments	This is a well-researched, and generally well-written paper about an important topic. I applaud the authors on the comprehensiveness of the background section.	
	My main comment is that it is not clear, as currently written, what gap in the literature this paper fills, nor what is learned from this study that is not already known. The authors do a good job of showing how the findings from this investigation agree with other papers. They do not, however, do as good a job of saying how this paper is different.	
	Next, it is not clear to my why this population was selected. If the idea is to do early screening to, in part, protect against the listed negative effects of IPV to the fetus, surely ante-natal screening would be better than post-natal.	
	It is noted that some participants filled the survey themselves, while others responded to an interview. Was any analysis conducted to see if these sub-samples were different in any way? Did they differ on any demographic variables, or on any of the outcomes?	
	How was support during pregnancy determined?	
	How is the CAS scored? I understand that the cut-off of 7 was used to determine IPV yes/no, but not how that number would be derived.	
	Table 3 needs to be re-formatted. It is nearly impossible to read in its current format.	
	Why wasn't multivariate regression used to analyse these data?	
	There are a few sentences in the discussion section which are almost word-for-word from the background.	
Minor REVISION comments	In the background section, I would suggest a sub-heading for the measures used rather than discussing them in the "types of IPV" section. This could perhaps best be described in the methods section.	
	I would also suggest discussing primary versus secondary versus tertiary prevention strategies in the "prevention of IPV" sub-section.	
	Also in that section, it is noted that empowering women is a strategy to reduce IPV. There is some evidence that these strategies can backfire and actually expose women to higher levels of IPV.	
	It is noted that post-natal screening is "early" screening. Earlier than what?	
	I am confused by the intervals for the days of the week. Where, for example, do babies who are aged 14 weeks to 9 months go for their care?	
	How was the sample size determined?	
	The limitations section should really be written as a paragraph and not as bullet points.	
Optional/General comments		

## eed with reviewer, correct the manuscript and anuscript. It is mandatory that authors should write





## SDI Review Form 1.6

## PART 2:

	Reviewer's comment	Author's comment (if agreed w that part in the manuscript. It is n feedback here)
Are there ethical issues in this manuscript?	(If yes, Kindly please write down the ethical issues here in details)	

## **Reviewer Details:**

Name:	Sarah Rominski
Department, University & Country	University of Michigan, USA

# with reviewer, correct the manuscript and highlight s mandatory that authors should write his/her