Original Research Article

Health Risk Implication among Solid Waste Workers in Obio Akpor LGA of Rivers State.

Comment [U1]: Title, aim and conclusion of study are not in line with each other

ABSTRACT

1 2

3

4

10 11

12 13

14 15

16

17 18

19

20

21

22

23

Aims: To examine the Health Risk implication among solid waste workers in Obio Akpor LGA of Rivers state

Study design: Descriptive design

Place and Duration of Study: The study was carried out at the Rivers State Waste Management Agency in Obio-Akpor Local government area of Rivers State between January 2019-March 2019

Methodology: The survey method was employed whilst 265 copies of questionnaire were used to elicit information from the number of employee..

Results: The findings showed that the major source of solid waste is from the residential area and plastics is one of the major composition of solid waste furthermore it was discovered that majority of the individuals in Obio akpor local government area prefer to dump their waste at authorized dump site and this is normally done within 1-5days and this is done daily. It was also discovered that majority of the respondents had a pre requisite knowledge on the effect of poor waste disposal to human health likewise the health implication of such action as they indicated that they are prone to typhoid and other forms of dispasses.

Conclusion: The Government of Rivers State should adopt a Waste Policy which entails occupational safety, health and environmental management issue

Comment [U2]: Elaaborate in two three lines so that atleast reader can get some idea from abstract regarding the methodology

Comment [U3]: What health implications specifically you were looking for? Mention them in methods section and then results should be based upon them

Comment [U4]: It should be based on objective

Keywords: Health and solid waste

1. INTRODUCTION

Solid waste comprises of different type of discarded goods mainly left-over food, textile, glass, paper, metals and other spoiled goods [1]. The process of generation, storage, collection, transportation and final disposal of waste are important process which most times involves the use of human labour in many developing country including Nigeria [2].

It is also of importance to note that waste management contributes tremendously in upholding public health by reducing the risk of diseases,

however the job exposes those who are involved and are known as solid waste workers to high risk of fatal and non-fatal occupation accidents [3].

However, in the early days, the population of humans were small and there were relatively no adverse health effects of waste considering the large land mass. People migrated from one location to another, so there was tendency to relocate from previous waste dump site to new environment. Thus, waste was disposed of without the fear of its consequences to the environment and of any serious health risk to people [5].

As man increased on the surface of the earth, as well as the onset of civilization, the quality and quantity of waste production also changed and increased. The advent of industrialization has altered the nature and quantity of waste generated on a higher level. The increasing complicated arena of waste handling harbours significant potential for human health and safety risks. [6] Contend that workers not properly and adequately managed may cause some health and environmental risk which may result in sickness, impaired health and well-being or significant discomfort among people. The aim of solid waste workers is to remove garbage to safeguard public health and welfare as well as prevent environmental pollution.

Despite the significance of this job done by the waste workers, they are exposed to several kinds of hazards in the cause of discharging their duties. Major hazards faced by solid waste workers can be chemical, biological, agronomic, physiological hazard.

Amongst the injuries experienced by theses solid waste workers are accidental injuries such perforation wounds, laceration, burns, dog and rat bites which are deep cuts caused by scrap metals, jagged edges of cans and bins, glass cutters or nails in waste bag and when they drop heavy containers on their feet or legs [7]

In developing countries example Nigeria , waste segregation is rarely practised, that is why traces of medical waste and poisonous industrial wastes are mixed with the domestic waste stream [8]. Furthermore nothing has really be done about the health and safety of these solid waste workers.

It is against this background that the aim of this research was to examine the Health Risk Implication among solid waste workers in Obio Akpor LGA of

Rivers State . The specific objectives of the study were to: identify the source and composition of solid waste in Obio Akpor Local Government area of Rivers State, Identify the waste disposal method in Obio Akpor local government area and to identify the Waste disposal method in Obio Akpor Local Government area of Rivers State.

Comment [U5]: Then alter your title accordingly

Comment [U6]: Methodology is inconclusive. Reader cannot understand what you wanted to do or what you have done

2. METHODOLOGY

The population of the study will consist of the staff of Rivers state waste management agency (RIWAMA). For the purpose of the study the sampling technique adopted was the simple random sampling technique. This technique helped in giving a number to each subject or individual from the open populace putting the numbers in a compartment and picking them randomly. It gives every unit of the population an equal and known chance of being chosen in the sample and it has to do with a definite number of population. Furthermore sampled respondents were given structured questionnaires.

The questionnaires were self-administered randomly to selected sample respondents of RIWAMA. The data retrieved from the questionnaire was put together using the statistical package for social sciences (SPSS). For the purpose of a clear and detailed representation of data, the uses of tables were employed in order to present the gathered data for the research study. Descriptive analysis was used which consists of the Mean, Median mode of analyzing

3. RESULTS AND DISCUSSION

3.1: Demographic Characteristics of Sampled Population

Table 1: Distribution of Solid waste handlers at RIWAMA according to their job task

Job Task	Number of employee	s	
	(N=265)	(%)	
Truck Drivers	46	17	
Refuse Collector	67	25	
Street sweepers	79	30	
Waste Pickers	73	28	

Total	265	100

95 Source: [8]

Table 1 above shows the distribution of Solid waste handlers at RIWAMA according to their job task. It reveals that majority of the respondents under survey 30% (70) were street sweepers, 28 (73%) were waste pickers, 25% (67) were refuse collector and the least 17% (46) are truck drivers. The implication of this result is that majority of the respondents have an overview of the issue discussed based on their experience in the handling of solid waste in course of their job description

3.2 Sources and composition of solid waste in Obio Akpor LGA

To examine the source and composition of solid waste in Obio Akpor LGA two category of questions were asked, they included what are the source of Solid waste and what are the type of Solid waste

Sources of Solid Waste

Table 2 Sources and Types of Solid Waste (n=265)

	,		
Items		Freq.	%
Residential		178	67
Commercial		67	25
Industrial		87	33
Institutional		78	29
Others		65	25

110 Source: [8]

Multiple Response

Table 2 above shows the sources of solid waste as indicated by the respondents. Data Analysis based on multiple response revealed that majority of the respondents had their opinion that the major source of solid waste is from residential buildings, 33% (87) respondents had opinion that the source was from industrial, 29%(78) had opinion that the source was from institutional while 25% (67) and 25% (65) respondents had opinion that the major source of solid waste was from commercial and other sources not mentioned respectively.

Types of Solid Waste

Table 3: Types of Solid Waste (n=265)

Item	Freq.	%
Paper	45	17

Plastic	187	71
Glass	76	29
Metal	95	36
Sanitary	77	29
Food Waste	87	33
Debris	22	8
Hazardous Waste	66	25
Animal Waste	24	9
Ashes	33	12

123 Source:[8]

Multiple Response

On the type of solid waste, data analysis as seen in table 3 revealed that 36% (95) of the respondents indication that metal was part of the composition of the solid waste they handle, 33% (87) respondents indicated food waste, 29% (77) indicated sanitary waste, 25% (66) respondents indicated hazardous waste, 12% (33) respondents indicated ashes, 17% (45) indicated paper 29% (76) respondents indicated glasses and majority 71% (187) indicated plastic as major composition of solid waste.

3.3 Waste Disposal Method in Obio Akpor LGA

To identify the waste disposal method three categories of questions were asked, they included the waste disposal method, how long it takes to dispose waste and how often do they dispose waste.

Waste Disposal Method

Table 4: Waste disposal Method

Item	Freq.	%	
RIWAMA	23	9	
Authorized dump site	164	62	
Unauthorized empty plot	34	13	
Burning	15	6	
Personal Bin	29	11	
Total	265	100	

Source: [8]

Table 4 shows the waste disposal method adopted by residents. Data analysis reveals that majority of the respondents 62% (164) indicated that residents use authorized dump site to dispose their waste, 13% (34)

respondents indicated that residents use unauthorised empty plot so as to dispose their waste, 11% (29) of the respondent indicated that most residents use their personal bin , 6% (15) of the respondents indicated that most residents prefer burning and 9% (25) use RIWAMA as a source of dumping their waste

How long does it takes to dispose waste

Table 5: Duration of Waste Disposal

•		
Items	Freq.	%
1-5 days	198	75
6-10 days	23	9
11-15 days	44	16
>15 days	-/	-
Total	265	100

Source: [8]

On how long it takes residents to dispose their waste, majority of the respondents said most residents normally dispose their waste within 1-5 day, 16% (44) of the respondents indicated that most residents dispose their waste within 11-15days while 9% (23) of the respondents dispose their waste within 6-10days

Frequency of Waste Disposal

Table 6: Frequency of Waste Disposal

Items	Freq.	%	
Daily	95	36	
Once a week	103	38	
Twice a week	67	25	
Total	265	100	

Source: [8]

On how often they do dispose their waste, majority of the respondents indicated that majority 38% (103) indicated that residents dispose their waste once a week, 36%(95) respondents indicated that residents dispose their waste daily and 25% (67) indicated that residents dispose their waste twice a week

3.4 Major health risk affecting solid waste solid waste workers in Obio Akpor LGA

To identify the major health risk affecting solid waste workers in Obio Akpor LGA two categories of questions were asked, they included if poor waste disposal are harmful to human health and its health implication.

If Poor Waste disposal are harmful to Human Health

Data analysis as seen in Table 7 reveals that all the respondents were conscious of the fact poor waste disposal is harmful to human health.

Table 7 Harmful consequences of poor waste disposal to human Health

	-	ANY 100 M
Item	Freq.	%
Yes	265	100
No	-	-
I don't know	- / . \	-
Total	265	100

183 Source: [8]

173174

178

179

180

181 182

184 185 186

187

188

189

190 191

192 193

194 195

196

• Multiple Response

Health Implication

Table 8: Health Implication

Item	Freq.	%
Malaria	143	54
Diarrhoea	109	41
Typhoid	178	67
Acute Back pain	56	21
Painful joint	67	25
Possible Liver and Kidney	23	9
damage		
Others	178	67

Source: [8]

Multiple Response

Table 8 shows respondents opinion on the health implication of poor waste disposal, 67% (178) of respondents indicated that when waste are not properly handled it could make them vulnerable to typhoid, 54% (143) respondents had opinion that they could be vulnerable malaria, 41% (109) respondents had opinion that they could be vulnerable to Diarrhoea, 25% (67) respondents had opinion they could be expose to experiencing painful

joints, 21% (56) respondents had opinion that they could be exposed to experiencing acute back pain, 9% (23) had opinion that they could experience a possible liver and kidney damage and 67% (178) respondents had opinion that they could experience other symptoms not mentioned

4. CONCLUSION

This study was able to examine the sources and composition of solid waste in the study area. In this study participant under survey expatiated on the source and composition of solid waste. In order to get the views of the understanding of the question posed, respondents were asked the sources of solid waste and the type of solid waste. This question was posed so as to see if really they had a deeper understanding of the issues on ground. From the analysis it indicated that majority of the respondents indicated that the major source of solid waste is from the residential area while the plastics is one of the major composition of solid waste.

Waste Disposal Method in Obio Akpor LGA

On the waste disposal method data analysis revealed by respondents that majority of the individuals in Obio akpor local government area prefer to dump their waste at authorized dump site, also it was discovered that it takes 1-5days for majority of the individuals to dispose their waste and this occurs daily

Major health risk affecting solid waste workers in Obio Akpor LGA

On the aforementioned objective it was concluded that majority of the respondents understudy had a pre requisite knowledge on the effect of poor waste disposal to human health likewise the health implication of such action as majority indicated that they will be prone to typhoid and other forms of diseases.

ACKNOWLEDGEMENTS

 The Authors would like to acknowledge the comments and suggestions from Sokorie Andra from the Department of Geography and Environmental Management, University of Port Harcourt. Choba Rivers state

Comment [U7]: Not in line with objective and also not according to the guidelines of any good medical journal. Read few articles first and then formulate your data into an amanuscript which can be published in a well reputed journal

COMPETING INTERESTS

230 231 232

Authors have declared that no competing interest exist

233

ETHICAL APPROVAL

234 235 236

237

238

239

240

241

242

Approval for this study was obtained from the Department of geography and Environmental Management, University of Port Harcourt Choba. Also, verbal informed consent was obtained from each respondent. All the participants were informed that the study is voluntary and that they could opt out of the study at any time. Also participants were assured that confidentiality would be maintained during and after data collection and that information given will be used for research purposes only. And lastly articles and authors used were sighted accordingly in this research

243 244 245

REFERENCES

246 247 248

1. Alli B.O (2008), Fundamental Principles of Occupational Health and Safety. Geneva: International Labour Organization.

253

257

258 259 2. An H, Englehard J, Fleming L and Bean. J (1999). Occupational health and safety amongst municipal solid waste workers in Florida. Waste Manag Res,

254 255 256

3. Bastan. M, Cerlik. N and Schubertt. C, 2014. Assessment of Occupational and Environmental Health and Safety Risks in Solid Waste Systems. Quarterly Progress Report III January 31st, 2014 - May 1st, 2014University of Miami Coral Gables, FL, USA. Accessed 24 August 2017

260 261 262

263

264

Melanie S. M, (2004). ILO Organizing in the Informal Economy: A Case Study the Municipal Waste Management Industry in South Africa. Geneva, International Labour Office.

Merson MH, Black R and Mills AJ (2001). International Public Health: Programs, Systems and Policies. Gaithersburg, Maryland: Aspen Publishers; 2001.

Diseases

274

269

Olorunnishola OA, Taylor AK, Byrd L (2010). Occupational injuries and illnesses in solid waste industry: a call for action. Journal of Morgan State University of Community Health and Policy.20 (2):211-23.

Comment [U8]: Merge in methodology section

Comment [U9]: Add more refrenced and recent

- 7. Taderera, H. (2012). Occupational Health and Safety Management Systems: institutional and regulatory frameworks in Zimbabwe. International Journal of Human Resource Studies Vol. 2, No. 4.
- 8. Cookey A.T(2019) Field work in Obio Akpor local government area of Rivers State