

Existing Water Productivity and Cropping Intensity of Right Bank Canal Command of Samrat Ashok Sagar Project of Vidisha District MP

ABSTRACT

The existing water productivity and cropping intensity of right bank canal command area was found 0.60 kg/m³ and 163% respectively. The right bank canal comprises of five water user association namely Sarchampa, Ucher, Medaki, Sayar and Neemkheda whose existing cropping intensity was found to be 181%, 149%, 158%, 177% and 172%, respectively. The cropping intensity of villages under study varies between 110% to 200%. It was also found that only six village out of 55 villages were having cropping intensity less than 140%. On the higher side, only five villages were having cropping intensity more than 190%. The lowest cropping intensity 115% was found in Sunari village of Medaki WUA. This village was having 245 ha net sown area in *Rabi* season but very less net sown area (84 ha) in *Kharif* season due to unavailability of water. Similarly less cropping intensity 118% was found in Anouriberkhedi village. This village was having 264 ha net sown area out of 455 ha in *Rabi* season and 272 ha net sown area out of 455 ha in *Kharif* season. The total water supplied in M m³ excluding losses from RBC was collected from water resources department and the data on total production of wheat was collected from revenue record of Vidisha district to assess the existing water productivity. The existing water productivity of the command area was found to be 0.60 kg m⁻³ for *Rabi* season.

KEYWORDS: Cropping intensity, Water productivity, Canal command area, Water management, Water user association.

INTRODUCTION

Crop yields everywhere in the developing world are consistently higher in irrigated areas than in rainfed areas (Rosegrant and Perez 1997; Ringler et al. 2000; Hussain and Hanjra 2004; Lipton et al. 2005). About 17% of global agricultural land is irrigated contributing about 40% to the world's production of cereal crops (WCD 2000). A comprehensive review of World Bank-assisted irrigation projects during 1994-2004

32 (IEG 2006) and a review of irrigation projects in Asia that received assistance from the
33 International Water Management Institute (ADB/IWMI 2005) confirmed the significant
34 role that irrigation plays in poverty reduction and economic growth. The impacts of
35 irrigation on poverty reduction are both direct and indirect. Direct benefits of irrigation
36 include higher farm productivity through crop yield increases and diversification of
37 cropping patterns and crop technologies. These in turn result in higher household
38 income, consumption and employment. To the extent that irrigation results in higher
39 marketed surpluses and increased employment opportunities, it also indirectly benefits
40 the landless through higher wages). Finally irrigation may lead to lower food prices
41 which is especially beneficial to the poor since they spend a disproportionately large share
42 of their income on food.



43 Access to irrigation water is widely credited to be one of the major underlying
44 factors for the substantial productivity gains obtained during the Green Revolution in
45 Asia in the 1960s and 1970s (Pingali et al. 1997; Bhattarai et al. 2002). In light of the
46 recent rises in food prices and increasing demand for non-agricultural use of land,
47 raising agricultural productivity is more important than ever. Will improvements in
48 irrigation be able to contribute to further gains in crop productivity? If so, to what
49 extent and how can we maximize the potential of irrigation? Some recent studies based
50 on regional or statelevel data suggest that further investments in irrigation would make
51 only a moderate contribution to agricultural production and agricultural GDP (Fan et
52 al. 2000; Fan and Chan-Kang 2004). At the same time, however, others claim that the
53 economic gains from further improvements in irrigation are potentially large (Datt and
54 Ravallion 1997; Rosegrant et al. 1998; Barker et al. 2004; Hussain and Hanjra 2004;
55 Huang et al. 2005). There exist a large number of reports and research papers that
56 analyze the economic impact of irrigation. However, the issues being analyzed as well
57 as the data and methods being used suffer from various limitations including
58 aggregation bias, small sample problems and inability to establish the true causal
59 relationship between irrigation and impact of irrigation.

60 According to Bharadwaj (1974) irrigation can raise the productivity of land in three ways : by
61 making multiple cropping, by increasing the yield per unit cost and by making the production of
62 more lucrative crops. The objective of irrigation is to increase the productivity and production
63 of crops. The irrigation water supply becomes a critical input in the agricultural production

64 process. It enables and encourages farmers to invest in other inputs like HYV seeds, fertilizers
65 etc., all of which increase productivity (Wickhami et al., 1988). India's irrigation policy aimed at
66 the single objective of maximizing the production of food and other crops to attain self-
67 sufficiency. This objective could be attained by making massive investments in irrigation only on
68 those areas where the possibilities of producing crops are maximum per unit of water
69 (Irrigation Commission, 1972). A policy of extensive irrigation with surface water is potentially
70 good for productivity, equity, stability and sustainability of Indian agriculture (Dhawan, 1995).
71 The extent of irrigation meets broad social objectives beyond those of increased production
72 and incomes (Small, 1981). The importance of irrigation is recognized for many crops, because
73 the yield of irrigated crops is better than dry land or rainfed crops, not only in experimental
74 fields but also in farmer's field (Sinha et al., 1985). Food production and productivity depend
75 greatly on an assured supply of water. Yields per hectare obtained from irrigated cereals are on
76 an average more than twice and often four times as high when compared to those on non-
77 irrigated land (Kandiah, 1999). The production and productivity of those areas have increased
78 where the area of irrigation has increased. Irrigation is a sure remedy for farm
79 development. Irrigation projects generally endure themselves to agriculturists because they
80 tend to promote maximum yield per hectare a well understood and indeed, cherished goal.
81 Irrigation thus provides farmers with a way to increase the productivity of their limited land
82 significantly (Abbie et al., 1982). The level of cropping intensity is determined by several factors.
83 The most important factor is the availability of water from natural rainfall and or man -made
84 resources irrigation. Keeping above facts in mind it was desired to study the existing water
85 productivity and cropping intensity of Samrat Ashok Sagar project for right bank canal
86 command area to focus on review for increasing the water productivity and cropping intensity
87 in RBC command area.


88 MATERIAL AND METHODS

89 The study was conducted for the command area of Right Bank Canal of Samrat
90 Ashok Sagar Irrigation Project located in Vidisha district, Madhya Pradesh (India). The
91 Samrat Ashok Sagar Project is a major irrigation project located in Vidisha district of
92 Madhya Pradesh (India). Its command area falls in parts of Vidisha and Raisen
93 districts. The dam is constructed on the Halali river, which is a tributary of Betwa river
94 about 40 km. from Bhopal. Command area of Samrat Ashok Sagar lies between
95 Longitude 77°33' E and Latitude 23°30' N, at an altitude of 426 m ~~respectively~~ as
96 shown in Fig. 1. The project is based on catchment and gravity flow. The problems of
97 farmer at tail end canal command area, because optimum water is not available.



98 However individual farmers use diesel and/or electric pump sets to lift water out of the
 99 canals. This project was commenced in year 1977 to irrigate 25091 hectares in Rabi
 100 season (Irrigation department Vidisha 2016).

101



102
 103

104 **Fig. 1 Topographic Map of the Study RBC Command Area**

105

RESULTS AND DISCUSSION

106 To enhance the water productivity by adopting suitable surface irrigation methods
 107 and pressurized irrigation methods of RBC command area it was necessary to study the
 108 existing water relies from reservoir and water productivity in its command area.
 109 similarly the increase in cropping intensity can be obtained by studying and analyzing
 110 present cropping intensity.

111

Water Availability of RBC

112

The canal was in operation for 24 hours for 112 days. It was observed that the water
 113 availability through main canal decreases in tail reaches. The deficit of irrigation water

114 was supplemented by the tube well water at head, middle and tail end. The farmers
 115 were using tube well water mainly in the Rabi season. Monthly water releases are
 116 presented in Table 1

117 **Table 1 Monthly Water Releases to RBC**

S. No.	Month	Volume of Water Released (M m ³)
1	November	11051942.40
2	December	10912570.56
3	January	11726795.52
4	February	9282985.41
Total		42.974294

118

119 Existing Water Productivity in Command Area

120 The total water supplied in M m³ excluding losses from RBC was collected from
 121 water resources department and the data on total production of wheat was collected from
 122 revenue record of Vidisha district to assess the existing water productivity. The existing
 123 water productivity of the command area was found to be 0.60 kg m⁻³ for Rabi season as
 124 shown in table 2.

125 **Table 2 Wheat Crop Yield and Productivity in RBC Command Area**

Name of WUAs	Cropped area (ha) in Rabi season	Production (q ha ⁻¹)	Total Production (q)	Total water released from RBC (M m ³)	Water productivity (kg m ⁻³)
Sarchampa	1087	27.66	29959	42.952819	0.60
Ucher	3210	28	89687		
Medaki	1611	28	44959		
Sayar	1895	27	52299		
Neemkhed	1700	26	44261		
Total	9503		261165		

126

127 Existing Cropping Intensity

128 To determine the cropping intensity of canal command area covering all 55
 129 villages', information of total area, area under different crops in Rabi and Kharif season
 130 was collected from revenue department and has been presented in the table 3, the
 131 cropping intensity of command area varies from 115% to 196%.

132

133

134 **Table 3 Existing Cropping Intensity of Command Area**

S. No.	Name of village	CCA	Rabi season area (ha)	Kharif season area (ha)	Total cropped area (ha)	Cropping Intensity (%)	Irrigated area (ha) by different sources	
							Canal	Tube well
1	Sunari	285.56	245.52	84.39	329.91	115.53	25	220.52
2	Anauri berkhedi	455.12	264.00	272.71	536.71	117.93	200.99	63.00
3	Kanakheda kalan	312.31	300.70	102.19	402.89	129.00	243.50	57.20
4	Ratanpur girdhari	214.36	168.50	104.81	273.31	127.50	126.50	42.00
5	Manchi	171.15	150.73	71.43	222.16	129.81	110.73	40.00
6	Suganakhedi	292.10	178.43	179.02	357.45	122.37	170.00	8.43
7	Nagori	124.24	110.43	54.83	165.26	133.02	66.43	44.00
8	Narauda	102.26	68.47	71.37	139.84	136.74	0.00	68.47
9	Firojpur	338.58	250.00	210.92	460.92	136.14	119.87	130.13
10	Uneeda	79.83	51.62	62.60	114.22	143.09	22.00	29.62
11	Airan	264.07	203.00	169.95	372.95	141.23	140.00	63.00
12	Rataltai	352.97	297.61	224.73	522.33	147.98	20.00	277.61
13	Sanchi	186.36	144.98	129.03	274.01	147.03	37.57	107.41
14	Medaki	463.92	418.70	257.90	676.60	145.85	349.00	69.70
15	sookhansen	104.13	85.62	68.43	154.04	147.93	60.00	25.62
16	Kamapar	266.96	233.56	155.41	388.97	145.70	200.56	33.00
17	Dargava	123.19	118.58	61.39	179.97	146.08	80.39	38.19
18	Moralikhedi	336.26	270.10	265.95	536.05	159.41	0.00	270.10
19	Chiroli	247.24	183.41	191.60	375.00	151.68	175.00	8.41
20	Fatehpur	314.74	282.00	215.62	497.62	158.11	159.33	122.67
21	Ucher	276.80	219.69	196.30	415.99	150.29	214.00	5.69
22	Nonakhedi	127.77	99.96	104.41	204.37	159.96	80.00	19.96
23	Khamkheda	251.44	233.56	155.41	388.97	154.70	15.00	218.56
24	Bansakheda	491.19	475.94	354.88	830.82	169.14	310.94	165.00
25	Gulgaonv	312.53	224.03	291.60	515.63	164.99	24.00	200.03
26	Madvai	415.97	352.23	328.76	681.00	163.71	300.00	52.23
27	Kachhi kanakheda	236.36	196.75	203.50	400.25	169.34	106.75	90.00
28	Piparia khurd	96.51	78.94	84.74	163.68	169.60	40.98	37.96
29	Madaiya khurd	87.09	82.18	60.70	142.88	164.06	25.23	56.95
30	Bamora	327.57	300.32	233.69	534.01	163.02	114.34	185.98
31	Neemkheda	775.21	689.06	631.52	1320.58	170.35	625.66	63.40
32	Sunpura	309.12	285.10	235.95	521.05	168.56	6.98	278.12
33	Karaiya haveli	200.35	191.70	147.51	339.21	169.31	123.00	68.69
34	Padariya maphi	89.14	85.92	65.00	150.92	169.32	19.00	66.92
35	Base	468.12	405.06	367.52	772.56	165.03	300.93	104.12
36	Udaygiry	151.77	139.30	120.23	259.53	171.00	59.99	79.30
37	Rangai	131.44	120.50	114.00	234.50	178.41	70.00	50.50
38	Dhaniyakhedi	172.59	164.40	141.80	306.20	177.41	4.00	160.40

39	Mada	173.83	129.42	168.11	297.53	171.16	100.00	29.42
40	Bagaud	359.85	325.32	312.10	637.41	177.13	311.20	14.11
41	Bala barkheda	583.23	546.99	500.50	1047.49	179.60	464.01	82.98
42	Berkhedi	242.20	229.54	216.17	445.71	184.03	116.54	113.00
43	Vighan	100.65	96.60	94.00	190.60	189.36	53.60	43.00
44	Dakana chapana	277.67	252.71	255.25	507.96	182.94	100.00	152.71
45	vilori	203.81	181.69	196.24	377.93	185.43	40.00	141.69
46	Mudiakheda	228.07	200.40	219.10	419.50	183.94	0.00	200.40
47	Muktapur	80.98	74.89	75.55	150.44	185.77	0.00	74.89
48	Parasi khurd	141.23	134.93	131.03	265.97	188.32	50.28	84.65
49	Patharia	234.13	221.87	208.16	430.03	183.68	106.33	115.54
50	Karela	377.94	350.70	340.99	691.69	183.02	212.00	138.70
51	Silwaha	249.31	246.00	243.50	489.50	196.34	225.75	20.25
52	Sarchampa	369.98	395.59	324.36	719.95	194.60	302.11	93.48
53	Suakhedi	236.88	229.14	223.41	452.55	191.05	129.00	100.14
54	Aamkheda	183.58	178.80	182.33	361.13	196.72	100.00	78.80
55	Sayar	836.80	811.26	807.47	1618.73	193.44	620.00	191.26

135

136

Frequency Distribution of Cropping Intensity in Command Area

137

138

139

140

141

142

143


144

145

146

147

In order to obtain frequency distribution pattern the cropping intensity was divided into ranges. It is also clear from fig.1a that the cropping intensity of villages under study varies between 110% to 200%. It is also depicted from the table that only six villages out of 55 villages were having cropping intensity less than 140%. On the higher side, only five villages were having cropping intensity more than 190%. The lowest cropping intensity 115% was found in Sunari village of Medaki WUA. This village is having 245 ha net sown area in *Rabi* season but very less net sown area (84 ha) in *Kharif* season due to unavailability of water. Similarly less cropping intensity 118% was found in Anouriberkhedi village. This village is having 264 ha net sown area out of 455 ha in *Rabi* season and 272 ha net sown area out of 455 ha in *Kharif* season.



148

149 **Fig 1** Frequency of Cropping Intensity of Command Area

150 The cropping intensity of four villages namely Sugnakhedi, Ratanpurgirdhari,
 151 Kanakhedakalan and Manchi fall in range of 120- 130-% cropping intensity. All four
 152 villages have very less sown area in *Kharif* that is ie, 61 %, 49%, 33 and 42%
 153 respectively, on the other side the net sown area in **Rabi** season is 78%, 79%, 96% and
 154 88% for Sugnakhedi, Ratanpurgirdhari, Kanakhedakalan and Manchi villages,
 155 respectively. In village Kanakhedakalan 99-% area is under irrigation which results in
 156 300 ha net sown area out of 312 ha cultural command area in *Rabi* season.

157 The cropping intensity of three villages namely Sugnakhedi, Ratanpurgirdhari
 158 and Manchi was found very poor as shown in Fig. 1 due to rocky area, unavailability of
 159 canal water and tube wells are not successful. This all result in poor cropping intensity.

160 The cropping intensity of three villages namely Nagori, Naroda and Firozpur falls
 161 in 130%-140% cropping intensity range. Village Nagori is having only 54 ha net sown
 162 area in *Kharif* season out of 124 ha and net sown area in *Rabi* season is 110 ha (table 3).
 163 Out of 110 ha net sown area 44 ha is irrigated from tube well. In village Naroda net
 164 sown area in *Rabi* season 68 ha and 71 ha is the net sown area in *Kharif* season against
 165 the total cultural command area 102 ha.

166 The cropping intensity of eight villages namely Uneeda, Airan, Rataltai, Sanchi,
 167 Medaki, Sookhansen, Kamapar and Dargava out of surveyed 55 villages were found in
 168 the range of 140-150%. The villages namely Uneeda Airan, Rataltai, Sanchi, Medaki,

169 Sookhansen, Kamapar and Dargava having canal irrigated area 22-ha, 140-ha, 20-ha,
 170 37.57-ha, 349-ha, 60-ha, 200.55-ha, 80.39 ha respectively and tube well irrigated area was
 171 found. 29.619-ha, 63-ha, 277.60-ha, 107.408-ha, 69.7-ha, 25.61ha, 33-ha, 38.19 ha
 172 respectively. The *Kharif* sown area in these villages was 50%-78%. While the *Rabi*
 173 sown area in these villages varies from 65%-96%.

174 The cropping intensity of six villages namely Moralikhedhi, Chiroli, Fatehpur,
 175 Ucher, Nonakhed and Khamkheda was found in the range of 150-160%. All these
 176 villages are having canal irrigated area, 175-ha, 159.33-ha, 214-ha, 80-ha, 15-ha
 177 respectively except Moralikhedhi village and tube well irrigated area was found 270.096
 178 ha, 8.40-ha, 122.66-ha, 5.69-ha, 19.96-ha, 218.55 ha area respectively. The irrigated area
 179 in these villages varies from 64-100%.

180 The cropping intensity of twelve villages namely Bansakheda, Gulgaonv,
 181 Madvai, Kachhikanakheda, Pipariakhurd, Madaiyakhurd, Bamora, Neemkheda,
 182 Sunpura, Karaiyahaveli, Padariyamaphi and Baise was found varying between from
 183 160-170%. All these villages are having canal irrigated area 310.93 ha, 24 ha, 300 ha,
 184 106.75 ha, 40.98 ha, 25.23 ha, 114.34 ha, 625.65 ha, 6.98 ha, 123 ha, 19 ha, 300.93 ha
 185 respectively and tube well irrigated area was found 165 ha, 200.03 ha, 52.23 ha, 90 ha,
 186 37.96 ha, 56.95 ha, 185.98 ha, 63.40 ha, 278.12 ha, 68.69 ha, 66.92 ha, 104.12 ha
 187 respectively.

188 The cropping intensity of six villages namely Udaygiry, Rangai, Dhaniyakhedi,
 189 Mada, Bagaud and Balabarkheda was found range from 170-180%. All these villages
 190 are having canal irrigated area that is 59.99 ha, 70 ha, 4 ha, 100 ha, 311.20 ha, 464.01 ha
 191 respectively and tube well irrigated area was found 79.29 ha, 50.5 ha, 160.4 ha, 29.42
 192 ha, 14.11 ha, 82.98 ha respectively. Irrigated area in these villages varies from 74-100%.

193 The cropping intensity of nine villages namely villages namely Berkhedhi, Vighan,
 194 Dakana chapana, Vilori, Mudiakheda, Muktapur, Parasikhurd, Patharia and Karela, are
 195 having from 182-189%. All these villages are having canal irrigated 116.54 ha, 53.6 ha,
 196 100 ha, 40 ha, 0 ha, 0 ha, 50.28 ha, 106.33 ha, 212 ha, respectively except Vilori,
 197 Mudiakheda villages and tube well irrigated area was found 113 ha, 43 ha, 152.71 ha,
 198 141.69 ha, 200.4 ha, 74.89 ha, 84.65 ha, 115.54 ha, 138.7 ha respectively.

199 The cropping intensity of five villages namely Silwaha, Sarchampa, Suakhedi,
 200 Aamkheda and Sayar. Which have exceptionally very high cropping intensity ie 191-
 201 196%. All these villages namely are having canal irrigated area 225.74 ha, 302.11 ha,

202 129 ha, 100 ha, 620 ha respectively villages and tube well irrigated area was found
203 20.253 ha, 93.479 ha, 100.13 ha, 78.8 ha, 191.26 ha, respectively.

204 It is difficult to increase *Kharif* sown area due to uncertainty of monsoon, excess of
205 deficit rain fall, but it is easy to manage to take third crop as summer crop provided that
206 there is assured irrigation. If considerable amount of water is saved, than summer
207 cropping is easily feasible.

208 Existing Cropping Intensity in Command Area WUA Wise

209 The existing cropping intensity of right bank canal command area was found 163%.
210 The right bank canal comprises of five water user association namely Sarchampa,
211 Ucher, Medaki, Sayar and Neemkheda whose existing cropping intensity was found
212 181%, 149%, 158%, 177% and 172% respectively as shown in Table 4.

213 **Table 4 Existing Cropping Intensity in Command Area WUA Wise**

Area (ha)	Name of Water User Association					Total
	Sarchampa	Ucher	Medaki	Sayar	Neemkheda	
Culturable command area(CCA) of WUA (ha)	1110	4320	3698	3240	2468	14836
Rabi crop season area (ha)	1087	3380	3249	2952	2243	12911
Kharif crop season area (ha)	923	3046	2591	2774	1992	11326
Total cropped area (ha)	2010	6426	5840	5726	4235	24237
Cropping intensity (%)	181	149	158	177	172	163

214
215 A detailed survey was conducted in order to know the existing condition and
216 performance of the system. In RBC command WUA, middle reach has highest area
217 followed by head and tail reach. Highest total number of farmers present in marginal
218 category was 1743 and lowest 496 was found in large category. Highest total area 3417
219 ha was covered by middle reach in medium category and lowest 2982 ha was covered in
220 head reach in marginal category. The cropping intensity of the area was worked out and
221 ranges from 115% to 196%. Similarly existing water productivity was found to be 0.60
222 kg m⁻³.

223

224

225 **CONCLUSION**

226 Enhancement in water productivity by adopting suitable irrigation system in right
 227 bank canal command area is the need of present scenario. In view of this existing water
 228 productivity and existing cropping intensity of RBC command area was studied
 229 analyzed and it was found that the existing water productivity determined as 0.60
 230 kg/m^3 and 163% was the existing cropping intensity of right bank canal command.

231

232 **REFERENCES**

- 233 Anonymous. 2016. Annual Report of Samrat Ashok Sagar Project, Irrigation department
 234 Vidisha Madhya Pradesh, 1-23
- 235 Anonymous 1972. Irrigation Commission, Ministry of Irrigation and Power, New Delhi, XIX,
 236 430 p.
- 237 Abbie, L., Harrison, J., Wall, J., 1982. Economic Return to Investment in Irrigation in India.
 238 World Bank Staff Working Paper No. 536, Washington D.C. PP. 1-43.
- 239 ADB/IWMI., 2005. Pro-Poor Intervention Strategies in Irrigated Agriculture in Asia.
 240 Available at <http://www.iwmi.cgiar.org/propoor/index.asp?nc=3899&id=1061&msid=23>
 241 5.
- 242
- 243 Barker, R.C., Ringler, N.M., Tien, and Rosegrant, M.W., 2004. Macro Policies and Investment
 244 Priorities for Irrigated Agriculture in Vietnam. Comprehensive Assessment of Water
 245 Management in Agriculture. Research Report Series No. 6.
- 246 Bharadwaj, K., 1974. Production Conditions in Indian Agriculture: A Study Based on Farm
 247 Management Surveys. Cambridge University Press, London, 10-43.
- 248 Bhattarai, M.R., Sakthivadivel and Hussain I., 2002. Irrigation Impacts on Income Inequality
 249 and Poverty Alleviation: Policy Issues and Options for Improved Management of
 250 Irrigation System. Working Paper 39, IWMI, Colombo, Sri Lanka.
- 251 Datt, G. and Ravallion, M., 1997. Why Have Some Indian States Performed Better Than Others
 252 at Reducing Rural Poverty? Food Consumption and Nutrition Division Discussion Paper
 253 No. 26, International Food Policy Research Institute, Washington, DC.
- 254 Dhawan, B.D., 1995. Groundwater depletion, land degradation and irrigated agriculture in India.
 255 New Delhi: Commonwealth Publishers.
- 256 Huang, Q., Dawe, D., Rozelle, S., Huang, J., and Wang, J., 2005. "Irrigation, Poverty and
 257 Inequality in Rural China" Australian Journal of Agricultural and Resource Economics,
 258 49(2):159-175.
- 259 Hussain I., and Hanjra M., 2004. "Irrigation and Poverty Alleviation: Review of the Empirical
 260 Evidence." Irrigation and Drainage 53 (1): 1-15.

- 261 IEG., 2006. Water Management in Agriculture: Ten Years of World Bank Assistance, 1994-2004.
262 Washington D.C.: World Bank Independent Evaluation Group.
- 263 Kalaiselvi, S., 2011. Interstate Disparity in Cropping Intensity in India, International Journal of
264 Business Management, Economics and Information Technology Vol. 3, No. 2, July-
265 December 2011: 269-273.
- 266 Kandiah, A., 1999. Water Resources Development Policy Perspectives of the Food and
267 Agricultural Organization, in Relation of Food, Security. London, pp. 47-53.
- 268 Lipton, M., Litchfield, J., and Faures. J.M., 2005. "The Effects of Irrigation on Poverty: A
269 Framework for Analysis" Journal of water Policy 5: 413-427.
- 270 Pingali, P.L., Hossain, M. and Gerpacio. R.V., 1997. Agricultural Commercialization and
271 Farmer Product Choices: The Case of Diversification out of Rice. In: Asia Rice Bowls:
272 The Returning Crisis CAB International, New York, NY, USA.
- 273 Ringler, C. Rosegrant, M., and Paisner, M., 2000. Irrigation and Water Resources in Latin
274 America and the Caribbean: Challenges and Strategies. EPTD Discussion Paper 64.
275 Washington, D.C. International Food Policy Research Institute (IFPRI).
- 276 Rosegrant, M. and Perez, N., 1997. Water Resources Development in Africa: A Review and
277 Synthesis of Issues, Potentials, and Strategies for the Future. EPTD Discussion paper
278 28. Washington, D.C. International Food Policy Research Institute (IFPRI).
- 279 Rosegrant, M., Kasryno, F., and Perez. N. D., 1998. "Output Response to Prices and Public
280 Investment in Agriculture: Indonesia Food Crops" Journal of Development Economics
281 55:333-352.
- 282 Sinha., 1985. Irrigation in India : Advance in Irrigation. Vol. 3, Orlando, Academic Press, PP. 1-
283 323.
- 284 WCD., (World Commission on Dams). 2000. Dams and Development: A New Framework for
285 Decisionmaking. London, UK: Earthscan Publishers.
- 286 Wickhami, S., and Kanwar, J.S., 1988. Irrigation Water-Management Research - International
287 Prospective. National Seminar on Water Management. The Key to Development
288 Agriculture, Agricole Publishing Academy, New Delhi, Pp. 411-428.