



SDI Review Form 1.6

Journal Name:	Current Journal of Applied Science and Technology
Manuscript Number:	Ms_CJAST_49520
Title of the Manuscript:	Harvesting and Potable Use of Rooftop Water to Tackle Imminent Drinking Water Crisis
Type of the Article	Original Research Article

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Compulsory REVISION comments In the articles it is stated that calcium carbonate is used for disinfection purposes, but I cannot believe this would be the case. It can be used to condition the water, adjust pH, but not for disinfection.	Please have a look at the purpose of using calcium carbonate	
Minor REVISION comments Some language and typing things	Please have a look at the suggestions made.	
Optional/General comments		

PART 2:

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	<i>(If yes, Kindly please write down the ethical issues here in details)</i>	

Reviewer Details:

Name:	Roberta Hofman-Caris
Department, University & Country	Netherlands