1			
2			<u>Review Article</u>
3		Therapeutic effects of bee venom	
4			
5		Running Title: Bee Venom	
6			
7	Abstract:		1 A P A

Bee venom (BV) has a long history of use in Korea for the relief of pain symptoms and for the 8 treatment of various inflammatory diseases, including rheumatoid arthritis. There is some 9 evidence for the underlying mechanisms involved in the venom's anti-inflammatory and 10 analgesic activities. Recent clinical and experimental reearch has confirmed that the venom 11 and its active components can be applied to a broad spectrum of immunological and 12 13 neurodegenerative diseases, including autoimmune diseases and Parkinson's disease. BV has 14 been shown to exhibit these effects by modulating immune cells in the periphery, together 15 with glial cells and neurons in the central nervous system. This review sets out the latest scientific evidence concerning the therapeutic effects of BV and various components thereof 16 in the context of a number of diseases, and provides a detailed description of the mechanisms. 17

18 Key words: Bee venom, allergic disorders, cancer

19 Introduction

Bee venom (BV) therapy is a traditional form of medicine dating back to ancient Greece and 20 China. Scientific reports describing the venom's anti-rheumatic and anti-inflammatory 21 properties have appeared for at least a century.¹ BV is traditionally employed for analgesic 22 purposes and to treat back pain, rheumatism, and skin diseases by its antibacterial, antiviral, 23 and anti-inflammatory effects.^{2,3} The product may be administered systemically or by means 24 of chemical stimulation of acupoints, a therapy known as "BV acupuncture" or "apipuncture". 25 BV contains a wide range of active components, including melittin, phospholipase A2, 26 apamin, adolapin, and mast cell-degranulating peptide (MCDP).^{4,5} Recent research has also 27 28 hypothesized that BV and the active components derived from it may exhibit powerful 29 ameliorative effects on refractory immunological and neurodegenerative conditions, including

multiple sclerosis and Parkinson's Disease.^{2,6} This review discusses the ameliorative effects
 and mechanisms of BV-derived active components, particularly PLA2, melittin and apamin.

32 Therapeutic Effects of BV on Allergic Disorders:

The onset of allergic disorders, such as asthma, allergic rhinoconjunctivitis, and atopic eczema, is triggered by the production of allergen-specific CD4⁺ T cells.⁷ From a general perspective, allergy is a disease mediated by T helper 2 (Th2) cells characterized by overproduction of specific immunoglobulin E (IgE) antibodies. Interleukin-4 (IL-4) and IL-13, the key Th2-specific cytokines, make a particular contribution to these.⁸

BV therapy is a form of allergen-specific immunotherapy (SIT) with a long history. Although 38 39 the mechanism involved in SIT is still largely unclear, a number of essential features have been identified. These include modifications of antigen presenting cells (APCs), T cells, and 40 B cells, and changes in the numbers and the functions of effector cells responsible for allergic 41 response mediation.⁹ Clinical trials have confirmed that SIT enhances the production of IL-10 42 by APCs, including B cells, monocytes, and macrophages.⁹ The therapy has also been shown 43 44 to be particularly efficacious in insect venom and respiratory allergies. BV immunotherapy exhibits early- and late-stage effects on the principal cells involved in allergic inflammation.⁷ 45 Venom immunotherapy triggers monocyte activation in which overproduction of IL-12 and 46 tumor necrosis factor alpha (TNF- α), cytokines linked to Th2 cell suppression is delayed.¹⁰ 47 The principal allergen in BV is PLA₂, known to be capable of triggering leukotriene C4 48 production from purified human basophils in as short a period as 5 min, while IL-4 is 49 expressed and produced subsequently with no histamine release.¹¹ One study reported that 50 direct injection of the BV-derived PLA₂ (bvPLA₂) into the inguinal lymph nodes resulted in 51 improved allergen-specific IgG and T-cell responses.¹² 52

Melittin (MEL) is a major BV peptide constituent regarding as being of potential benefit in 53 the treatment of cancer. Recent studies have implicated a number of mechanisms of MEL 54 cytotoxicity in various types of cancer cells. These include the effect of cell cycle changes on 55 56 proliferation and/or growth inhibition, and the triggering of apoptotic and necrotic cell death via various cancer cell death mechanisms, including the activation of caspases and matrix 57 metalloproteinases. While the peptide is cytotoxic to a wide range of tumor cells, it is also 58 59 toxic to normal cells. If full therapeutic benefit is therefore to be obtained, an appropriate 60 means of delivery is essential. This could involve MEL nanoparticles capable of safely 61 delivering significant quantities of MEL via the intravenous route, and of targeting and destroying tumors.¹³ 62

63 Therapeutic Effects of BV on Autoimmune and Inflammatory Diseases:

Autoimmune diseases, a group including rheumatoid arthritis, systemic lupus erythematosus, 64 and multiple sclerosis, were previously regarded as Th1-dominant conditions.¹ However, 65 Th17 cells and Tregs have also recently been observed to play a major role in autoimmune 66 diseases.¹⁴ BV has been used in traditional medicine to treat chronic inflammatory diseases, 67 including arthritis by blocking the building of the pro inflammarory substances cytokinine, 68 PGE-2, NO, Tumor Necrosis Factor TNF-2 and Enzyme COX-2, and inhibiting the 69 proliferation of rheumatoid synovial cells.¹⁵ The anti-rheumatic and anti-inflammatory effects 70 of BV have been known for at least a century.¹ In their rat study, Kwon et al. showed that BV 71 injection into the Zusanli acupoint elicited anti-inflammatory and anti-nociceptive effects on 72 Freund's adjuvant-induced arthritis.¹⁶ Combined BV therapy and medication has been 73 reported to be superior to the use of medication alone in improving the symptoms of 74 75 rheumatoid arthritis. This combined therapy might also reduce the high doses of Western medicines that are currently being employed.¹⁷ These anti-arthritic benefits have been 76 described in various arthritis models. These effects of BV may be associated with melittin, a 77 major peptide component of the venom, with well-established anti-inflammatory and anti-78 arthritis properties, and suppressive effects on nuclear factor kappaB (NF- κ B).¹³ 79

Lupus nephritis, a particularly severe complication of systemic lupus erythematosus, results from glomerular inflammation associated with the production of autoantibodies against the nucleus and of cytokines/chemokines, and eventually leads to irreversible kidney injury.¹⁸ Foster reported the age-dependent development of autoimmune disease in female New Zealand Black/White F1 mice, characterized by glomerulonephritis, proteinuria, and renal dysfunction.¹⁹

Multiple sclerosis is a chronic inflammatory disease affecting the central nervous system (CNS), with more than a million sufferers across the world. Clinical manifestations include ataxia, loss of coordination, sensory and cognitive dysfunction, and fatigue.²⁰ The pathogenesis is known to involve autoimmune T cell responses, in which Th1 and Th17 cells play critical roles.²¹

91 Therapeutic Effects of BV on Neurological Diseases:

Parkinson's disease (PD) is a particularly common progressive neurodegenerative disorder,
the clinical manifestations of which include bradykinesia, resting tremor, rigidity, and posture
and gait impairment deriving from selective and irreversible dopaminergic (DA) neuron
losses in the substantia nigra and of their terminals in the striatum.²² Activated microglia,

96 consisting of innate immune cells in the central nervous system, in close proximity to

97 degenerating DA neurons have been identified as a key mediator of neuroinflammation in

99 Therapeutic Effects of BV on Heart and Blood System Abnormalities:

100 BV increases coronary and peripheral blood circulation, improves the blood microcirculation,

101 lowers blood pressure, stimulates the building of erythrocytes.²³ It also uses in alleviations of

102 hypertension, arteriosclerosis, endarteritis, angina pectoris arrhythmia.¹⁵

103 Therapeutic Effects of BV Againt Skin Disease:

104 BV has therapeutic effects against eczema, dermatitis, psoriasis furunculosis (recurring boil),

105 cicatrices, baldness, acne and other diseses.²⁴ It also uses in alleviations of opthamology,

106 colitis, ulcers, asthma, bronchitis, pharingytis, tonsillitis, ear nerveneuritis.²⁵

107 Therapeutic Effects of BV Against Cancer:

BV has anti-cancer activities due mainly to two substances such as melittin and phospholipase A2 (PLA2). BV acts against different types of cancer in cell as melittin, a powerful anticancer peptide.²⁶ Melittin is diminishes surface tension of membranes and stabilises them, exerts antiinflammatory activity in very small doses, stimulates smooth muscles, activates the hypophysis and adrenal glands; increases capillary permeability increasing blood circulation and lowering the blood pressure, lowers blood coagulation, immunostimulatory and immunosuppressive, radiation protective, influences the central nervous system, anticancer.²⁷

115 **Conclusion:**

Bee venom therapy is the use of live bee stings (or injectable venom) to treat various diseases. Bee venom is a complex mixture of proteins, peptides, amino acids, catecholamines, sugars and minerals.²⁷ The existing evidence indicates that BV has therapeutic effects against allergic, autoimmune, inflammatory, neurological, skin, cancer, heart and blood system abnormalities disorders. Future studies including detailed experimental investigation of cellular and molecular mechanisms, together with well-controlled, randomized clinical trials, may eventually yield a therapeutic alternative in the treatment of various disorders.

123 **References:**

 Hwang DS, Sun Kwang K, Bae S. Therapeutic Effects of Bee Venom on Immunological and Neurological Diseases. Toxins 2015; 7: 2413-2421.

- 2. Park JH, Kim KH, Kim SJ, Lee WR, Lee KG, Park KK. Bee Venom Protects Hepatocytes
 from Tumor Necrosis Factor-alpha and Actinomycin D. Arch Pharm Res 2010; 33: 215223.
- 3. Wang C, Chen T, Zhang N, Yang M, Li B, Lü X, Ling C. Melittin, a major component of
 bee venom, sensitizes human hepatocellular carcinoma cells to tumor necrosis factorrelated apoptosisinducing ligand (TRAIL)-induced apoptosis by activating CaMKIITAK1-JNK/p38 and inhibiting IκBα kinase-NFκB. J Biol Chem 2009; 284: 3804-3813.
- 4. Kwon YB, Lee HJ, Han HJ, Mar WC, Kang SK, Yoon OB, et al. The water-soluble
 fraction of bee venom produces antinociceptive and anti-inflammatory effects on
 rheumatoid arthritis in rats. Life Sci 2002; 71: 191–204.
- 5. Park HJ, Lee SH, Son DJ, Oh KW, Kim KH, Song HS, Hong JT. Antiarthritic effect of bee
 venom: Inhibition of inflammation mediator generation by suppression of NF□κB through
 interaction with the p50 subunit. Arthritis Rheum 2004; 50: 3504-3515.
- 6. Kim HJ, Jeon BS. Is acupuncture efficacious therapy in Parkinson's disease?. J Neurol Sci
 2014, 341: 1-7.
- 7. Ozdemir C, Kucuksezer U, Akdis M, Akdis C. Mechanisms of immunotherapy to wasp and
 bee venom. Clin Exp Allergy 2011; 41: 1226–1234.
- 8. Palomares O, Yaman G, Azkur AK, Akkoc T, Akdis M, Akdis CA. Role of treg in immune
 regulation of allergic diseases. Eur J Immunol 2010; 40: 1232–1240.
- 145 9. Larché M, Akdis CA, Valenta R. Immunological mechanisms of allergen-specific
 146 immunotherapy. Nat Rev Immunol 2006; 6: 761–771.
- 10. Magnan A, Marin V, Mely L, Birnbaum J, Romanet S, Bongrand P, et al. Venom
 immunotherapy induces monocyte activation. Clin Exp Allergy 2001; 31: 1303–1309.
- 149 11. Mustafa F, Ng F, Nguyen TH, Lim L. Honeybee venom secretory phospholipase A2
 150 induces leukotriene production but not histamine release from human basophils. Clin Exp
 151 Immunol 2008; 151: 94–100.
- 152 12. Martínez-Gómez JM, Johansen P, Erdmann I, Senti G, Crameri R, Kündig TM.
 153 Intralymphatic injections as a new administration route for allergen-specific
 154 immunotherapy. Int Arch Allergy Immunol 2008; 150: 59–65.

- 13. Gajski G, Garaj- Vrhovac V. Melittin: A lytic peptide with anticancer properties. Environ.
 Toxicol. Phar. 2013; 36: 697-705.
- 14. Alunno A, Manetti M, Caterbi S, Ibba-Manneschi L, Bistoni O, Bartoloni E, et al. Altered
 immunoregulation in rheumatoid arthritis: The role of regulatory T cells and
 proinflammatory Th17 cells and therapeutic implications. Med Inflamm 2015; 2015:
 751793.
- 15. Krylov V, Agafonov A, Krivtsov N, Lebedev V, Burimistrova L, Oshevenski L, Sokolski
 S. Theory and agents of apitherapy (in Russian) Moscow. 2007
- 163 16. Kwon YB, Lee JD, Lee HJ, Han HJ, Mar WC, Kang SK, et al. Bee venom injection into
 an acupuncture point reduces arthritis associated edema and nociceptive responses. Pain
 2001; 90: 271–280.
- 166 17. Liu X, Zhang J, Zheng H, Liu F, Chen Y. Clinical randomized study of bee-sting therapy
 167 for rheumatoid arthritis. Zhen Ci Yan Jiu 2008; 33: 197–200.
- 168 18. Agrawal N, Chiang LK, Rifkin IR. Lupus nephritis. Seminars Nephrol 2006; 26: 95–104.
- 169 19. Foster MH. Relevance of systemic lupus erythematosus nephritis animal models to human
 170 disease. Seminars Nephrol 1999; 19: 12–24.
- 20. McFarland HF, Martin R. Multiple sclerosis: A complicated picture of autoimmunity. Nat
 Immunol 2007; 8: 913–919.
- 173 21. Goverman J. Autoimmune T cell responses in the central nervous system. Nat Rev
 174 Immunol 2009; 9: 393–407.
- 175 22. Ayano G. Parkinson's Disease: A Concise Overview of Etiology, Epidemiology,
 176 Diagnosis, Comorbidity and Management. J Neurol Disord 2016; 4:298.
- Savilov K. Bee venom: physico-chemical properties. Biological and pharmacological
 effects. Use in medical practice (in Russian), In Rakita D, Krivtsov N, Uzbekova DG (eds).
 Theoretical and practical basics of apitherapy (Russian), Roszdrav; Ryazan; 2010, pp 135162.
- 181 24. Kim JY, Lee WR, Kim KH, An HJ, Chang YC, Han SM, et al. Effects of bee venom
 182 against Propionibacterium acnes-induced inflammation in human keratinocytes and

- 183 monocytes. Int J Mol Med 2015, 35: 1651-1656.26. Hegazi A, Abd Raboo F, Shaaban D,
- Shaaban D, Khader D. Bee venom and propolis as a new treatment modality in patients
 with psoriasis. Int J Med Sci 2012; 1: 27-33.
- 186 25. Hegazi A, Abd Raboo F, Shaaban D, Shaaban D, Khader D. Bee venom and propolis as a
 187 new treatment modality in patients with psoriasis. Int J Med Sci 2012, 1: 27-33.
- 188 26. Orsolic N. Bee venom in cancer therapy. Cancer metastasis reviews 2005; 24: 1-8.
- 189 27. Bogdanov S. Bee venom: Composition, health, medicine: A review. Peptides 2015; 1: 1–
 190 20.
- 191
- 192
- 193