



SDI Review Form 1.6

Journal Name:	Journal of Advances in Medicine and Medical Research
Manuscript Number:	Ms_JAMMR_49603
Title of the Manuscript:	Geoengineering: The Deadly New Global “Miasma”
Type of the Article	

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Compulsory REVISION comments	<ul style="list-style-type: none"> - The article needs to be rewritten because it does not have the sessions: introduction, objectives, methodology and results / discussion. - There is no update on the theme, only old facts. - Need to explain the figures; 	
Minor REVISION comments		
Optional/General comments		

PART 2:

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	<i>(If yes, Kindly please write down the ethical issues here in details)</i>	

Reviewer Details:

Name:	Germana Arruda de Queiroz
Department, University & Country	Brazil