

**Assessment of Domestic and Wild Animals Pets owned by Residents of Makurdi Metropolis, Benue State, Nigeria.**

**ABSTRACT**

*Peting is an age-old habit of keeping either domestic or wild animals as man's companion .In Makurdi metropolis, residents also keep pets. This study was conducted with the objectives of assessing the Domestic and Wild Animal pets owned by residents of Makurdi Metropolis. Questionnaire was used and structured into 2 sections namely, socio- demographic characteristics of residents and ownership of domestic and wild animals pets. Simple and systematic random samplings were used to select sample locations in which a total of 250 questionnaires were administered; Descriptive statistics, Students t-test and chi-square analysis were used to analyzed data. Result showed that, out of the 250 respondents; 144 were male respondents while 106 were female respondents. Residents of Makurdi Metropolis owned both domestic and wild animal's pets. The commonest domestic animal pet was the Dog. While the commonest wild animal pet was the Red Patas Monkey (*Erythrocebus patas*). It was therefore recommended that more Enlightenment campaigns on the danger of zoonotic diseases transmission associated with pets and their preventive measures should be given to residents of Makurdi metropolis to forestall future public health hazards.*

**Keywords:** *Makurdi metropolis, pet Owners, domestic and wild animals.*

## INTRODUCTION


A household consist of one or more people who reside in the same dwelling and also share meals or living accommodation, and may consist of a single family or some other grouping of people. (1). Wildlife refers to all forms of wild animals and their environment; this encompasses all living organism that occur in the wild state. In most cases the term is usually restricted to vertebrate and to a lesser extent the invertebrate. Wildlife is normally defined as free-roaming animals (mammals, birds, fish, reptiles, and amphibians), Pet is any domesticated or tamed and undomesticated or untamed animal that is kept at home as a companion and treated or cared for affectionately, examples of domesticated pets includes dogs, cats, tortoise, gold fish, parrot, and horses while, rodents, monkeys, and snakes are undomesticated pets. Pet can transmit a number of diseases. Dogs and cats are routinely vaccinated against rabies. Pets can also transmit ringworm and Giardia, which are endemic in both animals and human populations. Toxoplasmosis is a common infection of cats; in humans, it is a mild disease although it can be dangerous to pregnant women, (2).It was originally believed that the first domesticated wolves appeared around 15,000 years ago in the Middle East. New **evidence**, however, suggests it was much earlier than that (3). Swedish geneticist Pontus Skoglund published a study last year in the journal *Current Biology*, describing his findings of a 35,000-year-old Siberian wolf bone. He concluded that canine domestication may have first occurred 27,000 to 40,000 years ago (3). Most human disease originated in animals, however only disease that routinely involve animal to human transmission like rabies are considered direct zoonosis, (4). Zoonoses have different modes of transmission. In direct zoonoses the disease is

directly from the animal to humans through such media as air (influenza) or through bites and saliva (rabies). In contrast transmission can also occur via an intermediate species (referred to as a vector), which carry the disease pathogen without getting infected. When humans infect animals, it is called reverse zoonosis or anthroponosis, (5). This study was therefore conducted with the following objectives in mind: assessment of domestic and wild animals owned as pets by residents of Makurdi metropolis. The study is justify because, previous studies such as (6) and (8) have showed that they is a large population of dogs in the study area with potential health hazards to residents

## **MATERIALS AND METHOD**

This study was conducted in Makurdi Metropolis, Makurdi Local Government Area (LGA) of Benue state, Nigeria. Makurdi LGA is located in the North central Nigeria along the Benue River on Latitude  $7.44^{\circ}$  N and Longitude  $8.32^{\circ}$ E. Figure, 1. Simple and systematic random sampling techniques were adopted. Five locations were randomly selected based on information recorded from previous survey and known to be residential areas ,these locations are Wadata, North Bank II, Wurukum, Kanshio and High Level. In each of the five residential areas, five streets were randomly sampled and (50) houses were selected based on houses with odd numbers on each street, following the method by (6), and for each of the selected houses a semi-structured questionnaire was administered and responses were documented. The questionnaire used in this survey was designed to extract information on the resident's ownership of domestic or wild animal's pets .The questionnaire contain 30 questions

structured into three sections, these were: Socio-demographic characteristics of residents in the study area, ownership of domestic and wild animal's pets. The hypothesis constructed in the null form was:  $H_0$ . Residents of Makurdi Metropolis owned more domestic than wild animal's pets. Therefore the test criterion was given as, reject the null hypothesis  $H_0$  and accept the alternate hypothesis  $H_A$  if  $t_{cal} > t_{tab}$ . ( $p=0.05$ ) the data was analyzed using Descriptive statistic, student's t-test and chi-square was used to test the residence level of ownership on domestic and wild Animals pets. The GARMIN GPSMAP "78" Series was also used to determine the spatial location of wild animal pets in the study area.



**Fig1.** Map of study area showing Sample locations.

## **RESULT AND DISCUSSION**

### **Socio-demographic characteristics of respondents**

Table1 below showed that a total of 250 questionnaires was administered in the five locations, data collected and analyzed revealed that 144 of the respondents were male while the proportion of female respondents was 106, the highest number of respondents were in the age group 25-29years, this is similar to the findings of (7) in


Southwestern Ethiopia who also reported that male accounted for 123 respondents while female respondents were 52. However in (7), the highest numbers of residents were in the age group 35-49 years which is at variant with the present study. This however implies that most residential areas are dominated by male residents who are also more willing to take surveys than women who are more reserved. They were more educated and married respondents in this survey.

### **Resident with or without animals**

Table 2 below showed that 40% of the residents surveyed owned domestic animals at home, 2% keep wild animals while 58% do not keep either domestic or animals as pets. This Result confirm the fact that majority of the residents are aware of the danger of zoonotic diseases transmission and therefore refrain from keeping any animals. This is similar to what was also reported earlier by (6), in the study area.

**Table1. Socio Demographic Characteristics of Residents in the study area.**

<b>Item</b>	<b>Responses</b>	<b>Frequency</b>	<b>Percentage (%)</b>
<b>Gender</b>	Male	144	57.6
	Female	106	42.4
<b>Age</b>	25-29	95	38
	30-34	71	28.4
	35-39	33	13.2
	40 and above	51	20.4
<b>Marital Status</b>	Married	131	52.4
	Single	114	45.6
	Divorced	5	2
<b>Level of Education</b>	Primary	29	11.6
	Secondary	99	39.6
	Tertiary	54	21.6
	Post tertiary	68	27.2
<b>Number of people in household</b>	1-5	69	27.6
	6-10	123	49.2
	11-15	40	16
	16 and above	18	7.2
<b>Major occupation</b>	Traders	89	35.6
	Laborers	48	19.2
	Consultant	9	3.6
	Government Employees	69	27.6
	Private Employees	24	9.6
	Retirees	11	4.4



**Figure2.** Residents with or without animal pets in the study area.



### **Types of Domestic Animals owned by Residents.**

Results presented in plate1 and figure 3 below revealed that, residents of Makurdi Metropolis owned and keep more dogs than any other domestic animal, while the least owned animal was the rabbit. This has several implications, it is likely that residents keep them for security purpose or as pets as opined by (6). This could also be because dog appears to be the commonest pet in the study area. This finding corroborates the findings of (8) who indicated that residents of Makurdi Metropolis have upwards of 500 dogs as pets. Apart from dogs, residents of Makurdi Metropolis owned and keep, pigs, cats, and poultry among others.

### **Spatial Distribution of Wild Animal species in the study area**

Results presented in plate2 and table2 revealed that four wild animal species were encountered, three of the animals were Red patas monkey and one was Tantalus monkey. Two of the Red patas monkeys were found in North bank11, one in Wadata and the Tantalus monkey in Kanshio. These findings agree with the reports by several authors like (9) and (10), that these species of primates are found in the savanna regions of the country of which the study area is located.



Pigs as pet (a)



Dogs as pet (b)




Cats as pets (c)



Domestic chickens as pets (d)


**Plate1.**a-d Some domestic animals owned as pets by residents in the study area.

**Number**



**Types of domestic animals**

**Figure3.**Types of domestic animals owned by residents.



*Erythrocebus patas* (a)



*Cercopithecus ethiops tantalus* (b)

**Plate 2.a-b Some Wild animal owned as Pets by residents in the study area.**

**Table 2: Spatial Distribution of Wild Animal species in the study area**

S/N	Location	Species of Wild animal	G.P.S. Coordinates	Method of Restriction
1	North Bank1	Red patas monkey	07°45'51.4 <sup>11</sup> 008°32'56.0 <sup>11</sup>	Chained to a tree
2	North Bank1	Red patas monkey	07°45'46.7 <sup>11</sup> 008°32'58.2 <sup>11</sup>	Chained to a tree
3	Wadata	Red patas monkey	07°44'02.2 <sup>11</sup> 008°31'01.1 <sup>11</sup>	Caged
4	Kanshio	Tantalus monkey	07°41'02.0 <sup>11</sup> 008°32'02.3 <sup>11</sup>	Chained to a tree

## **CONCLUSION AND RECOMMENDATIONS.**

The residents of this study area, owned different types of domestic and wild animal's pets. Dog is the most popular pet despite the risk of zoonotic disease transmission to humans which can be very dreadful to the human population. Apart from dogs, residents of Makurdi Metropolis owned and keep, pigs, cats, and poultry among others. Four wild animal species were encountered, three of the animals were Red patas monkey and one was Tantalus monkey, these are savannah species according to authorities in primate's ecology. It was therefore recommended that more sensitization and enlightenment campaigns should be given to residents of Makurdi Metropolis to avoid the risk and spread of zoonoses

## REFERENCES

1. Havilland, W.A, (2003): Tikal, Guatemala: A Maya way to urbanism. Paper prepared for Third INAH/Penn State Conference on Mesoamerican Urbanism. Pp.81 Belmont, C.A Woolworth.
2. Center for disease control and prevention CDC (2017) "Inhalation anthrax". 1600 Clifton Road Atlanta, GA 30329-4027 USA 800-CDC-INFO (800-232-4636), TTY: 888-232-6348.
3. ABCNews,(2016):<https://abcnews.go.com/Lifestyle/history-dogs-pets/story?id=41671149>.Accessed on 12th June, 2018.
4. Marx PA, Apetrei C, Drucker E (2004) "AIDS as a zoonosis? Confusion over the Origin of the virus and the origin of the epidemics". *Journal of medical primatology*. 33(5-6); 220-6. PMID 15525322. doi.1111/j. 1600-0684.2004.00078
5. Messenger AM, Barnes AN, Gray GC (2014)."Reverse zoonotic disease transmission Perception of the public on the common zoonotic disease in Jimma South western Ethiopia. *PLoS One*.;9(2):e89055. doi: 10.1371/journal.pone.0089055. e Collection
6. Omudu E.A, Otache E,O.and Adache S,M.(2010) Demography and survey of pet owners belief and altitudes. *Journal of Research in forestry, wildlife and environment* Volume 2 (1) pp 85-93
7. Dawit Tesfaye, Daryos Fedeke, Worku Tigre Alemayahu Ragassa and Amene fedaku (2013) a systematic review of seldom documented human biological threats to

animals", PLoS ONE. 9(2). 089055. PM  
3938448.PMID24586500.doi.10.1371/journal.pone.0089055. Retrieved 12 June,  
2018..

8. Omudu E.A and Amuta, E.U, Unoqur, L.B and Okoye, L.A. (2003). Prevalences of  
Toxocaracanis ova in dog feces, and soil samples collected from public parks in  
Makurdi, *Nigeria Journal of Parasitology*, 24:137-142.

9. Oates, J.F. (1982): In Search of Rare Forest Primates in Nigeria. A reprint from  
*Oryx* Volume XVI No. 5 Pp 431-436.

10. Oates, J.F. (2011): primates of West Africa. A field guide and natural history.  
Columbia, panameri Cana Formosa impress, Pp.405.