

A New Computerized Boundary Element Algorithm for Cancer Modeling of Cardiac Anisotropy on the ECG Simulation

Mohamed Abdelsabour Fahmy*, †

* Jamoum University College, Umm Al-Qura University
Alshohdaa 25371, Jamoum, Makkah, Saudi Arabia.
Email: maselim@uqu.edu.sa

† Faculty of Computers and Informatics, Suez Canal University
New Campus, 4.5 Km, Ring Road, El Salam District, 41522 Ismailia, Egypt.
Email: mohamed_fahmy@ci.suez.edu.eg

ABSTRACT

Aims: The main aim of this paper is to propose a new boundary element method (BEM) algorithm for cancer modeling of cardiac anisotropy on the electrocardiogram (ECG) Simulation.

Study design: Original research paper.

Place and Duration of Study: Jamoum laboratory, June 2018, Makkah, Saudi Arabia.

Methodology: a new boundary element algorithm was proposed and implemented for solving the governing equations of new cancer mathematical modeling in conjunction with the governing equations of ECG simulation.

Results: The effect of cardiac anisotropy on the ECG. Also, the effect of anisotropy on the relation between healthy and infected tissues.

Conclusion: For a known set of conductivities, numerical results show that the boundary element algorithm, for cancer modeling of cardiac anisotropy on the ECG simulation is very accurate, due to the excellent agreement of our results with the corresponding finite difference results, effects of anisotropic tissues that relate between people and (plants, insects and animals) are also studied as a new advantage for the proposed model.

Keywords: *Boundary Element Algorithm; Cardiac Anisotropy; cancer mathematical modeling; electrocardiogram (ECG).*

2010 mathematics subject classification: 65M38 - 65K05 - 74B05 - 74E05 - 74F05 - 74H05 - 74H15 - 74S20 - 90C31.

1. INTRODUCTION

In the present paper, our cancer mathematical modeling investigates the interaction between tumour and immune cells. Also, it establishes the importance of combining immuno-oncology (IO) with ionizing radiation (IR) [1-4]. An understanding of behaviour of electrocardiographic resulted in computer models of ECG which is an important role that has been filled the knowledge gaps [5, 6].

Recently, the BEM [7-55] and BEM software [56] have been used as very important tools for ECG simulation to describe the torso, muscle layer, lungs and ventricular blood masses with thousand triangles as in the anatomic model shown in Fig. 1.

One of the important anti-cancer treatments is that which enable the immune system to attack the tumour and kill tumour cells [57], where CD4 T-cells, have been used for discover the tumour and CD8 cytotoxic T-cells have been used to seek out and destroy the cancer. Our cancer mathematical modeling investigates the relation between a growing cancer cells and the immune T-cells, we assumed that cancer cells are a homogeneous population, where the radiation therapy is the same on each cell, the T-cell population is unlimited, but its ability to kill tumour cells is limited. Also, Immunotherapy supports the ability of the immune system to recognise and kill the tumour. Roberts and Scher [58] presented analytic solution for studying the anisotropy effects on the intact heart. Stenroos and Hauelsen [59] studied boundary element computations in the forward and inverse problems of electrocardiography and they focus on comparison of collocation and Galerking weightings Thivierge [60] studied intracellular anisotropy and neglecting extracellular anisotropy effects, which we are taken it into consideration in the present paper.




Fig. 1. Boundary element anatomic model.

2. BEM formulation and implementation

For real simulations, the torso surface has been replaced by the skeletal muscle layer's inner and outer surfaces, where electrodes are placed on the outer layer, we consider the anisotropic bidomain model of cardiac tissue [1]

$$\nabla \cdot (G_i \nabla \Psi_i) = -\nabla \cdot (G_e \nabla \Psi_e) \quad (1)$$

where Ψ_i and Ψ_e are potential fields related to $J_i = G_i \nabla \Psi_i$ and $J_e = G_e \nabla \Psi_e$, respectively. Making use of the following membrane potential $V_m = \Psi_i - \Psi_e$, we can write Eq. (1) as

$$\nabla \cdot ([G_i + G_e] \nabla \Psi_e) = -\nabla \cdot (G_i \nabla V_m) \quad (2)$$

In the current ECG study, the boundary element model of membrane and finite difference (FD) model of human torso are simulated.

where current density and conductivity tensor are given by

$$J_c = -G_c \nabla V_m, \quad G_c = f_c G(R_c \sigma_{iT}, \sigma_{iT}) \quad (3)$$

The governing equation of reaction-diffusion model can be expressed as

$$C_m \frac{\partial V_m}{\partial t} = \beta^{-1} \nabla \cdot (G(\sigma_{mL}, \sigma_{mT}) \nabla V_m) - I_{ion} \quad (4)$$

where σ_{mL} and σ_{mT} are equivalent conductivities [4], β , C_m and I_{ion} are membrane surface, capacitance and ionic currents summation, respectively.

The boundary integral equation corresponding to (4) can be written as

$$\Psi_{e\ell}(r) = \frac{1}{2\pi(\sigma_\ell^- - \sigma_\ell^+)} \cdot \left[\int J_c(r') \cdot \frac{r - r'^3}{|r - r'|^3} dV' + \sum_k \int_{S_k} (\sigma_k^- - \sigma_k^+) \Psi_e(r'') dR_{rr''} \right] \quad (5)$$

where S_k , σ , σ_ℓ^- , σ_ℓ^+ and J_c are set of surfaces k , continuous isotropic conductivity, conductivity inside surface ℓ , conductivity outside surface and source current density field, respectively. According to [4] and using equation (2), the current model can be simulated as in the BEM model.

The mathematical cancer modeling of the considered problem (see Fig. 2) can be expressed as follows

$$\frac{ds}{dt} = g_1(S) - g_2(S, T, C) + g_7(S, C) \quad (6)$$

$$\frac{dT}{dt} = g_3(S, T, I, C) - g_4(S, T, C) \quad (7)$$

$$\frac{dI}{dt} = -g_5(S, I) \quad (8)$$

$$\frac{dC}{dt} = -g_6(S, C) \quad (9)$$

Where S is the tumour volume, T – cells is the tumour density which are only considered active against the cancer in our considered modeling, I is the concentration of immune-agent, C is the radioactivity administred, g_1 , g_2 , g_3 , g_4 , g_5 , g_6 and g_7 are tumour logistic growth, tumour death, T-cell activation, T-cell death, immunotherapy decrease, radiotherapy decrease and new function that contains anisotropic effects that relate between people and (plants, insects and animals), respectively and can be written as follows

$$g_1(S) = rS - \frac{rS^2}{S_{max}} \quad (10)$$

$$g_2(S, T, C) = \frac{\delta_1 TS}{T_{50} + T} + \delta_2 CS + \frac{\delta_3 S}{1 + k_1 T} \quad (11)$$

$$g_3(S, T, I, C) = \frac{\Psi(\beta_1 + \beta_2 I)S + \varphi_1 g_2 T}{1 + k_2 CS} \quad (12)$$

$$g_4(S, T, C) = \varphi_2 \frac{\delta_1 TS}{T_{50} + T} + \delta_4 TC + \delta_5 T \quad (13)$$

$$g_5(S, I) = \varphi_3 \frac{\beta_2 IS}{1 + k_2 CS} \quad (14)$$

$$g_6(S, C) = \varphi_4 \delta_2 CS \quad (15)$$

$$g_7(S, C) = \frac{\Psi(\beta_1 + \beta_2 I)S + \varphi_4 \delta_2 CS}{1 + k_2 CS} \quad (16)$$

where Ψ is the control function of healthy anisotropic tissue of people when eating plants or insects or animals with tumour.

Also, we used the following constants to obtain the numerical results [5]

$r = 0.2 \text{ d}^{-1}$, $S_{max} = 3000 \text{ mm}^3$, $\delta_1 = 15 \text{ d}^{-1}$, $\delta_2 = 0.07 \text{ d}^{-1} \text{ Gy}^{-1}$, $\delta_3 = 0 \text{ d}^{-1}$, $\delta_4 = 0.05 \text{ d}^{-1} \text{ Gy}^{-1}$, $\delta_5 = 0.05 \text{ d}^{-1}$, $\beta_1 = 0.1 \times 10^9 \text{ cells}/(\text{L d mm}^3)$, $\beta_2 = 0.3 \times 10^9 \text{ cells}/(\text{L d mm}^3 \mu M)$, $\varphi_1 = 12.13 \text{ mm}^{-3}$, $\varphi_2 = 30 \times 10^9 \text{ cells}/(\text{L mm}^3)$, $\varphi_3 = 0.0001 \mu M/(10^9 \text{ cells}/\text{L})$, $\varphi_4 = 0.0001 \text{ Gy}/\text{mm}^3$, $k_1 = 0 \text{ L}/10^9 \text{ cells}$, $k_2 = 0.001 \text{ mm}^{-3} \text{ Gy}^{-1}$, $T_{50} = 100 \times 10^9 \text{ cells}/\text{L}$.

We developed the matlab code of Chappell et al. [5] for the solution and simulation of our BEM model

3. Numerical algorithm, results and discussion

The numerical modeling considered in the current paper based on the following algorithm

- 1) Solving the governing equation of monodomain reaction-diffusion which is replaced by the boundary integral equation (5) following the boundary element technique of Fahmy [12-15]
- 2) Solving the mathematical cancer modeling system (6) - (9) using the technique of Fahmy [8-11] and Houbolt's algorithm
- 3) Find the solution that satisfy steps (1) and (2) simultaneously
- 4) Find the effect of anisotropy




Fig. 2 Model scheme representation.

where tumour cells, T-cells and therapies are in black, blue and red colours, respectively. T-cells in blue colour and therapies in red. Straight lines show direct interactions while dotted lines refer to indirect interactions




Fig. 3. Variation of the tumour volume with time.




Fig 4. Variation of the activated T-cells with time.

It can be noticed from Fig. 3 that the IR and IO when used as a single agents can't reduce the tumour mass, but when they are used in a combination, the number of activated T-cells is higher than the single agents using of them as shown in Fig. 4. Stability of the considered model was established by Chappell et al. [5].




Fig. 5. ECGs simulations for FDM and BEM.

Also, from Fig. 5, it can be seen that our model results excellent agreement with results of [5] for anisotropic but at $RD = 0.12$, because at $RD = 0.13$ there are significant differences due to the solution of ECG equations and Cancer modeling equations simultaneously.




Fig. 6. Effects of IR and PD-L1 on tumour growth of Deng et al. [6]

A review of two promising classes of antibodies, antiCTLA-4 and antiprogrammed Death-Ligand 1 (antiPD-L1), used as monotherapy and in combination with cancer therapies can be found in [61].

It can be seen from considered study that our model results are in excellent agreement with Deng et al. [6] results shown in Fig. 6, where the PD-L1 and IR through T-cell dependent mechanism are reducing the tumour growth

Initial conditions used through our model are introduced in table 1. as suggested by [5] as a future work, we have seen from numerical results that the difference can be neglected between the two initial conditions cases. Also, we recommend to change $C(0)$ to be 1.6 as a future work from our study.

Table 1. Initial conditions used in the proposed model.

Variables	No treatments	Immunotherapy	Radiotherapy	Immuno & Radio-therapy
$S(0)$	5	5	5	5
$T(0)$	0	0	0	0
$I(0)$	0	6	0	6
$C(0)$	0	0	1.4	1.4

4. CONCLUSION

The boundary element algorithm for cancer modeling of cardiac anisotropy on the electrocardiogram (ECG) simulation. For a known set of conductivities, our results are in a very good agreement with the corresponding finite difference results. A lot of clinical applications neglect the effects of heart anisotropy, as an important result of our study, we analyse the new function $g_7(S, C)$ that contains anisotropic effects that relate between people and (plants, insects and animals), we concluded that the cardiac anisotropy has a strong effect on ECG simulation in comparison with considered isotropy effect. Also, if we considered the anisotropy effects, we can detect the heart cancer in people infected with it. The peoples eating plants, insects and animals. When they are eating plants such as vegetables and fruit with cancer can easily transmit it to humans when he takes it. When we make a sauce from rotten tomatoes, this sauce also can infect humans with heart cancer. Early detection of heart cancer can be difficult when we do not take into consideration cardiac anisotropy effect. It moves from infected tissues of organisms to healthy tissues of humans. For these reasons the anisotropy effect should be taken into consideration in clinical applications.

REFERENCES

- [1] Henriquez CS. Simulating the electrical behavior of cardiac tissue using the bidomain model. *CRC Crit Rev Biomed Eng.* 1993;21:1–77
- [2] Huiskamp G. Simulation of depolarization in a membrane equations - based model of the anisotropic ventricle. *IEEE Trans Biomed Eng.* 1998;45:847–855
- [3] Kauppinen P, Hyttinen J, Laarne P, Malmivuo J. A software implementation for detailed volume conductor modelling in electrophysiology using finite difference method. *Comput Meth Prog Biomed.* 1999;58:191–203
- [4] Potse M, Dube', A. Vinet, Cardiac anisotropy in boundary-element models for the electrocardiogram, *Medical & Biological Engineering & Computing.* 2009;47:719-729.

- [5] M. Chappell, V. Chelliah, M. Cherkaoui, G. Derks, T. Dumortier, N. Evans, M. Ferrarini, C. Fornari, P. Ghazal, M. L. Guerriero, N. Kirkby, A. Lourdasamy, A. Munafo, J. Ward, R. Winstone, and J. Yates, Mathematical Modelling for Combinations of Immuno-Oncology and Anti-Cancer Therapies, report of the QSP UK meeting, Macclesfield, 2015.
- [6] L. Deng, H. Liang, B. Burnette, M. Beckett, T. Darga, R. R. Weichselbaum, Y. Fu, Irradiation and anti pd-l1 treatment synergistically promote antitumor immunity in mice. The journal of clinical investigation. 2014;124:687-695.
- [7] M. A. Fahmy, A time-stepping DRBEM for magneto-thermo-viscoelastic interactions in a rotating nonhomogeneous anisotropic solid, International Journal of Applied Mechanics. 2011;3:1-24.
- [8] M. A. Fahmy, A time-stepping DRBEM for the transient magneto-thermo-visco-elastic stresses in a rotating non-homogeneous anisotropic solid, Engineering Analysis with Boundary Elements. 2012;36:335-345.
- [9] M. A. Fahmy, Transient magneto-thermoviscoelastic plane waves in a non-homogeneous anisotropic thick strip subjected to a moving heat source, Applied Mathematical Modelling. 2012;36:4565-4578.
- [10] M. A. Fahmy, The effect of rotation and inhomogeneity on the transient magneto-thermoviscoelastic stresses in an anisotropic solid, ASME Journal of Applied Mechanics. 2012;79:1015.
- [11] M. A. Fahmy, Transient magneto-thermo-elastic stresses in an anisotropic viscoelastic solid with and without a moving heat source, Numerical Heat Transfer, Part A: Applications. 2012;61:633-650.
- [12] M. A. Fahmy, Implicit-Explicit time integration DRBEM for generalized magneto-thermoelasticity problems of rotating anisotropic viscoelastic functionally graded solids, Engineering Analysis with Boundary Elements. 2013; 37:107-115.
- [13] M. A. Fahmy, Generalized magneto-thermo-viscoelastic problems of rotating functionally graded anisotropic plates by the dual reciprocity boundary element method, Journal of Thermal Stresses. 2013;36:1-20.
- [14] M. A. Fahmy, A three-dimensional generalized magneto-thermo-viscoelastic problem of a rotating functionally graded anisotropic solids with and without energy dissipation, Numerical Heat Transfer, Part A: Applications. 2013; 63:713-733.
- [15] M. A. Fahmy, A Computerized DRBEM model for generalized magneto-thermo-visco-elastic stress waves in functionally graded anisotropic thin film/substrate structures, Latin American Journal of Solids and Structures. 2014;11:386-409.
- [16] M. A. Fahmy, A Predictor-corrector Time-Stepping Drbem for Shape Design Sensitivity and Optimization of Multilayer FGA Structures, Transylvanian Review. 2017;XXV:5369-5382.
- [17] M. A. Fahmy, Computerized boundary element solutions for thermoelastic problems: Applications to functionally graded anisotropic structures, LAP Lambert Academic Publishing, Saarbrücken, Germany; 2017.
- [18] M. A. Fahmy, Boundary Element Computation of Shape Sensitivity and Optimization: Applications to Functionally Graded Anisotropic Structures, LAP Lambert Academic Publishing, Saarbrücken, Germany; 2017.
- [19] M. A. Fahmy, Shape design sensitivity and optimization for two-temperature generalized magneto-thermoelastic problems using time-domain DRBEM, Journal of Thermal Stresses. 2018;41:119-138.
- [20] M. A. Fahmy, Shape design sensitivity and optimization of anisotropic functionally graded smart structures using bicubic B-splines DRBEM, Engineering Analysis with Boundary Elements. 2018;87:27-35.
- [21] M. A. Fahmy, Modeling and Optimization of Anisotropic Viscoelastic Porous Structures Using CQBEM and Moving Asymptotes Algorithm, Arabian Journal for Science and Engineering, 2018 (In Press)
- [22] M. A. Fahmy, Boundary Element Algorithm for Modeling and Simulation of Dual Phase Lag Bioheat Transfer and Biomechanics of Anisotropic Soft Tissues, International Journal of Applied Mechanics, vol. 10, no. 10, 2018 (In Press)
- [23] D. Nardini, and C. A. Brebbia, A new approach to free vibration analysis using boundary elements. Boundary elements in engineering, ed. C. A. Brebbia, Springer, Berlin; 1982.
- [24] P. W Partridge, C. A. Brebbia and L. C. Wrobel, The dual reciprocity boundary element method, Computational Mechanics Publications, Southampton; 1992.
- [25] M. A. Fahmy, Thermal Stresses in a Spherical Shell Under Three Thermoelastic Models Using FDM, International Journal of Numerical Methods and Applications. 2009;2:123-128.
- [26] A. M. El-Naggar, A. M. Abd-Alla, M. A. Fahmy and S. M. Ahmed, Thermal Stresses in a rotating non-homogeneous orthotropic hollow cylinder, Heat and Mass Transfer. 2002;39:41-46.
- [27] A. M. Abd-Alla, A. M. El-Naggar and M. A. Fahmy, Magneto-thermoelastic problem in non-homogeneous isotropic cylinder, Heat and Mass Transfer. 2003;39:625-629.

- [28] A. M. El-Naggar, A. M. Abd-Alla and M. A. Fahmy, The propagation of thermal stresses in an infinite elastic slab, *Applied Mathematics and Computation*. 2003;12:220-226.
- [29] M. A. Fahmy, Finite difference algorithm for transient magneto-thermo-elastic stresses in a non-homogeneous solid cylinder, *International Journal of Materials Engineering and Technology*. 2010;3:87-93.
- [30] A. M. Abd-Alla, T. M. El-Shahat and M. A. Fahmy, Thermal stresses in a rotating non-homogeneous anisotropic elastic multilayered solids, *Far East Journal of Applied Mathematics*. 2007;27:223-243.
- [31] A. M. Abd-Alla, T. M. El-Shahat and M. A. Fahmy, Effect of inhomogeneity on the thermoelastic stresses in micro-engineering anisotropic solid, *Far East Journal of Applied Mathematics*. 2007;27:245-264.
- [32] A. M. Abd-Alla, T. M. El-Shahat and M. A. Fahmy, Thermoelastic stresses in inhomogeneous anisotropic solid in the presence of body force, *International Journal of Heat & Technology*. 2007;25:111-118.
- [33] A. M. Abd-Alla, M. A. Fahmy and T. M. El-Shahat, Magneto-thermo-elastic stresses in inhomogeneous anisotropic solid in the presence of body force, *Far East Journal of Applied Mathematics*. 2007; 27:499-516.
- [34] A. M. Abd-Alla, M. A. Fahmy and T. M. El-Shahat, Transient piezothermoelastic stresses in a rotating non-homogeneous composite structure, *Far East Journal of Applied Mathematics*. 2007;27:489-497.
- [35] M. A. Fahmy, Effect of initial stress and inhomogeneity on magneto-thermo-elastic stresses in a rotating anisotropic solid, *JP Journal of Heat and Mass Transfer*. 2007;1:93-112.
- [36] A. M. Abd-Alla, M. A. Fahmy and T. M. El-Shahat, Magneto-thermo-elastic problem of a rotating non-homogeneous anisotropic solid cylinder, *Archive of Applied Mechanics*. 2008; 78:135-148.
- [37] M. A. Fahmy, Thermoelastic stresses in a rotating non-homogeneous anisotropic body, *Numerical Heat Transfer, Part A: Applications*. 2008;53:1001-1011.
- [38] M. A. Fahmy and T. M. El-Shahat, The effect of initial stress and inhomogeneity on the thermoelastic stresses in a rotating anisotropic solid, *Archive of Applied Mechanics*. 2008;78:431-442.
- [39] M. A. Fahmy and S. A. Salama, Boundary element solution of steady-state temperature distribution in non-homogeneous media, *Far East Journal of Applied Mathematics*. 2010;43:31-40.
- [40] M. A. Fahmy, Application of DRBEM to non steady-state heat conduction in non-homogeneous anisotropic media under various boundary elements, *Far East Journal of Mathematical Sciences*. 2010;43:83-93.
- [41] M. A. Fahmy, Influence of inhomogeneity and initial stress on the transient magneto-thermo-visco-elastic stress waves in an anisotropic solid, *World Journal of Mechanics*. 2011;1:256-265.
- [42] M. A. Fahmy, A time-stepping DRBEM for magneto-thermo-viscoelastic interactions in a rotating nonhomogeneous anisotropic solid, *International Journal of Applied Mechanics*. 2011;3:1-24.
- [43] M. A. Fahmy, Saleh Manea Al-Harbi and Badr Hamedy Al-Harbi, Implicit Time-Stepping DRBEM for Design Sensitivity Analysis of Magneto-Thermo- Elastic FGA Structure Under Initial Stress. *American Journal of Mathematical and Computational Sciences*. 2017;2:55-62
- [44] M. A. Fahmy, The Effect of Anisotropy on the Structure Optimization Using Golden-Section Search Algorithm Based on BEM, *Journal of Advances in Mathematics and Computer Science*. 2017;25:1-18.
- [45] M. A. Fahmy, DRBEM Sensitivity Analysis and Shape Optimization of Rotating Magneto-Thermo-Viscoelastic FGA Structures Using Golden-Section Search Algorithm Based on Uniform Bicubic B-Splines, *Journal of Advances in Mathematics and Computer Science*. 2017;25:1-20.
- [46] M. A. Fahmy, The DRBEM solution of the generalized magneto-thermo-viscoelastic problems in 3D anisotropic functionally graded solids. I. Idelsohn, M. Papadrakakis, B. Schrefler (eds.), 5th International conference on coupled problems in science and engineering (Coupled Problems 2013), Ibiza, Spain, June 17-19, 2013, pp. 862-872.
- [47] M. A. Fahmy, Boundary Element Solution of 2D Coupled Problem in Anisotropic Piezoelectric FGM Plates. Proceedings of the, B. Schrefler, E. Oñate and M. Papadrakakis (eds.), 6th International Conference on Computational Methods for Coupled Problems in Science and Engineering (Coupled Problems 2015), Venice. Italy, May 18-20, 2015, pp. 382-391.
- [48] M. A. Fahmy, 3D DRBEM Modeling for Rotating initially stressed Anisotropic functionally graded piezoelectric Plates, 7th European Congress on Computational Methods in Applied Sciences and Engineering (ECCOMAS 2016) M. Papadrakakis, V. Papadopoulos, G. Stefanou, V. Plevris (eds.), Crete Island, Greece, June 5-10, 2016, 7640-7658.
- [49] M. A. Fahmy, A time-stepping DRBEM for 3D anisotropic functionally graded piezoelectric structures under the influence of gravitational waves, Rodrigues H, Elnashai A, Calvi GM (eds.), Facing the Challenges in Structural Engineering, Sustainable Civil Infrastructures, Proceedings of the 1st

GeoMEast International Congress and Exhibition (GeoMEast 2017), Sharm El Sheikh, Egypt, July 15-19, 2017, pp. 350-365.

[50] M. A. Fahmy, A. M. Salem, M. S. Metwally and M. M. Rashid, Computer Implementation of the DRBEM for Studying the Generalized Thermoelastic Responses of Functionally Graded Anisotropic Rotating Plates with One Relaxation Time, *International Journal of Applied Science and Technology*, Vol. 3, Issue 7, 2013, pp. 130-140.

[51] M. A. Fahmy, A. M. Salem, M. S. Metwally and M. M. Rashid, Computer Implementation of the DRBEM for Studying the Classical Uncoupled Theory of Thermoelasticity of Functionally Graded Anisotropic Rotating Plates, *International Journal of Engineering Research and Applications*, Vol. 3, Issue 6, 2013, pp. 1146-1154.

[52] M. A. Fahmy, A. M. Salem, M. S. Metwally and M. M. Rashid, Computer Implementation of the Drbem for Studying the Classical Coupled Thermoelastic Responses of Functionally Graded Anisotropic Plates, *Physical Science International Journal*, Vol. 4, Issue 5, 2014, pp. 674-685.

[53] M. A. Fahmy, A. M. Salem, M. S. Metwally and M. M. Rashid (2014), Computer Implementation of the DRBEM for Studying the Generalized Thermo Elastic Responses of Functionally Graded Anisotropic Rotating Plates with Two Relaxation Times, *British Journal of Mathematics & Computer Science*, Vol. 4, Issue 7, 2014, pp. 1010-1026

[54] M. A. Fahmy, A 2D time domain DRBEM computer model for magneto-thermoelastic coupled wave propagation problems, *International Journal of Engineering and Technology Innovation*, Vol. 4, Issue 3, 2014, pp. 138-151.

[55] M. A. Fahmy, Numerical Modeling of Coupled Thermoelasticity with relaxation times in Rotating FGAPs Subjected to a Moving Heat Source, *Physical Science International Journal*, Vol. 9, Issue 4, 2016, pp. 1-13.

[56] M. Lorange, R. M. Gulrajani, A computer heart model incorporating anisotropic propagation: I. Model construction and simulation of normal activation. *J Electrocardiol*, Vol. 26, 1993, pp. 245-261

[57] [D. S. Chen and I. Mellman. Oncology meets immunology: the cancer-immunity cycle, *Immunity*, Vol. 39, 2013, pp. 1-10.

[58] D. E. Roberts, A. M. Scher, Effect of tissue anisotropy on extracellular potential fields in canine myocardium in situ. *Circ Res*, Vol. 50, 1982, pp. 342-351.

[59] M Stenroos, J Haueisen, Boundary element computations in the forward and inverse problems of electrocardiography: Comparison of collocation and Galerking weightings. *IEEE Trans Biomed Eng*, Vol. 55, 2008, pp. 2124-2133.

[60] M. Thivierge, R. M. Gulrajani, P Savard, Effects of rotational myocardial anisotropy in forward potential computations with equivalent heart dipoles. *Ann Biomed Eng*, 25, 1997, pp. 477-498.

[61] L. Lee, M. Gupta, S. Sahasranaman, Immune checkpoint inhibitors: An introduction to the next-generation cancer immunotherapy. *The Journal of Clinical Pharmacology*, 56, 2016, pp. 157-69.