Original Research Article

Land Size Class Wise Change in Cropping Pattern in Malda District – A Block Level Analysis

Abstract

Proportion of area under different crops and change therein remains a concern before policymakers, researcher, public policy analysts and, academia like geographers. As cropping pattern determines food security, internal consumption demand and export of crops, sustainable cropping arrangementis essential to follow. The present paper is an attempt to examine the pattern and extent of cropping across land size categories at blocklevelin Malda district of West Bengal. The change in cropping pattern from 1995-96 to 2015-16 has been assessed through secondary sources of data. The data for 2015-16 is extrapolated based on previous years (2005-06 and 2015-16) interpolated data. Data were processed in Excel spread sheets and results are shown through maps and tables. The maps were prepared in QGIS 2.18. The findings of the study show thatgross cropped area under cereals, pulses and vegetables noted negative growth while fibres, oilseeds and fruits area increase across land size classes but gain is maximum under marginal land size class. Total area under food crops decreased substantially over non-food crops. The study suggests policy intervention measure to boost up economically profitable crops for sake of development of the district.

Keywords: cropping pattern, land size category, food and non-food crops

Introduction:Cropping pattern means the proportion of area under various crops at a pointintime. Cropping pattern ishowever, a dynamic concept as it changes over space and time. The cropping pattern of a region is closely influenced by the geo-climatic, socio-cultural, economic, historical and political factors (Husain M., 1996). The cropping pattern is influenced by the physical factors such as soil, climate; technological factors like irrigation, improved varieties and qualities of seeds, availability of fertilizers, and plant protection chemicals; institutional factors like land reform, consolidation of holdings, credit facilities, price structure, procurement policies, and storage facilities (Shafi, 2006). Climate plays a crucial role in determining the existing cropping pattern. From the time the crops are sown, till the produce is harvested and stored they are more or less at the mercy of the climate. Any abnormalities in the climate during the growing season, such as delay in the onsetof rains, dry spells or excessrains, too high or too low temperatures would seriously affect the growth and final yield of the crop. The cropping pattern varies from region to region due to the variation in the terrain, slope, temperature, amount and reliability of rainfall, soils, availability of water for irrigation, use of area specific fertilizers, pesticides and mechanization.

Cropping pattern must ensure the greatest efficiency of labour by providing quality fertilizers, in optimum quantity that ensure preservation of soil quality, timely availability of water through area specific irrigation, effective pesticides that do not degrade soil fertility and ensure overall yield improvement and other inputs. It is a dynamic concept as no cropping pattern can be suitable in a farm for all times to come. A successful cropping pattern implies the most efficient use of arable land, consequent upon application of water resources, bio-chemical inputs and other essential inputs on time in optimum quantity. In addition, it must offer the cultivators the possibility to maximize agricultural productivity per unit area in per unit of time. But there is often a tendency for the cropping pattern to stabilize over a period of time in the different agro-climatically homogeneous farming area (Singh and Sharma, 1985). Krishna (1972) in his studies has also stressed that the cropping pattern of the country should be arranged after proper study of its climatic and soil conditions which constitute the regional and sub-terrane environment of crop plants. In most of the situations, the physical environment reduces the choice of enterprise, either by prohibiting the growing of certain crops altogether or by reducing their level of output to an unprofitable degree (Morgan and Munton, 1971). The rational of the study lies in its nature as land size class wise change in cropping pattern not being studied yet with proper method for selected study area.

Study Area

Malda district of West Bengal is located between 24°40'20" and 25°32'8" N latitudes and 87°45'50" to 88°28'10" E longitudes (Figure 1). It is bordered in the south by Murshidabad district and on the north by Uttar Dinajpur district. On the east, the Malda district is bounded by Bangladesh, on the west by the state of Bihar, on the northeast by Dakshin Dinajpur district and, on the southwest Jharkhand state. Spreading over an area of 3733 sq.km the Malda district has a population of 3988845 as per census of 2011. The district covers 4.7 percent of the total area of the state and is home to 4.1




Figure: 1

Source: Base map sourced from Census of India 2011

percent of the total state population. According to AgricultureCensus 2015-16, class wise land size categories are 83.40 percent marginal (below 1 ha.), 12.65 percent small (1-2 ha.), 3.66 percent semi-medium (2-4 ha.), 0.29 percent medium (4-10 ha.) and about 0.00 percent large (above 10 ha.). There are multiple numbers of crops grown of different seasons in the district (see Annexure 7)

Objectives

The overall objective of the study is to examine the extent of cropping pattern change across land size class categories at the block level from 1995-96 to 2015-16.

Database and Methodology

The present work is based on secondary data obtained from Agriculture Census of India and Statistical Handbook of Malda.

Data for 2015-16 Agriculture Census and 2016-17 Input Survey are extrapolated. For extrapolation, data on Agriculture Census of 2005-06 and 2010-11 is interpolated first, and then an average of last three years is taken as the data for 2015-16. The same technique has been used for 2006-07 and 2011-12 input survey data to get 2016-2017 data.

For Agriculture Census data, the base is 2005-06 and the recent year is 2010-11

Results and Discussion

Gross Cropped Area (GCA) is the total area sown once and as well as more than once in a particular year. When the crop is sown on a piece of land twice, the area is counted twice in GCA. This total area is also known as total cropped area or total area sown. The term "agricultural land use" denotes the extent of the gross cropped area during the agricultural year under various crops (Vaidya, B.C. 1997).

Increase in gross crop area is an indication of intensive cultivation process that only found when component of agriculture development increases substantially in a region. Along with physical environment, human infrastructure in the form of irrigation, machinery, high yield variety (HYV)seeds, fertilizers, insecticides and pesticides, credit system, market infrastructure and socio-economic circumstances individually orcombined in all have been impacted positively, thereby totally increasing gross cropped area in any region. Subsistence agriculture always is intensive in nature which fetches increased output through cropped area more than once - twice, and even thrice. Here cropping pattern under different crop categories has been explained at two points of slots (1995-96 and 2015-16).

Change in Gross Cropped Area

Figure 2, based on Annexure 1 to 6 illustrate positive change in GCA under marginal land size category while other land size classes have recorded the negative change from 1995-96 to 2015-16 in the district. Under marginal class, Kaliachak-III noted maximum positive growth i.e., 27.26 percent. Manikchak (12.53%) in smalland Kaliachak –III (0.14%). Semi-medium land size class also have found positive change. None of the blocks recorded negative growth in marginal land size class but Harishchandrapur-II (13.88%) in small, Ratua-I (16.73%) in semi-medium, Ratua –I (17.33%) in medium and Kaliachak-III (0.29%) in large land size class have shownmaximum negative change in GCA over two decades. Increasing use of modern agricultural inputs for intensive cultivation is likely to be the reason behind substantial improvement in GCA under marginal land size classes in the district.

Change in GCA under Cereals

In 1995-96 six types of cereals, which increased to eight in 2015-16 (see Annexure -1 to 6). Paddy sharemaximum area in both the year. Majority amongst all land size classes in the district show substantial decrease in gross cropped area under cereals crops category(Figure 2). Low productivity, instability of price and market opportunities might have been responsible forsuch a negative change. It appears (Table 3.10) that marginal (9.57%), small (9.53%), semi-medium (5.19%), large (31.19%) and all land size classes (9.29%) have recorded the negative change in the district. English Bazar with 25.45 and 25.82 per cent in marginal and small land size classes recorded maximum decrease among all the blocks. Ratua-II (29.54%), Chanchal –II (31.28%), Kaliachak-III (19.45%), and English Bazar (23.90%) depict negative change under semi-medium, medium, large and all land size classes respectively. The positive change traces across land size classes in Gazole block. Except marginal and all size category, Ratua –I have found positive change. Except medium class, same is true for Old Malda block.




Figure: 2 Source: seeAnnexure 1 to 6

Change in GCA under Pulses

According to Agriculture Census, four types of pulses have increased to seven in 2015-16 (seeAnnexure 1 to 6). Among all pulses, share of urad (black gram) and masure (lentils) were higher than other pulse crops in both the years. Figure 3 shows that GCA under pulses decreased across all the land size class category in the district. The maximum decrease is noticed under medium land size class category i.e., 4.84 percent area in the district. Among the blocks Bamangola and Chanchal-II indicate an improvement in different land size class category from 1995-96 to 2015-16. Harishchandrapur-II also indicates positive growth, except medium land size class category. Significantly high negative growth is noticed in the blocks Kaliachak-III (12.26% in marginal), Ratua-I (12.83% in small), Ratua-I (17.54% in semi medium), English Bazar (6.87% in medium) and Kaliachak-III (12.02% in all land size classes) in the district. Large land size category adds positively in the gross cropped area under pulses. Low productivity, diseases and climate variability could be the reasons behind such negative change despite beinghigh value crops.

Change in GCA under Spices

In total spice crops, chilies' share remains maximum in total GCA in 1995-96 and 2015-16. Four crops under spices raised to fifteen over two decades. Gross crop area under spices crop in the district shows a positive change only marginally and all land size class category (seeAnnexure -1 to 6 and Figure 3) due to high profit and low cost of cultivation. Five blocks namely, Bamangola, English Bazar, Harishchandrapur-II, Kaliachak-III, and Ratua-II recorded the positive change in gross cropped area under the spice's crops (see Annexure 1 to 6) across different land size class category. Maximum positive change among the blocks was found under marginal land size class for English Bazar (1.64%) block. The maximum negative growth records wereunder small land size class in Chanchal – II (0.53%) block. In semi medium category maximum positive and negative change was recorded in Manikchak and Chanchal-II respectively. In all land size class category, English Bazar (1.01%) and Gazole (0.10%) showthe maximum and minimum change in the district.

Change in GCA under Oilseeds

In terms of share in total GCA under oilseeds, mustard is the number one crop in six and nine oilseeds of 1995-96 and 2015-16 respectively (see Annexure-1to 6). Figure 3 provides information on positive change in gross cropped area under oilseeds because of higher profit opportunity, family consumption and low inputs required. Except large category, other




Figure :3 Source:see Annexure 1 to 6




Figure :4 Source:see Annexure 1 to 6

size classes report an increase from 1995-96 to 2015-16. Bamongola is the most consistent block in the district which recorded growth under all land size class category. Maximum growth in marginal (15.86%), small (17.06%) and all land size class (14.78%) was recorded under Habibpur while Bamangola block gains maximum under semi-medium (17.47%), medium(13.28%), and large (14.43%) land size among the blocks in the district. The maximum decrease is recorded in Kaliachak-II under marginal (4.16%), small (3.71%), semi-medium (5.46%) while Gazole (2.78%) in medium, Kaliachak-III (20.79%) in large and Kaliachak-II (3.64%) in all land size classes.

Change in GCA under Fibers

Agriculture Census disclosed four types of fiber crops are grown in the district for 1995-96 and 2015-16. In total fiber crops (jute, cotton, mesta and sunhemp). Area under jute was maximum in both census years. Annexure(1 to 6) depicts gross cropped area under fiber crops recorded an increase under marginal (5.11%), small (4.09%), semi-medium (2.37%), large (7.06%), and all land size classes (4.57%) in the district. The reason behind overall growth in GCA underfibersis; risk free, durable and can be stored for long. The maximum increase was recorded for Kaliachak -III in small (28.41%), semi- medium (22.44%), medium (15.24%) large (15.59%) and all land size classes (24.87%) among the blocks in the district (Figure 3). In marginal land size class category, Manikchak block recorded maximum increase that is 24.28 percent. Gazole is the only block that exhibited negative change across different land size class categories in the district. The overall district scenario is as follows; Chanchal-I shows negative change under marginal (9.37%), small (10.31%) and semi-medium (10.24%) classes whereas Chanchal-I (6.79%) and Chanchal-II (9.28%) recorded negative change under medium and all land size classes respectively.

Change in GCA under Vegetables

Under vegetables, maximum numberof crops were reported from 1995-96 (3 crops) to 2015-16 (25 crops) in the district (seeAnnexure 1 to 6). Though number of crops have increased, share of vegetables in total GCA of the district has decreased. In both the years potato was the number one crops among vegetables. Annexure 1 to 6 illustrate negative growth in the gross cropped area under vegetables across different land size category in the district.In medium category except for Ratua-II and Old Malda category of Old Malda, all other blocks have recorded negative growthfrom 1995-96 to 2015-16 in the district. The reason for the decrease of GCA under vegetables could be due to high risk, instability of price

and some external causes such as market demand making vegetable cultivation less profitable to the




Figure :5 Source:see Annexure 1 to 6

farmers. The maximum and consistent decrease in percentage of GCA among the block was found in Bamangola under marginal (10.64%) class, small (9.09%), semimedium (8.64%), in all land size classes (8.80%) and English Bazar (8.80%) in medium in the district. The maximum increase in the district reports under medium land size class category for Old Malda block that is 11.31 percent (Figure 5).

Change in GCA under Fruits

An increase of nine crops (4 to 13)in 2015-16 has been noticed. Mango shared maximum share of GCA among all the fruits in the district. Percentage of GCA occupied by varieties of fruits shows an increasing trend due to profit and consumption. Except for large land size class category, the district reported positive change in gross cropped area is noticed under fruits dominated by mango and litchi. Maximum percentage gain in descending order is follows from small class (6.74%), semi-medium (6.24%), all classes (5.76%), marginal (5.29%), and medium (4.56%) land size category from 1995-96 to 2015-16 in the district (Annexure 1-6 and Figure 5). Along with fruits cultivation especially mango other crops such as oilseeds and other could be grown on same field. Because of this fruits area in district has increased substantially from last two decades. In the block-wise scenario, Chanchal-I has achieved a positive growth under marginal (23.45%). The maximum increase among the blocks is found in Chanchal-I (43.41%) in medium category followed by Kaliachak-II (33.30%) in semi medium and Chanchal-I (22.13%) in all classes land size category in the district.

Change in GCA under Total Food Crops

Agriculture Census mentioned food crops are those which can be consumed directly. Therefore, cereals, pulses, vegetables, fruits and spices are counted under food crops. Except spices, all other food crops area reported a decrease in the district. Spices are grown for both local population consumption and marketing. Because of this dual demand reasonably impulse goodincome to the farmer. Figure 6 depicts that Gross cropped area under food crops is showing a decrease across different land class categories in the district. It showed maximum decline under large land size class (12.50%), followed by marginal (10.41%), all classes (10.20%), small (9.48%), semi-medium (7.49%), medium (5.86%) in the district (See Annexure 1 to 6). Except Chanchal-I in marginal, small and semi-medium, Harishchandrapur-II in small and

semi-medium, Manikchak in medium, Old Malda in small, Gazole in medium, Chanchal -I in medium and Chanchal -I all land size class category, all othersblock




Figure :6 Source:see Annexure 1 to 6

under different land size class categories have shown negative change in gross cropped area under food crops in the district. Market risk, low productivity, rainfall variability and lack of storage facilities have been identified as causes behind such decrease.

Change in GCA under Non-Food Crops

Agriculture Census has categorized non-food crops as fibers, oilseeds, floriculture, green fodder, drug and narcotics, bamboos and mulberry. From 1995-96 to 2015-16, area under non-food crops increased substantially because it has open up new avenue for income and employment in the district. Gross cropped area under non-food crops exhibits positive change across different land class categories in the district. It experienced maximum gain under large land size class (13.06%), followed by marginal (10.41%), all classes (10.20%), small (9.48 %), semi-medium (7.49%), medium (5.86%) and the district (Figure 5). Except for Chanchal -II in marginal, Chanchal -II, Harishchandrapur-II Kaliachak-II, and Old Malda in small, Chanchal -II, Harishchandrapur-II Kaliachak-II, and Old Malda in small, Chanchal in medium and Chanchal-II in all land size classes categories have noted positive change in gross cropped area under non-food crops in the district. GCA under non-food crops increased because of profit opportunities and low risk of cultivation.

Conclusion

The present study on change in cropping patternbased on land size class categories found that net sown area, net cropped area and total area of the district shrunk from 1995-96 to 2015-16. Despite this decline, gross cropped area reportedan increaseduring the time. Share of gross cropped area under cereals, pulses and vegetables noted negative growth while fibres, oilseeds and fruits area increased across land size classes.Gain is maximum under marginal land size class. Total area under food crops decreased substantially compared to non-food crops. The amount of change in cropping pattern in land size classes indicates that marginal category at top is followed by the semi-medium and small. Keeping in view of marginalisation of change in cropping pattern under food and non-food crops the study suggests a balance cropping pattern where should be profitable and viable sustainable alternative option in present situation. Here therole of government is to introduce crop policy measure in keeping view of balance cropping pattern.

References

- Baker, O.E. (1926). Agricultural Regions of North America. EconomicGeography.Vol.2. P459-493
- Bucks, J.L. (1937). *Land Utilization of China*. Council of Economic andCultural Affairs. New York.
- Coleman, A. (1985). *Land Use studies in Britain*. Annual of the TohkyGeographical Association. 37. P306-312.
- De And Chattopadhyay (2013): An Assessment of Agricultural Development inWest Bengal, *The Journal of Tropical Geography*, Vol. 198, pp- 18-21
- Dhiewonski, K. (1956). *Detailed Survey of Land Utilization in Poland*.Paper Presented and Published in Proceeding of International GeographySeminar. Aligarh. Uttar Pradesh
- Dutt, Ruddar and Sundaram, K.P.M. (1986): Evolution of the Indian Economy, New Delhi, p. 234-238
- Husain, Majid (1996): Systematic Agricultural Geography, Reprinted 2007, Rawat Publication, Jaipur and New Delhi, pp. 217, 218
- Kariel, H.G.andKariel, P.E., (1972). Exploration in Social Geography. Addision Westley Publishing House. London. P117, 193and 335-370.
- Mohammad Ali (1978): Studies in Agricultural Geography. *Rajesh Publication*, New Delhi, p.-30, pp. 82-88.
- Nanavathi, M.B., (1957) (Forward). *Reading in land Utilization*. TheIndian Society of Agriculture Economics. Bombay. P2.
- Noor Mohammed, (1980). Perspectives in Agricultural Geography, TheField of Agricultural Geography, Edited by Noor Mohammed. ConceptPublishing Company. New Delhi. Vol.3. P159.
- Shafi, M. (1951). A Plea for Land Utilization Survey. The Geographer, Vol. 4, No.2.
- Siddiqui, S.H. and Ahmad, M. (2008): Impact of Technology on the development of agriculture, *The Geographer*, Vol. 55, No. 1, pp. 69-72.
- Siddiqui, S.H. and et al. (2011): Technology and levels of Agricultural Development in Aligarh District, *The Geographer*, Vol. 58, No. 2, pp. 12-16.
- Stamp, L.D. (1962). *The Land of Britain, Its Use and Misuse*. LongmansLondon. P426.sustainable development, The Earth Institute, Columbia.

Terminology (II edition), Indian Society of Agronomy, IARI, New Delhi.

				19	95-96							20	15-16			
Block	% of GCA	Cereals	Pulses	Spices	Oilseeds	Fiber	Vegetables	Fruits	% of GCA	Cereals	Pulses	Spices	Oilseeds	Fibre	Vegetables	Fruits
Bamangola	32.83	73.72	0.07	0.01	12.08	0.05	13.96	0.11	53.71	67.64	0.43	0.19	25.15	2.43	3.32	0.82
Chanchal-I	44.72	69.54	2.04	0.01	1.53	17.9	8.94	0.03	62.89	58.22	13.97	0.29	5.86	18.95	2.18	0.53
Chanchal-II	50.58	74.32	0.55	0.01	3.65	12.11	9.13	0.15	56.37	55.39	5.34	0.06	9.11	2.74	3.75	23.6
English Bazar	40.82	65.94	10.9	0.1	0.68	0.69	11.99	8.63	54	40.49	2.41	1.74	9.09	8.78	10.27	26.93
Gazole	32.39	73.95	1.66	0.19	9.34	3.44	11.03	0.01	55.66	75.74	0.05	0.01	11.69	3.12	4.04	5.33
Habibpur	32.82	86.18	0.43	0.01	3.69	0.24	9.46	0	45.99	74.63	0.01	0	19.55	1.64	4.16	0
Harishchandrapur-I	55.69	81.46	0.27	0.02	4.18	11.3	2.75	0	64.72	72.54	0.44	0.13	8.08	16.79	1.77	0.22
Harishchandrapur-II	39.52	79.03	1.01	0	0.82	9.76	9.3	0.05	59.07	73.72	12.68	0.33	4.72	7.1	1.39	0.04
Kaliachak-I	58.83	34.7	1.4	0	0.5	0.39	6.55	24.64	68.17	16.36	0.4	1.16	3.91	8.5	6.07	37.33
Kaliachak-II	51.64	35.68	6.65	0	4.39	0.32	7.43	6.95	62.98	43.37	1.05	0.02	0.23	20.24	5.19	8.83
Kaliachak-III	35.8	56.7	13.84	0.24	1.35	16.47	10.05	0.48	63.06	47.76	1.59	0.72	4.52	39.79	5.32	0.23
Manikchak	57.32	60.82	17.46	0.68	0.48	7.64	8.67	2.94	59.79	38.41	6.24	0.77	7.89	31.92	6.19	7.84
Old Malda	40.97	82.31	1.2	0.12	1.33	1.44	13.54	0.04	57.64	87.8	0.07	0.08	4.19	1.42	5.54	0.9
Ratua-I	33.71	63.48	15.11	0	0.97	8.97	10.37	0.98	60.52	56.19	7.35	0.11	7.27	19.73	3.95	5.34
Ratua-II	37.06	87.22	6.56	0.07	0.06	2.05	1.32	2.73	60.63	71.58	1.96	0.09	7.29	8.26	2.2	8.62
District	41.32	70.26	5.2	0.12	3.17	6.88	9.01	2.32	58	60.69	4.15	0.32	9.29	11.99	3.97	7.61

Annexure - 1 Gross Cropped Area under Marginal Land Size Category in Malda District

				19	995-96							20	015-16			
Block	% of GCA	Cereals	Pulses	Spices	Oilseeds	Fiber	Vegetables	Fruits	% of GCA	Cereals	Pulses	Spices	Oilseeds	Fiber	Vegetables	Fruits
Bamangola	27.71	75.54	0	0	12.73	0	27.71	0	27.96	69.81	1.01	0	24.28	1.84	27.96	0.43
Chanchal-I	33.28	68.45	2.57	0.56	2.44	18.14	33.28	0.03	23.88	60.19	13.36	0.03	7.08	15.26	23.88	2.21
Chanchal-II	27.43	74.14	0.71	0	4.3	11.54	27.43	0.2	29.33	57.29	6.15	0	9.11	1.23	29.33	23.41
English Bazar	28.19	63.81	12.21	0.82	0.39	0	28.19	13.08	28.58	37.99	1.04	1.05	4.46	11.27	28.58	34.72
Gazole	33.17	77.46	1.21	0.05	8.03	3.19	33.17	0.21	27.3	82.14	0.08	0	11.09	1.71	27.3	2.99
Habibpur	34.82	85.78	0.66	0.02	4.11	0.06	34.82	0	29.46	74.48	0.03	0	21.17	1.75	29.46	0.07
Harishchandrapur-I	20.05	80.83	0.36	0	6.52	10.47	20.05	0	23.56	77.22	0.59	0.05	5.57	14.82	23.56	0
Harishchandrapur-II	39.53	78.56	1.89	0	0.37	10.12	39.53	0.09	25.65	71.19	16.6	0.03	1.54	8.27	25.65	0.08
Kaliachak-I	15.74	48.03	3.17	0	1.3	2.36	15.74	19.38	24.9	33.95	0.07	0	3.24	14.77	24.9	31.79
Kaliachak-II	19.13	50.48	7.28	0	3.84	3.55	19.13	14.03	20.98	70.62	0.25	0	0.13	13.34	20.98	9.14
Kaliachak-III	23.67	60.33	13.42	0.2	1.64	13.19	23.67	1.73	21.62	51	2.67	0.59	1.78	41.59	21.62	0.27
Manikchak	21.21	61.1	16.44	0.42	0.73	7.94	21.21	3.2	33.73	44.79	4.19	0.01	7.71	26.85	33.73	13.79
Old Malda	32.31	86	0.29	0.07	1.51	0.86	32.31	0	28.86	92.45	0.03	0.01	1.41	0.88	28.86	0
Ratua-I	18.81	60.98	18.45	0	1.22	8.58	18.81	1.29	26.31	61.31	5.62	0	4.8	18.03	26.31	7.92
Ratua-II	31.93	87.37	6.45	0	0	1.84	31.93	3.76	25.79	69.07	0.71	0	5.5	10.16	25.79	13.93
District	28.53	74.25	4.52	0.14	3.67	6.18	28.53	2	26.88	64.72	3.9	0.09	8.98	10.27	26.88	8.74

Annexure - 2 Gross Cropped Area under Small Land Size Category in Malda District

				19	95-96							2	015-16			
Block	% of GCA	Cereals	Pulses	Spices	Oilseeds	Fiber	Vegetables	Fruits	% of GCA	Cereals	Pulses	Spices	Oilseeds	Fiber	Vegetables	Fruits
Bamangola	26.5	80.69	0	0	8.63	0	10.68	0	13.86	70.84	0.11	0	26.1	0.78	2.04	0.16
Chanchal-I	17.32	71.99	1.54	0	2.51	15.64	8.22	0.11	11.81	66.29	11.22	0	4.49	15.78	1.61	0.62
Chanchal-II	16.78	72.25	0.68	0	5.38	11.26	8.96	1.47	13.18	63.5	5.89	0	8.2	1.02	3.26	18.16
English Bazar	17.83	63.46	10.01	0	1.42	0.35	8.76	15.69	14.69	47.01	0.63	0	10.12	4.01	13.77	24.44
Gazole	24.42	78.45	1.5	0	7.55	2.06	9.5	0.47	15.05	83.69	0.13	0	10.9	0.78	3.14	1.32
Habibpur	22.37	81.76	1.2	0.77	6.37	0.19	9.71	0	17.55	77.01	0.06	0.08	17.51	2.41	2.98	1.26
Harishchandrapur-I	16.12	88.29	0.3	0.19	1.57	8.95	0.71	0	11.14	80.46	0.02	0.01	5.34	11.84	1.62	0.74
Harishchandrapur-II	17.09	79.32	1.1	0	0.86	9.43	8.88	0.22	14.83	80.89	6.04	0	1.09	8.01	1.3	2.65
Kaliachak-I	17.01	49.89	8.77	0.04	2.09	1.78	6.28	18.69	6.34	44.98	0.83	0	2.68	0.17	0.59	31.46
Kaliachak-II	15.26	60.77	1.26	0	5.67	0	6.25	13.99	15.4	41.64	0.05	0	0.21	10.08	0.23	47.29
Kaliachak-III	25.31	58.41	16.13	0	1.32	13.46	5.83	1.07	13.33	56.35	2.69	0.19	2.48	35.9	1.6	0.39
Manikchak	12.88	62.8	15.72	0.31	0.51	7.41	7.93	4.58	5.56	40.71	2.44	0.75	14.2	23.06	0.96	17.84
Old Malda	16.46	86.18	0.35	0.11	0.6	1.44	11.29	0	11.26	91.07	0.04	0.01	2.12	0.56	5.59	0.6
Ratua-I	28.12	57.85	19.73	0.13	0.75	11.29	8.06	2.19	11.39	59.93	2.19	0.01	4.61	21.77	1.2	10.29
Ratua-II	23.44	90.43	2.15	0	0	1.56	1.75	4.11	12.64	60.9	0.14	0	4.8	9.92	2.31	21.96
District	20.3	73.58	5.39	0.12	3.64	5.72	8.01	2.59	13	68.38	2.31	0.03	9.05	8.09	2.92	8.83

Annexure - 3 Gross Cropped Area under Semi-Medium Land Size Category in Malda District

				19	95-96							20)15-16			
Block	% of GCA	Cereals	Pulses	Spices	Oilseeds	Fiber	Vegetables	Fruits	% of GCA	Cereals	Pulses	Spices	Oilseeds	Fiber	Vegetables	Fruits
Bamangola	12.58	82.83	0	0	9.27	0	7.9	0	4.3	72.82	0.43	0	22.55	2.44	1.76	0
Chanchal-I	4.69	74.98	1.04	0.13	3.06	9.12	9.06	2.61	1.42	43.7	0.14	0.02	6.61	2.33	1.19	46.02
Chanchal-II	5.21	78.89	0	0	1.65	5.54	10.13	3.78	1.12	65.1	0	0	1.68	12.71	7.31	13.21
English Bazar	12.5	66.55	9.03	0	0	0	11.58	11.58	2.69	59.01	2.16	0	2.18	4.22	2.77	29.35
Gazole	9.76	79.26	1.58	0.09	8.64	2	8.36	0	1.98	80.32	0.52	0.03	5.86	1.37	4.68	7.02
Habibpur	9.52	81.63	4.78	0.07	3.83	0.15	9.53	0	6.98	83.45	0.28	0.01	13	0.8	2.47	0
Harishchandrapur-I	7.96	77.84	0	0	8.3	13.86	0	0	0.58	75.58	1.91	0	7.48	14.55	0	0
Harishchandrapur-II	3.59	67.79	3.57	0	1.26	15.67	11.71	0	0.43	65.16	1.45	0	0.51	28.13	4.75	0
Kaliachak-I	8.01	69.31	2.74	0	0	0	11.71	0	0.57	55.42	3.38	0	7.12	4.07	5.75	17.29
Kaliachak-II	13.96	57.45	16.18	2.31	0	0.1	12.94	4.67	0.64	60.21	13.43	1.92	4.48	0.08	10.74	3.88
Kaliachak-III	14.83	57.2	11.92	0	0.51	13.96	9.78	4.24	1.89	50.42	5.24	0	4.34	29.2	7.6	1.87
Manikchak	8.6	69.43	13.58	0	0.43	4.31	8.49	2.68	0.72	45.65	9.4	0	0.27	3.61	5.31	35.1
Old Malda	10.02	85.88	0.94	0.04	1.52	1.25	10.37	0	2.22	65.75	1.9	0.02	3.28	6.23	21.67	0
Ratua-I	19.1	62.18	13.03	0	0.59	12.83	8.31	2.29	1.77	65.62	7.69	0	4.18	15.98	3.75	2.15
Ratua-II	7.57	79.29	6.87	0	0.62	4.05	1.07	7.77	0.93	81.87	1.99	0	0.18	13.31	0.31	2.25
District	9.61	72.21	6.47	0.13	3.15	5.61	8.69	2.58	2.09	72.24	1.63	0.03	9.62	5.36	3.68	7.14

Annexure - 4 Gross Cropped Area under Medium Land Size Category in Malda District

				19	995-96							2	015-16			
Block	% of GCA	Cereals	Pulses	Spices	Oilseeds	Fiber	Vegetables	Fruits	% of GCA	Cereals	Pulses	Spices	Oilseeds	Fiber	Vegetables	Fruits
Bamangola	0.38	94.34	0	0	0.94	0	0	5.66	0.18	84.24	0	0	15.37	0	0	0.47
Chanchal-I	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A
Chanchal-II	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A
English Bazar	0.65	92.04	0	0	41.79	0	0	7.96	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A
Gazole	0.26	89.94	0	0	34.91	2.37	2.37	5.33	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A
Habibpur	0.47	95.43	0	0	40.61	0	0	4.57	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A
Harishchandrapur-I	0.18	100	0	0	25	0	0	0	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A
Harishchandrapur-II	0.27	100	0	0	0	0	0	0	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A
Kaliachak-I	0.41	96.3	0	0	1.85	0	0	3.7	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A
Kaliachak-II	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A
Kaliachak-III	0.39	51.61	25.81	0	33.33	0	18.28	4.3	0.1	32.17	26.48	0	12.55	15.59	4.03	0.95
Manikchak	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A
Old Malda	0.24	100	0	0	39.62	0	0	0	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A
Ratua-I	0.26	100	0	0	14.74	0	0	0	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A
Ratua-II	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A	N. A
District	0.24	91.63	2.11	0	53.04	0.35	1.85	4.05	0.04	60.44	2.87	0	21.07	7.42	0.54	1.99

Annexure - 5 Gross Cropped Area under Large Land Size Category in Malda District

				19	995-96							2	015-16			0.58 1.59 22.71 28.85 4.12 0.31 0.23 0.44 35.45 14.79							
Block	% of GCA	Cereals	Pulses	Spices	Oilseeds	Fiber	Vegetables	Fruits	% of GCA	Cereals	Pulses	Spices	Oilseeds	Fiber	Vegetables	Fruits							
Bamangola	100	77.3	0.02	0	10.94	0.02	11.68	0.04	100	68.95	0.55	0.1	24.91	2.03	2.88	0.58							
Chanchal-I	100	69.86	2.08	0.19	2.07	17.17	8.41	0.16	100	59.44	13.3	0.19	6	17.46	2.03	1.59							
Chanchal-II	100	74.16	0.59	0	4.01	11.47	9.14	0.58	100	57.12	5.59	0.03	8.91	2.19	3.45	22.71							
English Bazar	100	65.14	10.81	0.23	0.64	0.34	10.42	11.45	100	41.25	1.75	1.24	7.73	8.66	9.78	28.85							
Gazole	100	76.77	1.46	0.02	8.38	2.88	9.82	0.19	100	78.78	0.08	0	11.29	2.35	3.34	4.12							
Habibpur	100	84.66	1.09	0.01	4.43	0.16	9.47	0	100	75.62	0.04	0	19.21	1.75	3.37	0.31							
Harishchandrapur-I	100	82.18	0.27	0	4.55	10.94	2.01	0	100	74.54	0.44	0.1	7.18	15.76	1.72	0.23							
Harishchandrapur-II	100	78.55	1.46	0	0.66	10.03	9.16	0.09	100	74.1	12.66	0.2	3.35	7.62	1.63	0.44							
Kaliachak-I	100	42.41	3.03	0	0.86	0.9	7.18	20.72	100	22.78	0.36	0.79	3.68	9.5	4.26	35.45							
Kaliachak-II	100	45.38	7.28	0	3.87	0.86	7.8	9.06	100	48.93	0.81	0.01	0.23	17.1	3.99	14.79							
Kaliachak-III	100	58.05	14.08	0.05	1.28	14.57	8.61	1.48	100	49.64	2.06	0.6	3.65	39.44	4.11	0.29							
Manikchak	100	61.87	16.69	0.09	0.53	7.39	8.56	3.19	100	40.7	5.35	0.49	8.11	29.49	4.24	10.71							
Old Malda	100	84.54	0.74	0.02	1.29	1.23	12.09	0.02	100	89.03	0.1	0.04	3.14	1.27	5.8	0.59							
Ratua-I	100	61.27	16.6	0	0.88	10.26	9.13	1.62	100	58.13	6.31	0.07	6.26	19.45	3.21	6.53							
Ratua-II	100	87.42	5.51	0	0.07	2.02	1.16	3.76	100	69.68	1.4	0.05	6.44	9	1.8	11.61							
District	100	72.31	5.16	0.04	3.4	6.31	8.6	2.3	100	63.01	3.79	0.21	9.18	10.88	3.42	8.07							

Annexure - 6 Gross Cropped Area under All Land Size Classes in Malda District

1	995-96	2015-16										
Cereals	Fiber	Cereals	Coriander	Litchi	Other Tuber Crops							
Wheat	Jute	Bajra	Fennel	Mandarin Orange	Other Vegetables							
Paddy	Cotton	Barley	Fenugreek	Mango	Peas							
Maize	Mesta	Jowar	Green Chilies	Miscellaneous fruits	Potato							
Barley	Other Fiber	Maize	Garlic	Other Citrus	Pumpkin							
Small Millet	Total Oilseed	Other Cereal	Ginger	Papaya	Radish							
Other Cereals	Coconut	Paddy	Large Cardamom	Pineapple	Spinach							
Total Fruits	Sesamum Till	Ragi	Other Condiments	Sapota	Sweet Potato							
Banana	Rapeseeds&Must ared	Wheat	Radhuni	Guava	Tomato							
Mango	Other Oilseeds	Pulses	Red Chili	Temperate fruits	Yam							
Orange	Niger Seeds	Gram	Red yellow Chili	Vegetables								
Other Fruits	Linseeds	Horse gram	Turmeric	Beans								
Total Spices	Total Pulses	Masur	Oilseeds	Bitter Guard	-							
Chilies	Tur	Moong	Castor Seed	Bottle Guard	-							
Ginger	Masur	Other Pulse	Coconut	Brengle	-							
Cardamom	Gram	Tur	Groundnut	Cabbage	-							
Other Condiments	Other Pulse	Urad	Linseed	Capsicum								
Total Vegetables		Fiber	Rapeseed & Mustarded	Carrot								
Onion		Cotton	Safflower	Cauliflower								
Potato		Jute	Sesamum- Till	Colocasia								
Other Vegetables		Mesta	Soybean	Cucumber								
		Sun hemp	Sunflower	Drumstick]							
		Spices	Fruits	Elephant Foot Yam								
		Beetle nut	Banana	Lady Finger								
		Black Cumin	Guava	Onion								
		Black Pepper	Jackfruit	Other Guard]							

Annexure – 7: Crop Listing

Source: Agriculture Census (for Malda only)