

1

2

Review Paper

3

Application of nano-materials for corrosion control

4

Abstract

This review describes some nano-technological applications concerning the corrosion incidence and protection of steel pipelines mainly used in the petroleum sector. These techniques play a major role in producing anti-corrosion coatings which enhances metal durability with high abrasion and corrosion resistances towards adverse environmental conditions. In addition the review also describes the advantages for employing nano-materials in protecting metal and other material surfaces.

Keywords

nanotechnology, corrosion protection, coating, anti-corrosion, steel pipes.

17

Introduction

Nano-compounds possess many advantages over their micrometer scale counterparts. The main aspect of many applications of nano-materials in industry is to highlight the desired advantages in the product and to avoid the negatives. Efforts are undertaken to promote their effective utilization in the sector of corrosion control and protection [1]. The enhancement of materials performances in different industrial areas can be done through employing these nano-materials especially in an advanced coating [2]. More advanced studies should be performed to confirm the use of nano-materials in the area of corrosion control and prevention and also to authenticate the corrosion/oxidation performance of the nano-structured compounds. Nowadays, the application of nano-compounds in corrosion control, protection and prevention is of increasing interest to avoid the deleterious problems in many industries [3]. The large economic impact of corrosion of metallic structures is very important for all industrial societies. The cost of corrosion degradation estimates to about 270 billion dollars/year in the United States of America and 200

billions Euros/year in Europe. Both direct and indirect costs represent the annual cost of corrosion. Direct costs to provide corrosion protection are related to construction, manufacturing and design, and the indirect costs are dealing with maintenance, corrosion-related inspection and repairs.

The unique properties of nano-materials provide high resistance to metallic surfaces corrosion due to their outstanding mechanical and physical characters. Recent development is now shifting to manufacture of efficient structures and coatings that have greater corrosion resistance [4]. The preparation of microcrystalline coatings by the processes of chemical vapor deposition (CVD) and physical vapor deposition (PVD) can be modified using feedstock powders having nano-grained structure [5]. Thorpe et al., 1988 [6], also reported the enhancement of corrosion resistance of nano-crystalline Fe₃₂-Ni₃₆-Cr₁₄-P₁₂-B₆ than that of its amorphous counterpart. Nano-coating materials used to protect steel pipelines have generally of better insulation and adhesion quality than traditional ones and provide superior mechanical and electronic properties [7,8]. Metallic nano-coating can be produced through electro-deposition [9,10], sputtering [11] and multi-arc-ion plating [12]. The process of metallic nano-coating can be of a pure metal such as iron (Fe), Copper (Cu), Nickel (Ni) [13] or alloyed for the purpose to enhance properties [14].

Electrochemical incidence of steel corrosion

The electrochemical corrosion of steel occurs in nature and includes many forms such as galvanic, pitting, de-alloying, erosion, uniform, microbial influenced corrosion (MIC). The process of incidence of electrochemical corrosion is summarized in the following equations:-



Advantages of using nanotechnology to control steel corrosion

Many advantages were reported for protecting steel pipelines from corrosion as described in the following points:-

- 12 Nanotechnology has been employed to enhance the inherent
73 corrosion resistance and performance of steel by achieving the
74 finely crystalline microstructure.**
- 25 Some materials exhibit physical, chemical and biological unique
76 properties by modifying their chemical composition at the
77 nanometer-scale.**
- 38 Nano-particles are smaller than the wavelength of visible light
79 range and consequently appear transparent to the human eye.**
- 40 Nano-particles produce an extra-ordinary high surface energy.**
- 51 Nano-technology reduce the potential for environmental
82 damage of materials during maintenance and installation
83 because they can be stronger per unit volume than conventional
84 one.**
- 65 The physical property of nano-particles incorporated in a coating
86 gets altered without affecting the clarity.**
- 77 Nanostructure coatings have excellent adhesion and toughness
88 because their powders have grains less than 100nm in size,
89 which may be used to repair component parts instead of
90 replacing them.**
- 81 Metallic surfaces coated with nano-materials help in the process
92 of super hardening.**
- 93 The formation of nano-composite thin film coating on steel
94 minimize the impact of corrosive environment by changing of
95 the steel/ electrolyte interface.**
- 10. The coating's nano-molecules improve long-term corrosion
97 protection by forming a durable covalent bond with metallic
98 molecules on steel surfaces.**
- 11. The nano-coatings (NCoatgs) are stable at high degrees of
100 temperature up to 180°C.**
- 12. The coating's nanomolecules form a smooth coating surface that
102 provides low fluid friction to flow oil and water and
103 consequently reduce oil pumping power losses and operation
104 costs.**
- 13. NCoatgs produce lower film thickness (10-12 μm) that ensures
106 stable dimensions.**

107. NCoatgs produce long lasting ceramics and nano-thermoplastics
108 with unique abrasion and corrosion resistant properties.

109 NCoatgs can be applied on the aircraft's surfaces replacing the
110 halogenated fire-retardants by nano-additive fillers eliminating
111 the risk of generating heat and smoke.

112

113 Nanotechnology applications

114 Nanotechnology is used in many areas and it is more specific to
115 nano materials which are used in various industrial processes,
products and applications. Most of the current applications of nano-
materials represent evolutionary development of existing technologies
with many effective modifications such as the reduction in size of
electronic devices. The following are some applications of nano-
particles in corrosion protection (Table 1).

121

1. Nanocomposites

123 The utilization of nano-tubes and nano-particles in composites is
one of the designed applications to exhibit the best properties of each
component of the nano-composite. This multi-functionality nano-
composites are applied to mechanical, electrical, optic and magnetic
properties. Recently carbon fibers and bundles of multi-walled Nano-
tubes (CNTs) are used in polymers to enhance and control conductivity.
Applications for nano-composites include oxygen and gas barriers,
thin film capacitors for computer chips, automotive engine parts and
fuel tanks, solid polymer electrolytes for batteries, impellers and
blades and food packaging [15-17].

133

2. Nanopaints

135 The incorporation of nanoparticles to paints can improve their
performance, impart them different beneficial properties for
environment and making them more lighter. Examples of this
application the light weighting, thinner paint coatings used on aircraft
and the fouling-resistant marine paint as an alternative to tributyl tin
(TBT) used in heat exchanger to save energy.

The difference between
nano paint and conventional one lies in that the basic components of
the conventional paint are binding organic agents, solvents and
additives, however in nano-paints the binding agent is an
inorganic/organic hybrid polymer which can combine between the
positive characteristics of both organic and inorganic agents. Other

recent applications of nano-particles might lie in paints that have reduced infra-red absorption and consequently reduce heat loss and paints that change color in response to change in temperature [18-20].

149

3. Nanolubricants

Recent studies reported the capability of nano-spheres of organic materials to serve as lubricants by acting as nano-sized ball bearings, making them more durable than conventional solid lubricants and additives. These studies indicated that nano-particles reduce friction between metal surfaces especially at high normal loads and for metal surfaces that are not highly smooth [21,22].

157

4. Nanoclays

Nanoclay is another application of nanotechnology which have a unique morphology, featuring one dimension in the nanometer range. Clay particle based composites containing plastics and nano-sized flakes of clay are also used in many applications such as in fabrication of car bumpers [23-26].

164

5. Tougher and Harder Cutting Tools

Application of nano-crystalline materials such as nano-titanium-, nano-tantalum- and nano-tungsten carbides are more resistant to erosion and have the advantage to last longer than their conventional counterparts and are used in the drills used to bore holes in circuit boards [27, 28]. The cutting tools made of nano-crystalline materials help the manufacturer to machine various materials much faster, thereby increasing productivity and reducing manufacturing costs.

173

6. Nanocoatings and nanostructured surfaces

Nano-structured surfaces and nano-coatings can be applied as chemically and catalytically functionalized surfaces. In recent years, the developed applications include the self-cleaning window coated with highly activated nano-titanium dioxide, modified to be highly antibacterial, hydrophobic and coatings based on nanoparticulate oxides that catalytically degrade chemical agents [29-31]. Metallic nanocoatings include one or more of the pure metals or alloyed for the purpose of the enhancement of properties. The nanocoatings of metals

improve their chemical, physical, mechanical and thermal properties
[32]

185

Table 1: Some applications of nanoparticles in corrosion protection.

Application	Example	Reference
Nanocomposites	fillers in a matrix such as carbon black used to strengthen car tyres	Gupta and Kumar, 2017 [33]
Nanopaints	Light weighting, thinner paint coatings used on aircraft	Krishnamoorthy and Kim, 2015 [34]
Nanolubricants	Metal surfaces that are not highly smooth	Shenderova et al., 2014 [35]
Nanoclays	fabrication of car bumpers	Rytwo, 2008 [36]
Tougher and Harder Cutting Tools	Drills used to bore holes in circuits boards.	Jackson and Dring, 2006 [37]
Nanocoatings and nanostructured surfaces	self-cleaning window coated with highly activated titanium dioxide	Carneiro et al, 2011[38]

187

Conclusion

This review article describes briefly the advantage of using nanotechnology in corrosion protection of steel oil pipelines and the development of using recent applications in enhancing nano-materials to resist corrosion damage. Nanocoating materials used in steel pipelines have generally better insulation and adhesion quality than traditional ones and provide superior mechanical and electronic

properties. The development of nanotechnology in coating steel pipelines, steel tanks and other petroleum equipment enhanced greatly the insulation of these materials. Recent advances in nanotechnology play a major role in improving the control of corrosion incidence and minimize corrosion risks. More attention should be paid by specialists in this field to invent new intelligent nano-technological applications to prevent/control corrosion damage aggressive environments.

203

204

COMPETING INTERESTS

Authors have declared that no competing interests exist.

207

References:

1. Saji VS. Part I: Corrosion behaviour and manufacture of nanocrystalline materials; the impact of nanotechnology on reducing corrosion cost. A volume in Woodhead Publishing Series in Metals and Surface Engineering. Page 3-15; 2012; ISBN: 978-1-84569-949-9.
2. Wansah JF, Udounwa AE, Ahmed AD, Essiett AA and Jackson E U. Application of steel oil pipes. Proceedings of the 1st African International Conference/Workshop on Applications of Page 103 Nanotechnology to Energy, Health and Environment, UNN, March 28– 29; 2014.
3. Saji VS and Cook R. Corrosion Protection and Control Using Nanomaterials, Elsevier: 1st Edition; 2012; ISBN: 9780857095800.
4. Saji VS, Thomas J. Nanomaterials for corrosion control. Current Science 2007; 92(1): 51-55.
5. Honggang J, Maggy L, Victoria LT, Enrique, JL. Synthesis of nanostructured coatings by high velocity oxygen fuel thermal spraying. In Handbook of Nanostructured Materials and Nanotechnology, Vol. 1 (ed. Nalwa, H. S.), Academic Press, San Diego, 2000, pp. 159–209.
6. Thorpe SJ, Ramaswami B, Aust KT. Corrosion and Augur studies of a nickel-base metal-metalloid glass. J. Electrochem.Soc., 1988; 135: 2162–2170.
7. Jones DA. Principles and Prevention of Corrosion, 2nd ed.; Prentice-Hall Inc.: Upper Saddle River, NJ, USA, 1996; ISBN 0133599930.

8. Schuh CA, Nieh, TG, Iwasaki H. The effect of solid solution W conditions on the mechanical properties of nanocrystalline Ni. *Acta Mater.* 2003;51:431–443.
9. Youssef KMS, Koch CC, Fedkiw PS. Improved corrosion behavior of nanocrystalline zinc produced by pulse-current electrodeposition. *Corros. Sci.* 2004;46: 51–64.
10. Li Q, Yang X, Zhang L, Wang J, Chen B. Corrosion resistance and mechanical properties of pulse electrodeposited Ni-TiO₂ composite coating for sintered NdFeB magnet. *J. Alloys Compd.* 2009; 482:339–344.
11. Liu H, Li Y, Wang F. Enhancement of the electrochemical behavior for Cu–70Zr alloy by grain refinement. *Surf. Coat. Technol.* 2006; 201: 3393–3398.
12. Guan X, Wang Y, Xue Q, Wang, L. Toward high load bearing capacity and corrosion resistance Cr/Cr₂N nano-multilayer coatings against seawater attack. *Surf. Coat. Technol.* 2015; 282:78–85.
13. Wang L, Zhang J, Gao Y, Xue Q, Hu L, Xu T. Grain size effect in corrosion behavior of electrodeposited nanocrystalline Ni coatings in alkaline solution. *Scr. Mater.* 2006; 55: 657–660.
14. Ghosh SK, Dey GK, Dusane RO, Grover AK. Improved pitting corrosion behaviour of electrodeposited nanocrystalline Ni-Cu alloys in 3.0 wt.% NaCl solution. *J. Alloys Compd.* 2006; 426:235–243.
15. Mensah B, Kim S, Arepalli S, and Nah C. A study of graphene oxide-reinforced rubber nanocomposite , *Appl. Polym. Sci.* 2014; 131, 40640.
16. Mensah B, Kim HG, Lee JH, Sivaram Arepalli, and Nah C. Carbon nanotube-reinforced elastomeric nanocomposites: a review. *International Journal of Smart and Nano Materials*, 2015; 6(4): 211–238.
17. Yesil S. Effect of carbon nano-tube reinforcement on the properties of the recycled poly (ethylene terephthalate)/poly(ethylene naphthalate) (r-PET/PEN) blends containing functional elastomers , *Mater Design* 2013; 52 :693–705.
18. Nalathambi V, Suresh G. Contribution of Nanotechnology in the Paints and Coatings. *SSRG International Journal of Chemical Engineering Research (SSRG-IJ CER)* 2014; 1 (1), 10-12.
19. Tator K. Nanotechnology: The Future of Coatings-Part 1. *Materials performance* 2014; 53(3):34-36.

20. Gouda KM, Tarbutton JA, McVay J, Bayoumi A. Nanolubricant Oil Additives for Performance Improvement of the Intermediate Gearbox in the AH-64D Helicopter. Presented at the AHS 70 th Annual Forum, Montréal, Québec, Canada May 20–22, 2014. Copyright © 2014 by the American Helicopter Society International, 176.
21. Wu H, Zhao J, Luo L, Huang S, Wang L, Zhang S, Jiao S, Huang H, Jiang Z. Performance Evaluation and Lubrication Mechanism of Water-Based Nanolubricants Containing Nano-TiO₂ in Hot Steel Rolling. *Lubricants* 2018; 6:57; doi:10.3390/lubricants6030057.
22. Erdemir A. Advanced Nanolubricants for Improved Energy Efficiency and Reduced Emissions in Engines. Argonne National Laboratory June 19, 2014; Project ID # FT018.
23. Dene L, Brendlé J, Limousy L, Martin PD, NicolasMichau. Synthesis of iron-rich tri-octahedral clay minerals: A review . *Applied clay Science* 2018; 166; 276-287.
24. Akbari AM, Sarvi MN, Ramazani AZ. Purification and Modification of Nanoclay for Adsorption of Vitamin B6 as Nanocarriers. *Ann Nutr Disord & Ther.* 2016; 3(1): 1032.
25. Yuan P, Tan D, Annabi-Bergaya F. Properties and applications of halloysite nanotubes: recent research advances and future prospects. *Applied clay Science* 2015; 112-113: 75-93.
26. Hegde RR. Structure and properties of nanoclay reinforced polymer films, fibers and nonwovens. A Dissertation Presented for the Doctor of Philosophy Degree. The University of Tennessee, Knoxville, August 2009.
27. Kır K, Öktem H, Çöl M, Koç FG, Erzincanlı F. Determination of the cutting-tool performance of high-alloyed white cast iron (ni-hard 4) using the taguchi method. *Materials and technology* 2016; 50: 2, 239–246.
28. Hosseini A, Kishawy HA. Machining of Titanium Alloys, *Materials Forming, Machining and Tribology*, J. P. Davim (ed.), 2014; DOI: 10.1007/978-3-662-43902-9_2, _ Springer-Verlag Berlin Heidelberg.
29. Vasile C. Polymeric Nanocomposites and Nanocoatings for Food Packaging: A Review. *Materials* 2018; 11(10), 1834.
30. Qu M, Wu J, Zhao G, Zhang Y. Nanostructured Surfaces, Coatings, and Films: Fabrication, Characterization, and Application. *Journal of Nanomaterials* 2013; Article ID 492646, 2 pages. <http://dx.doi.org/10.1155/2013/492646>.

31. ~~Duta~~ L, Popescu AC, Zgura I, Preda N, Mihailescu IN. In book: **Wetting and Wettability Chapter: 8**; Publisher: In Tech Editors: **Mahmood Aliofkhazraei**. 2015; DOI: 10.5772/60808.
32. ~~Hibbard~~ G, Aust KT, Palumbo G, Erb U. Thermal Stability of **Electrodeposited Nanocrystalline Cobalt**. *Scr. Mater.* 2001; 44:513–518.
33. ~~Gupta~~ TK and Kumar S. Carbon Nanotube-Reinforced Polymers; **41 Fabrication of Carbon Nanotube/Polymer Nanocomposites 2017**; p.61-81. A volume in **Micro and Nano Technologies** <https://doi.org/10.1016/B978-0-323-48221-0.00004-2>. Elsevier.
34. ~~Krishnamoorthy~~ K, Kim SJ. Mechanochemical preparation of **grapheme nanosheets and Their supercapacitor applications**. *Journal of Industrial and Engineering Chemistry* 2015; 32: 39-43. <http://dx.doi.org/10.1016/j.jiec.2015.09.012>.
35. ~~Shenderova~~ O, Vargas A, Turner S, Ivanov DM, Ivanov MG. **Nanodiamond-Based Nanolubricants: Investigation of Friction Surfaces**, *Tribology Transactions* 2014; 57:6, 1051-1057, DOI: 10.1080/10402004.2014.933933.
36. ~~Pyun~~ G. Clay minerals as an Ancient nanotechnology: historical uses of clay organic interactions, and future possible perspectives. *Macra* 2008; 9, 15–17.
37. ~~Jackson~~ M, Dring K. A review of advances in processing and **metallurgy of titanium alloys**. *Mater Sci Technol* 2006; 22(8):881–887.
38. ~~Carneiro~~ JO, Teixeira V, Carvalho P, Azevedo S, Manninen N. **Nanocoatings and Ultra-Thin Films**. A volume in **Woodhead Publishing Series in Metals and Surface Engineering**; 13 – Self-cleaning smart nanocoatings 2011; p. 397–413. <https://doi.org/10.1533/9780857094902.2.397>. Copyright © 2011 Woodhead Publishing Limited.