

Minireview Article

An analysis of the deaths reported by Hurricane Maria: A Mini Review

Abstract:


The purpose of this mini review is to analyze the controversies surrounding the official death toll of Hurricane Maria, driven by the estimates of excess mortality rates by academics and investigative journalists. This review will be a critique of the aforementioned analyses and articles with the purpose of clarifying their figures, which all present different numbers of victims. In three publications (i.e., Kishore et al., 2018; Santos-Lozada et al., 2018; GWU, 2018), the Commonwealth of Puerto Rico reported different numbers of victims in the aftermath of HM on September 20, 2017. Since the occurrence of HM in PR, the reported number of victims of this disaster has varied. According to the PR government, the official number of deaths is 64 CPI (2017), while Kishore et al.'s (2018) report puts the figure at 4,645 and 2,975 deaths, as reported by George Washington University. This article analyzes why these sources disagree on the number of the dead and the possible reasons why there are discrepancies.

Key words: Hurricane Maria, Puerto Rico, deaths from Hurricane Maria, Disaster

Introduction

On September 20, 2017, Hurricane Maria (HM) struck Puerto Rico (PR) (Figure 1). HM made landfall on the southeast side of PR and was on the island for about 12 hours (Pasch et al., 2018). HM entered PR as a Category IV hurricane with winds of 250 km/h; although it weakened a little, its slow displacement over the island's geography caused the total destruction of the island's infrastructure. When the HM hits PR, its eye changes shape, which creates a double wall inside, causing it to move more slowly and doing more damage (Méndez-Tejeda, 2018).

On October 3, the U.S. president visited the island, and the PR government announced that 16 people had lost their lives and several had disappeared; this information ... indicated that the number of people who died was lower than those who had lost their lives in the aftermath of Hurricanes Katrina and Harvey (ENDI, 2017).



30
31
32
33
34
35
36
37

Figure 1. Taken on September 20, 2017, at 2:15 a.m. This image shows the well-defined eye of HM, skirting the island of St. Croix. Approximately four hours later, at 6:15 a.m., the storm made landfall in PR as a Category IV hurricane with constant winds of around 250 km/h. Source: NOAA/NASA Suomi NPP satellite.

38 On November 22, 2017, the PR government presented a preliminary report of the
39 damage caused by HM. The report indicated that the number of deaths caused by
40 HM had increased to 64 direct deaths and that the hurricane had destroyed an
41 estimated number of 472,000 homes; the report added that 11,229 people had been
42 displaced from their homes and the economic losses amounted to US\$94 billion. In
43 addition, 100% of the territory lost access to energy, 60% of the population had no
44 access to drinking water service, 92.7% of communications services were affected,
45 and only seven hospitals had been restored (FEMA, 2017). These figures (fig.1)
46 illustrate that HM has been the most expensive hurricane in the territory of the
47 United States of America (ENDI, 2017).

48 Puerto Rico is an island in the Caribbean Sea and is a commonwealth of the United
49 States. It is bordered by the Caribbean Sea to the south and the Atlantic Ocean to the
50 north, with an area of approximately 9,104 sq. km. PR are densely populated within
51 a small geographic area. PR is located at a latitude of 18–18.5 degrees north and a
52 longitude of 65–67.4 degrees west. The highest point in PR is Cerro de Punta, a
53 mountain peak in the Cordillera Central at an elevation of 1,338 meters. Sierra de
54 Luquillo is an isolated range, located on the northeast part of the island (Mendez-
55 Tejada, 2017). The political division of PR is represented by 78 municipalities,
56 including two municipal islands (i.e., Vieques and Culebra). According to the U.S.
57 census taken in July 2017, the population was 3.34 million before the Island was

58 affected by HM in September 2017—the worst hurricane in Puerto Rico’s modern
59 history (JP, 2017).

60 **2.- Method**

61 The most relevant scientific articles that reported the number of deaths caused by
62 HM were analyzed and the findings were compared as follows:

63 Harvard University reported 4,635 deaths between September 20 and December 31,
64 2017 (Kishore et al., 2018). Using a representative, stratified sampling strategy, we
65 surveyed 3,299 randomly chosen households across PR from January 17 through
66 February 24, 2018 to produce a complete and independent estimate of mortality after
67 the hurricane. Questions were asked about displacement, loss of infrastructure, and
68 causes of death, which helped establish a relationship between excess deaths by
69 comparing our estimated post-hurricane mortality rate with the official rates for the
70 same period in 2016. This analysis yielded a total of 4,645 excess deaths during this
71 period (95% CI, 793–8,498)—a 62% increase in the mortality rate compared to the
72 same period in 2016.

73
74 Santos-Lozada et al. (2018) from Pennsylvania State University used public
75 statements from the PR Department of Public Safety to estimate the number of
76 deaths for September and October 2017. The expected number of deaths for
77 September and October was 2,383 (95% CI, 2,296–2,469) and 2,428 (95% CI,
78 2,380–2,476), respectively. The estimated total deaths for September and October
79 2017 were 2,987 (95% CI, 2,900–3,074) and 3,043 (95% CI, 2,995–3,091),
80 respectively. The difference between our estimates and the abovementioned 95% CI
81 for the average deaths was 518 deaths for September and 567 deaths for October.

82
83 The School of Public Health of the Milken Institute of George Washington
84 University (Washington, DC, USA) (GWU, 2018) was contracted by the PR
85 government to carry out an independent investigation into the excess post-hurricane
86 mortality and death certification evaluations as well as the processes of
87 communicating the public risks. This research was carried out in collaboration with
88 the Graduate School of Public Health of the University of PR. Using the
89 displacement scenario, the results showed that the excess mortality due to HM was
90 estimated at 1,271 in September and October (95% CI, 1,154–1,383), 2,098 from
91 September to December (95% CI, 1,872–2,315), and 2,975 for the total study period
92 of September 2017 through February 2018 (95% CI, 2,658–3,290).


93

94

95 **3.- Results**

96 The public relations department of the PR government used the data sources of the
97 Department of Public Security (DPS) for the period from September 20 to November
98 22 and reported that the number of direct deaths was officially 64 (Zorrilla, 2017;

99 [Sosa, 2017](#)). However, different media sources estimated that the number of deaths
100 was approximately 1000 for this period. Using interviews, [IPC \(2017\)](#) reported 985
101 deaths for the same period, without clarifying whether they were direct or indirect.
102



Sources: The George Washington University Milken Institute
School of Public Health, University of Puerto Rico Graduate School Of Public Health

103
104 **Figure 2.** Estimated percentage increase in crude mortality rates by municipality in PR from
105 September 2017 to February 2018. Source: The George Washington University Milken Institute
106

107
108 In the case of HM, the highest number of deaths occurred in the metropolitan areas
109 (San Juan, Bayamón, Guyana, and Carolina); this zone corresponds to the northeast
110 quadrant of HM (Figure 2), and this is the region that experienced the most intense
111 wind and rain. According to [GWU \(2018\)](#), 77% of those who lost their lives were
112 adults over 65 years of age with low socioeconomic status; lack of energy, water, or
113 communications for several months contributed to the deaths of these people;
114 therefore, these deaths can be construed as indirect, mainly because the largest
115 nursing homes, hospitals, etc. are located in the metropolitan areas.

116 The PR government and the U.S. state and federal governments show a lack of
117 coordinated communication and training among the media of the government
118 agencies of PR and their spokespersons. This lack of communication made it
119 impossible for aid to reach the places where it was most needed ([GWU, 2108](#)). When
120 Hurricane Harvey in Texas and Hurricane Irma in Florida and the Virgin Islands
121 occurred, the most qualified personnel were called upon to attend to these
122 emergencies. However, most of the personnel who were recruited for HM in PR
123 were less competent and ill prepared to deal effectively with the magnitude of the

124 emergency. DPS must have prepared people for the worst case; however, PR was
125 only prepared for a Category I hurricane (GWU, 2018).

126

127 In their analysis of the controversies surrounding the reports of deaths, Santos-
128 Burgoa et al. (2018) concluded that “the lack of a standardized methodology for the
129 analysis of mortality related to the disaster, and provides a point estimate with a
130 relatively narrow CI for excess mortality, this greater degree of certainty helps to
131 move on to the next stage of interventions.” This analysis also found that the
132 government’s official estimate of 64 deaths from the hurricane on death certificates
133 could contain errors, mainly because many doctors were unfamiliar with the
134 certification protocol, which led to an inadequate monitoring of mortality after the
135 hurricane’s consequences.

136

137

4.- Discussion and conclusion

138 • Develop alternative means to restore hospital minimum medical operations,
139 prioritizing the data obtained from studies after HM. Plans should account for
140 damage to facilities or medical machinery and the potential failure to deliver
141 supplies or information.

142 • Review all the emergency protocols in communities and schools to ensure
143 that they include immediate and ongoing recovery plans, which agencies can
144 draw on before the onset of disasters. Schools should receive children in
145 stages as soon as possible to begin preventative post-traumatic stress disorder
146 (PTSD) assessments.

147

148 • Review and update all the emergency protocols in communities, hospitals,
149 and schools to ensure that they include immediate and continuous recovery
150 plans, which agencies can utilize before the start of each cyclonic season.

151

152 • The author is of the opinion that the direct victims of HM are those who died
153 48 to 72 hours after the impact, whether, whether due to floods,
154 thunderstorms, landslides, gusts of wind, falling trees, etc. Included in this
155 classification are also the victims of the preparation phase for the impact of a
156 tropical storm (storms, hurricanes, etc.) After a few weeks, the cause of
157 victims would be considered indirect and the reasons would have to be
158 evaluated.

159

160 • As can be seen in the analysis, the discrepancy in the number of victims is
161 mainly due to the difference in the period selected in each of the reports.
162 Moreover, various factors that have been analyzed by various researchers

163 have concentrated on PR; we will list some of the most relevant factors
164 below.

165

166 • There is a lack of protocol among national organizations and agencies (e.g.,
167 the Centers for Disease Control and Prevention (CDC), PR Department of
168 Public Safety, PR Department of Health (DoH), etc.), international
169 organizations (e.g., the World Health Organization, the World
170 Meteorological Organization, the International Red Cross, etc.), and other
171 agencies dealing with disasters on how to classify direct and indirect deaths.

172

173 • The central government was not prepared to use alternative communication
174 channels for health-related and mortality surveillance, public health
175 information dissemination, and coordination with communities, including
176 radio and interpersonal communication (GWU, 2018).

177

178 • In his essay on the problem of economic and energy crisis in PR, Onís CM
179 (2018) states that we must address the problem of energy democracy for at
180 least two reasons: (a) “make the unsustainability of our hydrocarbon frenzy
181 feel urgent, and (b) demonstrate that energy transitions must consider the role
182 of energetic colonialism in shaping contemporary realities and how to deal
183 with them, and ultimately root out relationships based on extractivism.”

184

185 • Several authors such as Rodríguez-Díaz (2018) and Lloréns (2018) have
186 focused their analysis on the devastation caused by HM due to the colonial
187 condition of PR. If something has become evident after the hurricane, in
188 addition to the sociopolitical crisis in PR, it is the ability of the people of PR
189 to overcome adversity, which has worsened since the introduction of PR
190 Oversight Management and Economic Stability Act (PROMESA).

191

192 • Finally, poverty and social inequality had existed before the impact of this
193 hurricane; HM was only the trigger for an economic and social crisis. To
194 reduce the vulnerability of PR, it is imperative to develop social capital and
195 foster unity among social classes when facing disasters. These steps will
196 create a stronger nation and help minimize the undermining of the potential
197 development of a mental health crisis (Rodríguez-Díaz, 2018).

198

199

200

201

202

203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243

References

1. CPI. (2017). Comedy of errors: Government maintains official figure of 64 deaths <http://periodismoinvestigativo.com/2018/08/comedy-of-errors-government-maintains-official-figure-of-64-deaths/>
2. de Onís, C. M. (2018). Energy colonialism powers the ongoing unnatural disaster in Puerto Rico.
3. *Front. Commun*, 3, 2. doi: 10.3389/fcomm.2018.00002
4. ENDI. (2017). Huracán María. Retrieved from <https://huracanmaria.elnuevodia.com/>
5. FEMA. (2017). Puerto Rico Hurricane Maria (DR-4339) Retrieved from <https://www.fema.gov/disaster/4339>
6. GW. (2018). Project report ascertainment of the estimated excess mortality from Hurricane Maria in Puerto Rico 2018. Retrieved from <https://publichealth.gwu.edu/sites/default/files/downloads/projects/PRstudy/Acertainment%20of%20the%20Estimated%20Excess%20Mortality%20from%20Hurricane%20Maria%20in%20Puerto%20Rico.pdf>
7. JP. (2017). Junta de Planificación Oficina del Gobernador, Gobierno de Puerto Rico. Índice de desarrollo socioeconómico municipal. [Planning Board Office of the Governor, Government of Puerto Rico. Index of municipal socioeconomic development. Retrieved from <https://estadisticas.pr/index.php/en/1-estadisticas-socialesdemograficas-y-conexas>
8. Kishore N, Marqués D, Mahmud A, Kiang MV, Rodriguez I, Fuller A, Ebner P, Sorensen C, Racy F, Lemery J, Maas L, Leaning J, Irizarry RA, Balsari S, Buckee CO. Mortality in Puerto Rico after Hurricane Maria. *N Engl J Med*. 2018 Jul 12; 379(2):162-170.
9. Llorens, H. (2018). Imaging Disaster: Puerto Rico through the Eye of Hurricane María. *Transforming Anthropology*, 26(2), 136–156.

- 244 10. Méndez-Tejeda. R. (2017). Increase in the number of hot days for decades in
245 Puerto Rico 1950–2014. *Environment and Natural Resources Research*. Vol.
246 7, No. 3; 2017
- 247 11. ISSN 1927-0488 E-ISSN 1927-0496. URL:
248 <https://doi.org/10.5539/enrr.v7n3p16>
- 249
- 250 12. Méndez-Tejeda. R. (2018). Hurricane Maria: 12 hours that changed the
251 history of a country. *Weather Journal*. 73(12). doi:10.1002/wea.3409
- 252
- 253 13. Pasch RJ, Penny AB, Berg R. 2018. National Hurricane Center.
254 <ftp://ftp.nhc.noaa.gov/atcf> or
- 255 14. https://www.nhc.noaa.gov/data/tcr/AL152017_Maria.pdf
- 256
- 257 15. Rodríguez-Díaz, C. E. (2018). Maria in Puerto Rico: Natural disaster in a
258 colonial archipelago. *American Journal of Public Health*. 108(1), 30–32.
259 doi:10.2105/AJPH.2017.304198
- 260
- 261 16. Santos-Lozada, A. R. & Howard, J. T. (2018). Use of death counts from vital
262 statistics to calculate excess deaths in Puerto Rico following Hurricane
263 Maria. *Journal of the American Medical Association (JAMA)*.
264 doi:10.1001/jama.2018.10929
- 265
- 266 17. Santos-Burgoa, C., Sandberg, J., Suárez, E., Goldman-Hawes, A., Zeger, S.,
267 Garcia-Meza, A., Pérez, C. M., Estrada-Merly, N., Colón-Ramos, U., Nazario
268 Cruz, M., Andrade, E., Roess, A., Golman, L. (2018) Differential and
269 persistent risk of excess mortality from Hurricane Maria in Puerto Rico: A
270 time-series analysis. *Lancet Planetary Health*. 2, e478–88.
271 [http://dx.doi.org/10.1016/S2542-5196\(18\)30209-2](http://dx.doi.org/10.1016/S2542-5196(18)30209-2)
- 272
- 273 18. Sosa Pascual, O. (2017, November 8). María diaspara las muertes en Puerto
274 Rico en un 43%. Centro de Periodismo Investigativo [María increases deaths
275 in Puerto Rico by 43%. Retrieved from
276 [http://periodismoinvestigativo.com/2017/11/maria-dispara-las-muertes-en-](http://periodismoinvestigativo.com/2017/11/maria-dispara-las-muertes-en-puerto-rico-enun-43/)
277 [puerto-rico-enun-43/](http://periodismoinvestigativo.com/2017/11/maria-dispara-las-muertes-en-puerto-rico-enun-43/)
- 278
- 279 19. Zorrilla, C. D. (2017). The view from Puerto Rico: Hurricane Maria and its
280 aftermath. *The New England Journal of Medicine*, 363(1), 1–3.
281 <https://doi.org/10.1056/NEJMp1002530>
- 282
- 283