# SCIENCEDOMAIN international

www.sciencedomain.org



# **SDI Review Form 1.6**

Journal Name:	Journal of Advances in Medicine and Medical Research
Manuscript Number:	Ms_JAMMR_49996
Title of the Manuscript:	Laparoscopic fundoplication for gastro-esophageal reflux disease and hiatus hernia: A short term outcome of first 8 cases
Type of the Article	Original Research Article

# **General guideline for Peer Review process:**

This journal's peer review policy states that <u>NO</u> manuscript should be rejected only on the basis of '<u>lack of Novelty'</u>, provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline)

# **PART 1:** Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<u>Compulsory</u> REVISION comments	Thanks to the authors for sharing experiences. Please use the elaboration at the first citing of any abbreviation used in the text. It is necessary to have evidence in introduction that hiatus hernia is a common cause GERD in adults, please cite a couple of references. Please remove parts of results from the methods part. Please write the references in correct format directed by the journal.	
Minor REVISION comments		
Optional/General comments		

# PART 2:

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	(If yes, Kindly please write down the ethical issues here in details)	

# **Reviewer Details:**

Name:	Ashrarur Rahman Mitul
Department, University & Country	Dhaka Shishu ( Children) Hospital, Bangladesh Institute of Child Health, Bangladesh

Created by: EA Checked by: ME Approved by: CEO Version: 1.6 (10-04-2018)