# Modeling Nonlinear Partial Differential Equations and Construction of Solitary Wave Solutions in an Inductive Electrical Line

TIAGUE TAKONGMO Guy<sup>1,\*</sup>, Jean Roger BOGNING<sup>2</sup>

<sup>1</sup>Departement of physics, Faculty of science, University of Yaoundé 1, P.O Box 812, Yaoundé Cameroon.

<sup>2</sup>Departement of physics, Higher Teacher Training College, University of Bamenda, P.O Box 39, Bamenda Cameroon.

Email: 1,\*ttg19856@yahoo.com

Abstract: A soliton is considered nowadays as a future wave reason being the fact that it is a stable, robust and non-dissipative solitary wave. If one uses a soliton as a transmission signal in electrical lines, this will have a great impacts in the domain of economic, technology and education. Given the fact that the propagation of the soliton is due to the interaction between dispersion and nonlinearity, it necessitates that the transmission medium should be dispersive and nonlinear. The physical system we have chosen for our survey is an inductive electrical line reason being the fact that it is the cheapest and very easy to manufacture than any other transmission lines; furthermore we find out the analytical variation that the magnetic flux linkage of inductors in the electrical line must undergo so that its transmission medium admits the propagation of solitary waves of required type. The aim of this work is to model nonlinear partial differential equations which govern the dynamics of those solitary waves in the line, to define the analytical expression of the magnetic flux linkage of inductors in the line and to find out some exact solutions of solitary waves types of those equations. To meet our objectives, we apply Kirchhoff laws to the circuit of a nonlinear inductive electrical line to model the nonlinear partial differential equation which describe the dynamics of those solitons. Further we apply the effective and direct Bogning-Djeumen Tchaho-Kofane method based on the identification of basic hyperbolic function coefficients to construct some exact soliton solutions of modeled equations. Numerical simulations have enabled to draw and observe the real profile of those solitary waves which are Kink soliton and Pulse soliton. The obtained results are supposed to permits: The facilitation of the choice of the type of line relative to the type of signal one wishes to send across, to increase the mathematical field knowledge, the reduction of amplification stations of those lines, The manufacturing of new inductors and new electrical lines susceptible of propagating those solitary waves.

**Keywords:** Inductive electrical line, Modeling, Construction, Soliton solution, Solitary wave, Nonlinear Partial Differential Equation, Kink, Pulse.

# 1. Introduction

Solitary waves, have evolved from the level of a simple water wave to the displacement of solitons in optical fibers [1]. From a solitary wave which is defined as a wave capable of displacing on longer distances without changing its shape and its velocity, we have borne in mind the fact that if one of such signals is used in engineering of information through an inductive electrical line, it will resist best on different dissipation factors. In this effect, we have decided to render two definitions of nonlinear magnetic flux linkage of inductors constituting networks of an inductive electrical transmission line. Then, we have applied them to model new nonlinear partial differential equations, which govern the dynamics of solitary waves in the said line. In order to construct exact solitary wave solutions of every nonlinear partial

differential equation obtained, we rely first on methods presented in [2-15]. Furthermore, we have decided to adopt the new Bogning-Djeumem Tchaho-Kofane method [16-21] reason being that it facilitates the construction of a solitary wave solution by identification of the basic hyperbolic function coefficients of nonlinear partial differential equations in a direct and effective manner. Having solved the equations, we have come up with solitary wave solutions of type Kink and type Pulse. The work presented in this paper is partitioned as follows: In the part 2, we present a general modeling of a nonlinear inductive electrical line; In part 3, we construct solitary wave solutions of type Kink; In part 4, we construct solitary wave solutions of type Pulse and we present at the end the conclusion in part 5.

# 2. General modeling of a nonlinear inductive electrical line

Let us consider an electrical line constituting a good number of identical networks shown in figure 1 where G is the conductance of the resistor and R the resistance of another resistor, connected in a series branch with an inductor whose the magnetic flux linkage  $\phi(i_n)$  changes in nonlinear manner in terms of the current  $i_n$  flowing through that inductor.




Figure 1: presentation of a nonlinear inductive electrical line.

By applying Kirchhoff's laws to the circuit shown in figure 1, we obtain the following equations

$$u_n - u_{n+1} = Ri_n + \frac{\partial \phi_n}{\partial t} , \qquad (1)$$

$$i_n = i_{n+1} + Gu_{n+1} \quad .$$

Where n is a positive integer that numbers each network of the line,  $i_n$  and  $i_{n+1}$  indicate respectively the current that flows through the inductor network order n and the inductor network order n+1,  $u_n$  and  $u_{n+1}$  indicate respectively the voltage across resistors with conductance G of the network order n and the network order n+1.  $\phi_n$  Indicates the nonlinear magnetic flux linkage of the inductor network order n. Considering equation (1), equation (2) become

$$i_n = i_{n+1} + Gu_n - G\frac{\partial \phi_n}{\partial t} - RGi_n . \tag{3}$$

The substitution of  $Gu_n = i_{n-1} - i_n$  of equation (2) obtained during the previous order in equation (3), one obtains the differential equation below

$$i_{n+1} - 2i_n + i_{n-1} = G \frac{\partial \phi_n}{\partial t} + RGi_n . \tag{4}$$

To obtain the continuum model, the left hand side of equation (4) has to be approximated to a spatial partial derivative with respect to x=nh which represents the distance measured from the beginning of the line. h represents the distance that separates two consecutive nodes and which is equivalent to the spatial sampling derivatives period. We obtain as such spatial partial derivatives using Taylor expansion of  $i_{n+1}$  and  $i_{n-1}$  closely to  $i_n$  by considering the terms till fourth order in the following manner

$$i_{n+1} = i_n + \frac{h}{1!} \frac{\partial i_n}{\partial x} + \frac{h^2}{2!} \frac{\partial^2 i_n}{\partial x^2} + \frac{h^3}{3!} \frac{\partial^3 i_n}{\partial x^3} + \frac{h^4}{4!} \frac{\partial^4 i_n}{\partial x^4} \quad , \tag{5}$$

$$i_{n-1} = i_n - \frac{h}{1!} \frac{\partial i_n}{\partial x} + \frac{h^2}{2!} \frac{\partial^2 i_n}{\partial x^2} - \frac{h^3}{3!} \frac{\partial^3 i_n}{\partial x^3} + \frac{h^4}{4!} \frac{\partial^4 i_n}{\partial x^4} , \tag{6}$$

and

$$i_{n+1} - 2i_n + i_{n-1} = h^2 \frac{\partial^2 i_n}{\partial x^2} + \frac{h^4}{12} \frac{\partial^4 i_n}{\partial x^4} . \tag{7}$$

Equation (7) and (4) permits us to derive the result as follows

$$-h^2 \frac{\partial^2 i_n}{\partial x^2} - \frac{h^4}{12} \frac{\partial^4 i_n}{\partial x^4} + G \frac{\partial \phi_n}{\partial t} + RGi_n = 0 \quad . \tag{8}$$

Finally, we obtain the continuum model of the nonlinear inductive electrical line presented in figure 1 by the nonlinear partial differential equation below

$$-h^2 \frac{\partial^2 i(x,t)}{\partial x^2} - \frac{h^4}{12} \frac{\partial^4 i(x,t)}{\partial x^4} + G \frac{\partial \phi(i(x,t))}{\partial t} + RGi(x,t) = 0 .$$
 (9)

Let's find out the solitary wave solutions of equation (9).

## 3. Construction of solitary wave solution of type Kink of partial differential equation (9).

We define the nonlinear magnetic flux linkage of inductors on the analytical shape as follows:

$$\phi(i(x,t)) = B_i i^4(x,t) + B_2 i^2(x,t) + B_3 \ln(i^2(x,t) - B_0^2). \tag{10}$$

With  $|i(x,t)| > |B_0|$ .  $B_1$ ;  $B_2$  and  $B_3$  are non-nil real numbers which will be chosen conveniently. By substituting the flux  $\phi(i(x,t))$  of (10) in equation (9) we obtain the nonlinear partial differential equation written as

$$\frac{B_{0}^{2}h^{4}}{12} \frac{\partial^{4}i(x,t)}{\partial x^{4}} - \frac{h^{4}}{12}i^{2}(x,t) \frac{\partial^{4}i(x,t)}{\partial x^{4}} + B_{0}^{2}h^{2} \frac{\partial^{2}i(x,t)}{\partial x^{2}} - h^{2}i^{2}(x,t) \frac{\partial^{2}i(x,t)}{\partial x^{2}} + (2GB_{3} - 2B_{0}^{2}GB_{2})i(x,t) \frac{\partial i(x,t)}{\partial t} + (2GB_{2} - 4B_{0}^{2}GB_{1})i^{3}(x,t) \frac{\partial i(x,t)}{\partial t} + 4GB_{1}i^{5}(x,t) \frac{\partial i(x,t)}{\partial t} - B_{0}^{2}RGi(x,t) + RGi^{3}(x,t) = 0.$$
(11)

Considering :  $m_1=\frac{B_0^2h^4}{12}$  ,  $m_2=-\frac{h^4}{12}$  ,  $m_3=B_0^2h^2$  ,  $m_4=-h^2$  ,  $m_5=2GB_3-2B_0^2GB_2$  ,  $m_6=2GB_2-4B_0^2GB_1$  ,  $m_7=4GB_1$  ,  $m_8=-B_0^2RG$  ,  $m_9=RG$  , equation (11) takes the following shape

$$m_{1} \frac{\partial^{4} i(x,t)}{\partial x^{4}} + m_{2} i^{2}(x,t) \frac{\partial^{4} i(x,t)}{\partial x^{4}} + m_{3} \frac{\partial^{2} i(x,t)}{\partial x^{2}} + m_{4} i^{2}(x,t) \frac{\partial^{2} i(x,t)}{\partial x^{2}} + m_{5} i(x,t) \frac{\partial i(x,t)}{\partial t} + m_{6} i^{3}(x,t) \frac{\partial i(x,t)}{\partial t} + m_{7} i^{5}(x,t) \frac{\partial i(x,t)}{\partial t} + m_{8} i(x,t) + m_{9} i^{3}(x,t) = 0.$$

$$(12)$$

Let us use Bogning-Djeumen Tchaho-Kofane method [16-21] to come out with the solution of equation (12) under the analytical shape below

$$i(x,t) = a \tanh(kx - vt) \tag{13}$$

Where a, k and v are non-nil real numbers to be determined. Replacing i(x,t) given by (13) in equation (12) we yield the following equation

$$(-24m_{2}a^{3}k^{4} - m_{7}a^{6}v)\frac{\sinh(kx - vt)}{\cosh^{7}(kx - vt)} + (2m_{7}a^{6}v + 24m_{1}ak^{4} + m_{6}a^{4}v + 32m_{2}a^{3}k^{4} + 2m_{4}a^{3}k^{2})\frac{\sinh(kx - vt)}{\cosh^{5}(kx - vt)} + (-m_{7}a^{6}v - 8m_{1}ak^{4} - 2m_{3}ak^{2} - 8m_{2}a^{3}k^{4} - m_{9}a^{3} - m_{5}a^{2}v - m_{6}a^{4}v - 2m_{4}a^{3}k^{2})\frac{\sinh(kx - vt)}{\cosh^{3}(kx - vt)} + (m_{8}a + m_{9}a^{3})\frac{\sinh(kx - vt)}{\cosh(kx - vt)} = 0.$$

$$(14)$$

Equation (14) is valid if and only if each of its basic hyperbolic function coefficients is nil. This permits us to obtain the following set of fours equations

$$\begin{cases}
-24m_{2}a^{3}k^{4} - m_{7}a^{6}v = 0, \\
2m_{7}a^{6}v + 24m_{1}ak^{4} + m_{6}a^{4}v + 32m_{2}a^{3}k^{4} + 2m_{4}a^{3}k^{2} = 0, \\
-m_{7}a^{6}v - 8m_{1}ak^{4} - 2m_{3}ak^{2} - 8m_{2}a^{3}k^{4} - m_{9}a^{3} - m_{5}a^{2}v - m_{6}a^{4}v - 2m_{4}a^{3}k^{2} = 0, \\
m_{8}a + m_{9}a^{3} = 0.
\end{cases} (15)$$

Solving the set of equation (15) has permitted us to obtain the following results:

 $+\frac{4}{9}m_2^2m_8^3m_7^2+\frac{1}{9}m_4^2m_8^2m_7^2m_1-\frac{1}{9}m_8^2m_7^2m_3m_4m_2=0$ 

$$a = \pm \sqrt{\frac{-m_8}{m_9}}, \qquad k = \pm \frac{1}{2} \sqrt{\frac{m_4 m_8 m_7}{2m_2 m_8 m_7 + 3m_1 m_9 m_7 - 3m_6 m_2 m_9}}, \qquad m_8 m_9 < 0,$$

$$v = \frac{3m_2 m_4^2 n_7 \left(-m_8 m_9\right)^{\frac{3}{2}}}{2m_8 \left(2m_2 m_8 m_7 + 3m_1 m_9 m_7 - 3m_6 m_2 m_9\right)^2},$$

$$\left(m_8 m_1^2 m_9^2 m_7^2 - 2m_8 m_1 m_9^2 - m_7 m_6 m_2 + m_8 m_6^2 m_2^2 m_9^2 + \frac{4}{3} m_2 m_8^2 m_7^2 m_1 m_9\right) - \frac{1}{6} m_8 m_9 m_7^2 m_1 m_3 m_4 - \frac{4}{3} m_2^2 m_8^2 m_7 m_6 m_9 - \frac{1}{6} m_8 m_5 m_2 m_4^2 m_7 m_9 + \frac{1}{6} m_8 m_9 m_7 m_2 m_4 m_3 m_6}$$

$$\frac{1}{4} \frac{1}{4} \frac{1}{4}$$

Replacing  $m_1$ ,  $m_2$ ,  $m_3$ ,  $m_4$ ,  $m_5$ ,  $m_6$ ,  $m_7$ ,  $m_8$  and  $m_9$  by their different expressions in (16), we obtain the solution of the nonlinear partial differential equation (11) which models the dynamic of solitary waves of type Kink in the inductive line as follow

$$a = B_0 , k = \pm B_0 \left( \frac{-RGB_1}{h^4 B_3} \right)^{\frac{1}{4}} , v = \frac{-RB_0}{2B_3} , B_2 = -\frac{4}{3} B_1 B_0^2 - 2 \sqrt{\frac{-B_1 B_3}{RG}} ; B_1 B_3 < 0$$

$$i(x,t) = B_0 \tanh \left( \pm B_0 \left( \frac{-RGB_1}{h^4 B_3} \right)^{\frac{1}{4}} x + \frac{RB_0}{2B_3} t \right) . \tag{17}$$

Considering the values of the following parameters  $R=1k\Omega$ ,  $G=10^{-3}\Omega^{-1}$ ,  $B_0=20A$ ,  $B_1=7Web.A^{-1}$ ,  $B_3=-10Web.A^{-3}$ ,  $h=10^{-1}m$ , the expression of Kink soliton (17) takes the shape  $i\left(x,t\right)=-20\tanh\left(182,9x-1000t\right)$ . This permits to obtain in figure 2 the representation of real profile of that Kink soliton.




Figure 2: presentation of real Kink soliton profile

# 4. Construction of solitary wave solution of type Pulse relative to nonlinear partial differential equation (9)

We define the nonlinear magnetic flux linkage of inductors with analytical shape as given:

$$\phi(i(x,t)) = B_1 i(x,t) \sqrt{1 - \left(\frac{i(x,t)}{B_0}\right)^2} + B_2 i^3(x,t) \sqrt{1 - \left(\frac{i(x,t)}{B_0}\right)^2} + B_3 \arctan\left(\sqrt{\frac{i^2(x,t)}{B_0^2 - i^2(x,t)}}\right) . \quad (18)$$

With  $|B_0| > |i(x,t)|$ .  $B_1$ ;  $B_2$  and  $B_3$  are non-nil real numbers whose conditions of choice will be established. A substituting of  $\phi(i(x,t))$  of (18) in differential equation (9) permits us to obtain the nonlinear partial differential equation bellow

$$B_{0}\sqrt{B_{0}^{2}-i^{2}(x,t)}\left(-h^{2}\frac{\partial^{2}i(x,t)}{\partial x^{2}}-\frac{h^{4}}{12}\frac{\partial^{4}i(x,t)}{\partial x^{4}}+RGi(x,t)\right) +G\left(-4B_{2}i^{4}(x,t)+\left(3B_{0}^{2}B_{2}-2B_{1}\right)i^{2}(x,t)+B_{0}^{2}B_{1}+B_{0}B_{3}\right)\frac{\partial i(x,t)}{\partial t}=0.$$

$$(19)$$

Finding out the result of equation (19) on the analytical shape:

$$i(x,t) = a \operatorname{sech}(kx - vt)$$
(20)

Where a, k and v are non-nil real numbers to be determined. Substituting i(x,t) of (20) in differential equation (19), we obtain the equation as follows

$$\left(3a^{3}vGB_{0}^{2}B_{2}-2a^{3}vGB_{1}\right)\frac{\sinh\left(kx-vt\right)}{\cosh^{4}\left(kx-vt\right)}+\left(avGB_{0}B_{3}+avGB_{0}^{2}B_{1}\right)\frac{\sinh\left(kx-vt\right)}{\cosh^{2}\left(kx-vt\right)} \\
-4a^{5}vGB_{2}\frac{\sinh\left(kx-vt\right)}{\cosh^{6}\left(kx-vt\right)}+\left(B_{0}RGa-\frac{1}{12}B_{0}h^{4}ak^{4}-B_{0}h^{2}ak^{2}\right)\frac{\sqrt{B_{0}^{2}-\frac{a^{2}}{\cosh^{2}\left(kx-vt\right)}}}{\cosh\left(kx-vt\right)} \\
+\left(2B_{0}h^{2}ak^{2}+\frac{5}{3}B_{0}h^{4}ak^{4}\right)\frac{\sqrt{B_{0}^{2}-\frac{a^{2}}{\cosh^{2}\left(kx-vt\right)}}}{\cosh^{3}\left(kx-vt\right)}-2B_{0}h^{4}ak^{4}\frac{\sqrt{B_{0}^{2}-\frac{a^{2}}{\cosh^{2}\left(kx-vt\right)}}}{\cosh^{5}\left(kx-vt\right)}=0.$$

We realize that to be able to transform the hyperbolic functions of (21) to the basic hyperbolic functions as recommended by the new Bogning-Djeumen Tchaho-Kofane [16-21] we must consider  $B_0=a$  such that

$$\sqrt{B_0^2 - \frac{a^2}{\cosh^2(kx - vt)}} = a \tanh(kx - vt)$$
 (22)

The right-hand side of (22) has enables us to rearrange (21) as

$$\left(3a^{3}vGB_{0}^{2}B_{2} + 2B_{0}a^{2}h^{2}k^{2} + \frac{5}{3}B_{0}a^{2}h^{4}k^{4} - 2a^{3}vGB_{1}\right) \frac{\sinh(kx - vt)}{\cosh^{4}(kx - vt)} 
+ \left(B_{0}a^{2}RG + avGB_{0}B_{3} - B_{0}a^{2}h^{2}k^{2} - \frac{1}{12}B_{0}a^{2}h^{4}k^{4} + avGB_{0}^{2}B_{1}\right) \frac{\sinh(kx - vt)}{\cosh^{2}(kx - vt)} 
+ \left(-2B_{0}a^{2}h^{4}k^{4} - 4a^{5}vGB_{2}\right) \frac{\sinh(kx - vt)}{\cosh^{6}(kx - vt)} = 0.$$
(23)

Equation (23) is valid if each coefficient of its basic hyperbolic function is equal to zero. This enables us to obtain the set of three equations as follows

$$\begin{cases} 3a^{3}vGB_{0}^{2}B_{2} + 2B_{0}a^{2}h^{2}k^{2} + \frac{5}{3}B_{0}a^{2}h^{4}k^{4} - 2a^{3}vGB_{1} = 0, \\ B_{0}a^{2}RG + avGB_{0}B_{3} - B_{0}a^{2}h^{2}k^{2} - \frac{1}{12}B_{0}a^{2}h^{4}k^{4} + avGB_{0}^{2}B_{1} = 0, \\ -2B_{0}a^{2}h^{4}k^{4} - 4a^{5}vGB_{2} = 0. \end{cases}$$

$$(24)$$

The result of the set of nonlinear equation (24) enables us to realize that solitary waves of type Pulse are easily displaced in the nonlinear inductive line with analytical shape given below:

$$a = B_0, \quad v = \frac{-RB_0}{B_3}, \quad k = \pm \left(\frac{2B_0^3 B_2 RG}{h^4 B_3}\right)^{\frac{1}{4}}, \quad B_3 = \frac{RG\left(B_2^2 B_0^4 + 12B_2 B_0^2 B_1 + 36B_1^2\right)}{72B_0 B_2},$$

$$i(x,t) = B_0 \operatorname{sech}\left(\pm \left(\frac{2B_0^3 B_2 RG}{h^4 B_3}\right)^{\frac{1}{4}} x + \frac{RB_0}{B_3} t\right). \tag{25}$$

Considering the values of the following parameters  $R=1k\Omega$ ,  $G=10^{-3}\Omega^{-1}$ ,  $B_0=20A$ ,  $B_1=7Web.A^{-1}$ ,  $B_2=-10Web.A^{-3}$ ,  $h=10^{-1}m$ , the expression of pulse soliton (17) takes the shape  $i(x,t)=20\operatorname{sech}\left(34,8x-18,3t\right)$ . This permits to obtain in figure 3 the representation of real profile of that Pulse soliton.




Figure 3: Representation of real pulse soliton profile

#### 5. Conclusion

At the end of this work, where we have modeled and constructed solitary wave solutions by two different nonlinear partial derivative equations of an inductive electrical line; it is therefore important to point out that the results obtained will first of all enable us in the domain of physics and telecommunication of engineering, the manufacturing of new transmission lines like inductive electrical lines whose magnetic flux linkage of inductors varies one in a nonlinear shape defined in (10) and varies for the other in a nonlinear shape defined in (18). In addition, these results will permit us to ameliorate the quality of signals that will be propagated in those new lines. In fact, those signals are solitary waves of type Pulse obtained in (25) and type Kink obtained in (17) which by their definitions, propagate on a long distance maintaining their shape; their speed and resist best on different dissipative factors. Finally, in a typical mathematics domain, the results obtained has permitted us to define in (11) and (19) two new nonlinear partial derivative equations which have respectively for exact solutions solitary wave (17) and (25). This augments the field of mathematical knowledge. In order to inquire ideas concerning the stability of obtained solitary waves, it seems for us to study later their modulational instability before carrying out the practical survey where we will experiment the applicability and the perfection of these new inductive electrical lines.

### **Acknowledgements:**

We are grateful to all those who have been a source of inspiration in our studies; to the University of Yaoundé 1 and the ministry of higher education of Cameroon whom through their support has enabled us to achieve this work.

## **References:**

- [1] J.R. Bogning, A.S. Tchakoutio Nguetcho, T.C. Kofané, Gap solitons coexisting with bright soliton in nonlinear fiber arrays. International Journal of nonlinear science and numerical simulation, Vol. 6(4), (2005) 371-385
- [2] Solitary Waves for the Modi\_ed Korteweg-De Vries Equation in Deterministic Case and Random Case. J Phys Math. 8(1) (2017), [DOI: 10.4172/2090-0902.1000214].
- [3] Solitary waves for the nonlinear Schrodinger problem with the probability distribution function in stochastic input case. Eur. Phys. J. Plus (2017).
- [4] A note on Riccati-Bernoulli Sub-ODE method combined with complex transform method applied to fractional differential equations, Nonlinear Engineering Modeling and Application (2018), [DOI: https://doi.org/10.1515/nleng-2017-0145].
- [5] An efficient numerical algorithm for the fractional Drinfeld-Sokolov-Wilson equation, Applied Mathematics and Computation 335 (2018) 12-24.
- [6] A. M. Wazwaz, The tanh-coth method for new compactons and solitons solutions for the K(n,n) and K(n+1, n+1) equations, persive K(m,n) equations, Appl. Math. Comput, 188, (2007) 1930-1940
- [7] M. L. Wang, Exact solutions for a compound Käv- Burgers equation, Phys. Lett. A.213, (1996) 279-287
- [8] E. Fan, Extended tanh-function method and its applications to nonlinear equations, Phys. Lett. A, 277, (2000) 212-218

- [9] E. Fan, J. Zhang, A note on the homogeneous balance method, Phys. Lett.A, 305, (2002) 383-392
- [10]Y. B. Zhou, M. L. Wang, Y. M. Wang, Periodic wave solutions to a coupled KdV equations with variable coefficients, Phys. Lett.A, 308, (2003) 31-37
- [11] A. M. Wazwaz, Solutions of compact and non compact structures for nonlinear Klein-Gordon type equation, Appl. Math. Comput, 134, (2003) 487-500
- [12] A. M. Wazwaz, Traveling wave solutions of generalized forms of Burgers KdV and Burgers Huxly equations, Appl. Math. Comput, 169, (2005) 639-656
- [13] Z. Feng, The first integral method to study the Burgers Korteweg-de-Vries equation, J. Phys. Lett. A. 35, (2002), 343-349
- [14] Z. Feng, On explicit exat solutions for the Lienard equation and its applications, J. Phys. Lett. A. 293, (2002), 57-66
- [15] Z. Feng, On explicit exact solutions to compound Burgers- KdV equation, J. Math. Anal. Appl. 328, (2007), 1435-1450
- [16] J. R. Bogning, C. T. Djeumen Tchaho and T. C. Kofané, "Construction of the soliton solutions of the Ginzburg-Landau equations by the new Bogning-Djeumen Tchaho-Kofané method", Phys. Scr, Vol. 85, (2012), 025013-025017
- [17] J. R. Bogning, C. T. Djeumen Tchaho and T. C. Kofané, "Generalization of the Bogning-Djeumen Tchaho-Kofane Method for the construction of the solitary waves and the survey of the instabilities", Far East J. Dyn. Sys, Vol.20, No. 2, (2012), 101-119
- [18] C. T. Djeumen Tchaho , J. R. Bogning, and T. C. Kofané, "Modulated Soliton Solution of the Modified Kuramoto-Sivashinsky's Equation", American Journal of Computational and Applied Mathematics", Vol. 2, No. 5, (2012), 218-224
- [19] C. T. Djeumen Tchaho, J. R. Bogning and T. C. Kofane, "Multi-Soliton solutions of the modified Kuramoto-Sivashinsky's equation by the BDK method", Far East J. Dyn. Sys. Vol. 15, No. 2, (2011), 83-98
- [20] C. T. Djeumen Tchaho, J. R. Bogning and T. C. Kofane, "Construction of the analytical solitary wave solutions of modified Kuramoto-Sivashinsky equation by the method of identification of coefficients of the hyperbolic functions", Far East J. Dyn. Sys. Vol. 14, No. 1, (2010), 14-17
- [21] J. R. Bogning, "Pulse Soliton Solutions of the Modified KdV and Born-Infeld Equations" International Journal of Modern Nonlinear Theory and Application, 2, (2013), 135-140.