

1  
2  
3  
4  
5  
6  
7

**Original Research Article**  
**Assessment of Production and Utilization of Black Cumin**  
**(*Nigella sativa*) at the Oromia Regional State, Ethiopia**

---

**ABSTRACT**

**Background and Objective:** Black cumin seed for local consumption and other importance, such as oil and oil rosin for medicinal purposes, export market, crop diversification, income generation, reducing the risk of crop failure and others made Black cumin as a best alternative crop under Ethiopian smaller land holdings. The objectives of this study were to examine factors affecting farmer perception of the Black cumin production importance, and assess the crop utilization purpose by smallholder farmers and its income potential for the farmers in two districts of Bale zone of Oromia regional state in Ethiopia.

**Materials and methods:** The survey was conducted from January to May 2018 in two districts of Oromia region. Questionnaires, focus group discussion and field observation were used to collect data. A total of 180 Black cumin producers were selected randomly from 8 districts and their responses were analyzed by using descriptive statistics and Probit model in Stata version 13.

**Results:** The survey result indicated that the majority (95.56%) of the households perceived that production of Black cumin crop is important. The crop used as source of better income, medicinal crop and spice in the study area. From the total mean of agriculture income, Black cumin production contributes about 39.88% to the income the respondents. The Probit model shows that producers perception of the importance of Black cumin production was found to be statistically and significant affected by age of households, education level, availability of labor for farm activities, access to credit facilities, average income from Black cumin, and its productivity level through time. **Conclusion:** The agricultural policy should give emphases at all operational level to exploit more benefit from this crop and on the production enhancement strategies, so as to bring foreseen change in the lives of the producers.

*Keywords: [Black cumin, perception, production, use, Tobit model, Ethiopia]*

**1. INTRODUCTION**

Black cumin (*Nigella sativa* L.) belongs to the family Ranunculaceae. The crop is native to the Mediterranean region and it has been used for thousands of years by various cultures and civilizations. It grows to 20–30 cm (7.9–12 in) height, with finely divided, linear (but not

8  
9  
10  
11  
12  
13  
14

15 thread-like) leaves. The flowers are delicate, and usually coloured pale blue and white, with  
16 5–10 petals. The fruit is a large and inflated capsule composed of 3–7 united follicles; each  
17 containing numerous seeds and the seed is used as a spice [1, 2, 3].

18

19 Black cumin is one the most revered medicinal seeds in history. Though Black cumin seeds  
20 are mentioned in the Bible as well as in the words of the Prophet Mohammed, they were not  
21 carefully researched until about 1550 many years ago. Since 1959, over 200 studies at  
22 international universities and articles published in various journals have shown remarkable  
23 results supporting its traditional uses recorded almost 1400 years ago [1,2,4]. Dioscoredes,  
24 a Greek physician of the century recorded that Black seeds were taken to treat headaches,  
25 nasal congestion, toothache, and intestinal worms. They were also used, he reported, as a  
26 diuretic to promote menstruation and increase milk production [1, 5]. Besides, Black Cumin  
27 has a long history of uses for food flavors, perfumes and medicinal values. Oil has been  
28 used for bringing smell to some medicines, sterilizing of surgical operation fiber, production  
29 of some veterinary and agricultural medicines and plastic components. Black Cumin seeds  
30 have an aromatic odor and bitter taste. They are used as an essential ingredient in soup  
31 component, sausages, cheese, cakes and candies [6].

32

33 The Ethiopian variety of cumin seed accumulate up to 50% thymol, a monocyclic phenolic  
34 compound. The presence of this compound makes cumin valuable source for health care  
35 Industry [7] and medicinal purposes [8]. Moreover, study on phytochemical analysis of  
36 Indian and Ethiopian Black cumin seeds, it was investigated that antioxidant capability and  
37 phenolic content are higher in Ethiopian Black cumin than the Indian origin; whereas  
38 phytochemical content varies in each part of the seed. Seed coats of the *Nigella sativa* are  
39 rich in phytochemicals rather than cotyledon as many chemical compounds are  
40 concentrated into seed coat. Hence, Black cumin confirms to be a medicinal plant rich in  
41 phytochemicals [9]. In Ethiopia, it is commonly used in Amharic "*Berbera*" in which it tends

42 to reduce its hotness [10], for preparation of curries, bread, katicala [1], "Shamita" [12],  
43 traditional Ethiopian stews, "Wot" and preservation of butter.

44

45 In Ethiopia, the weather makes a suitable environment for the growth of Black cumin seed.  
46 In the country, lot areas in Amara, Oromia, SNNP, and Gambiella regions are found in  
47 producing the Black cumin seed. Most Ethiopian people use as house holdings spice  
48 preparation. Studies, also confirms that the application of Black cumin seed for medicinal  
49 purpose for internal as well as external treatment problems. Besides its medicinal  
50 importance, Black cumin (*Nigella Sativa*) seed is also used for production of soap, perfumes  
51 and lotions, food flavorings, food preservation, nutraceuticals and cosmoceuticals from the  
52 Black cumin oil [1,4].

53

54 More recently a great deal of attention has given to the seed and oils yields of Black cumin.  
55 Due to this, their consumption has thus increased and Black cumin is the second cash crop  
56 exported next to ginger in Ethiopia. Ethiopian annual production of Black cumin seed is  
57 18000 metric tons 2014/15 [13] and the national average of Black cumin productivity is 0.79  
58 tons per hectare [14]. However, the crop is produced on fragmented land and soils having  
59 long cereal cropping history where crop residues are removed for various purposes without  
60 any chemical fertilizer application. Additionally, information regarding its response to fertilizer  
61 is insufficient in the country. Black cumin seed shows significant variations in days to  
62 flowering in the tested varieties at various locations [15]. The vast majority of Ethiopia's  
63 Black cumin exports go to Arabic countries, which together with other predominantly Muslim  
64 countries, accounted in 2008 for some 98% of national exports. It is uncertain how reliable  
65 this market is and whether exports can be maintained at current levels. Value-adding to  
66 cumin in Ethiopia is low, with all exports being made in the form of whole grain [16].

67

Moreover, the production and land coverage of Black cumin have been increasing; the productivity is still less than 300 kg per hectare. Several problems including lack of improved seed, recommended fertilizer rate, lack of knowhow on postharvest handling; improved agriculture practices and extension system, marketing system, etc. are accountable for the continued low productivity and production of Black cumin [17]. Due to the increased demand of Black cumin seed for local consumption and other importance, such as oil and oil rosin for medicinal purposes, its export market, its potentiality in crop diversification, income generation and its importance to reduce the risk of crop failure and others made Black cumin as a best alternative crop under Ethiopian smaller land holdings [18].

Despite the country's favorable environmental condition for its production and importance in the economy, the Black cumin cropping system has been given a little attention to improve its production and productivity, and hence, it remained as an underutilized crop. The objectives of this study were to examine factors affecting farmers' perception of the Black cumin production importance, and assess the current status of the crop on smallholder farming sector focusing on its general utilization purpose, and income potential for the farmers in two districts of Bale zone of Oromia region in Ethiopia.


## **2. MATERIAL AND METHODS**

### **2.1 Description of the Study Area**

Bale zone is one of the 18 administrative zones in Oromia national regional state which is located in South-Eastern Ethiopia. It has borderlines with Arsi, Guji, West and East Hararge zones as well as Somali and Southern Nations and Nationalities and Peoples' Regional States. It has 18 districts out of which 9 are located in highland agro-ecology, whereas the remaining 9 are located in mid and lowland, respectively. The area receives an average annual rainfall of 400-2500mm; and minimum and maximum temperature of 3.5<sup>o</sup>c and 35<sup>o</sup>c and altitude range from 300 to 4377masl. Based on the figure from BZADO [19] report, Bale

96 zone has an estimated total population of 1,741,197 out of which 881,559 are male and  
97 859,638 are female.

98 Goro and Ginir are the Districts in the Bale zone of Oromia Region of Ethiopia. Goro is  
99 bordered on the Southwest by Guradamole, on the west by Berbere, on the Northwest by  
100 Sinanana Dinsho, on the Northeast by Ginir, and on the Southeast by the Somali Region; it  
101 is separated from Guradamole and Berbere by the Gestro River (or Weyib River). Ginir is  
102 bordered on the south by the Gestro River (or Weyib River) which separates it from Goro,  
103 on the west by Sinanana Dinsho, on the Northwest by Gaserana Gololcha, on the  
104 Northeast by Seweyna, and on the East by Raytu.



105 **Figure1. Map of the study area.**

## 106 **2.2. Sampling Techniques and Sample Size**

107  
108  
109 In this study, a multistage sampling technique was used. In the first stage, from Oromia  
110 regional state, Bale Zone was selected purposely based on the production potential of the  
111 Black cumin crop. In the second stage, from Bale Zone, two Districts (Ginir and Goro  
112 wordas) were selected based on production potential of Black cumin. In the third stage,

113 eight (8) rural Kebeles were selected randomly from the existing Kebeles of the Ginir and  
114 Goro woredas. Fourthly, farm households were selected by using the probability to  
115 proportional to size using simple random sampling technique from selected kebles of the two  
116 Woredas. Finally, a total of 180 households were randomly selected for the analysis this  
117 study.

### 118 **2.3. Types and Method of Data Collection**

119 Both primary and secondary data were used for this study. The primary data was collected  
120 from sample respondents through face to face interview by structured questionnaire, focus  
121 group discussion and field observation. The questionnaires included the socio-economic  
122 characteristics, institutional factors, biophysical factors and other related issues with the  
123 production, marketing and utilization of Black cumin. Secondary data was collected from  
124 agricultural office, kebele administration office, books, and journals. Finally, documents were  
125 also consulted to supplement the whole research work.

### 126 **2.4 Data Analysis**

127

128 In order to analyze the data, both descriptive statistics and econometric model were  
129 employed. Econometric model was applied to examine factors affecting the farmer's  
130 perception of the importance of Black cumin production in the study area. In order to provide  
131 a detailed analysis of the perception on the importance of producing Black cumin, perceived  
132 it as important or not, we applied a discrete choice Probit model for binary choice (yes, no)  
133 responses to the importance Black cumin production perception question. Probit model is a  
134 statistical probability model with two categories in the dependent variable [20]. Probit  
135 analysis is based on the cumulative normal probability distribution. The binary dependent  
136 variable  $y$  takes on the values of zero and one [21]. The Probit analysis provides statistically  
137 significant findings of which demographics increase or decrease the probability of  
138 consumption.

139 In the binary Probit model, perceived it as important to produce was taken as 1, while not  
 140 perceived it as important as 0. It is assumed that the  $i^{th}$  household obtains maximum utility; it  
 141 has perceived it as important to produce rather than not to produce the crop. The probability  
 142  $p_i$  of choosing any alternative over not choosing, where  $\Phi$  represents the cumulative  
 143 distribution of a standard normal random variable [22]:

$$144 \quad P_i = \text{prob}[Y_i = 1|X] = \int_{-\infty}^{X_i'\beta} (2\pi)^{-1/2} \exp\left(-\frac{t^2}{2}\right) dt \quad (1)$$

$$145 \quad = \Phi(X_i'\beta) \quad (2)$$

146 The relationship between a specific variable ( $x_i$ ) and the outcome of the probability is  
 147 interpreted by means of the marginal effect, which accounts for the partial change in the  
 148 probability. The marginal effect associated with continuous explanatory variables  $X_k$  on the  
 149 probability  $P(Y_i = 1 | X)$ , holding the other variables constant, can be derived as follows [22]:

$$150 \quad \frac{\partial P_i}{\partial X_{ik}} = \Phi(X_i'\beta) \beta_k \quad (3)$$

151 The marginal effect on dummy variables should be estimated differently from continuous  
 152 variables. Discrete changes in the predicted probabilities constitute an alternative to the  
 153 marginal effect when evaluating the influence of a dummy variable. Such an effect can be  
 154 derived from the following [22]:

$$155 \quad \Delta = \Phi(\bar{X}\beta, d = 1) - \Phi(\bar{X}\beta, d = 0) \quad (4)$$

156 The marginal effects provide insights into how the explanatory variables shift the probability  
 157 of frequency of Black cumin production. Using the econometric software Stata 13, marginal  
 158 effects were calculated for each variable while holding other variables constant at their  
 159 sample mean values.

### 160 **3. RESULT AND DISCUSSION**

#### 161 **3.1. Socio-Economic Characteristics of study farmers**

162  
 163 In Table 1, the survey result indicated that the mean age of the respondents was 39.68 year  
 164 with its minimum 20 and followed by maximum of 78 years. This shows that the majority of  
 165 the respondents were found in economical active age category and which, inturn, helps to

166 accelerate the production of Black cumin in the study area. An average education level of  
 167 household head in year of schooling was 4.92. The minimum level of education of  
 168 respondents was zero grade and the maximum was 10+3 (diploma). This implies that  
 169 studied households comprise both educated and non-educated categories. The survey also  
 170 indicted that the maximum family size was 20, the minimum was 3 and an average family  
 171 size was 7.53 in number. The result implies that for the production of Black cumin in the  
 172 study area, the labor availability is not a problem, since in countries like Ethiopia agricultural  
 173 activities needs more labor. The average land holding of the sample respondents was 2.37  
 174 hectares. This is greater than the average land holding (1.37 hectare) level of the Ethiopian  
 175 farmers [23] and this, in turns, has its own good implication on increasing the production of  
 176 Black cumin crop. Furthermore, the mean livestock in Tropical livestock Unit of respondents  
 177 in the study area was 4.96. This was varied from zero (minimum) to 14.83 Tropical  
 178 Livestock Unit TLU.

179 **Table 1. Socio-economic and demographic characteristics of the Sample households**

Variables	OBS	Mean	Std. Dev.	Min	Max
Age	180	39.68	11.74	20	78
Education	180	4.92	3.06	0	13
Family size	180	7.53	3.06	3	20
Land	180	2.37	1.13	0.66	8
TLU	180	4.96	2.87	0	14.83

180 *Sources: Own survey, 2018*

### 181 **3.2. Land characteristics of Black cumin producers**

182  
 183 Land related characteristics are important features for the farmers as a whole. These  
 184 characteristics of land include soil fertility status and productivity of land; that are important  
 185 factors influencing agricultural production in general and Black cumin production in  
 186 particular. The majority (82.22%) of the respondents responded that their land soil fertility  
 187 status was medium, followed by very fertile status. Only few respondents (6.11%) said that



188 their land categorized as low fertile. Therefore, this result implies that, in study area, there is  
 189 a good opportunity to increase the Black cumin crop production activities. Also, most (75  
 190 %) of the respondents revealed that the productivity of land was declining through time and  
 191 about 11.11% said that their land productivity was increasing through time. Moreover, 8.33%  
 192 of respondents were responded that their land productivity might increase or decrease  
 193 depending on their farm work activity, rainfall availability and input usage. Only few (5.56 %)  
 194 respondents said that there was no change in productivity of land over the time (Table 2).

195 **Table 2. Land characteristics of the sample producers of the Black cumin**

Variable		Frequency	Percentage
Soil fertility status	Low fertile	11	6.11
	Medium	148	82.22
	Very fertile	21	11.67
	Total	180	100
Productivity of land	Declining	135	75.00
	No change	10	5.56
	Increasing	20	11.11
	Increase or decrease	15	8.33
	Total	180	100

196 *Source: Own survey, 2018*

### 197 **3.3. Access to Extension, Credit and Market services for producers of Black** 198 **cumin**

199 Access to development agents for training/advice is important institutional factor which has a  
 200 vital implication on agricultural activities. High proportions (55 %) of farmers were not visited  
 201 by development agents for advice and training on Black cumin production activities (Table,  
 202 3).This implies that for the studied farmers during the study period, little emphases was  
 203 given for extension service provided by development agents on Black cumin production  
 204 and utilization opportunity. With regard to credit access, the majority (93.33%) of the sample

205 respondents reported that they were not received credit. Only very few (6.67%) respondents  
 206 received credit to purchase livestock and farm input (fertilizer and improved seed).  
 207 Additionally, factors like access to market and distance from the market are crucial for  
 208 farmers to sell and buy agricultural products and inputs. The result revealed that most of  
 209 (87.78 %) respondents had access to market. The majority (50.56%) of sampled  
 210 respondents revealed that the average distance from the market to their home was 10 to 30  
 211 minutes and which followed (33.89) by 31 to 60 minutes. Most (71.11%) of the respondents  
 212 also perceived that the distance of market from their residence was near and about 27.78%  
 213 perceived the distance as far (Table 3).

214 **Table 3. Access to different institutional services for the sample farmers**

215

Variable		Frequency	Percentage
Contact by Extension agents	Yes	81	45.00
	No	99	55.00
	Total	180	100
Access to Credit	Yes	12	6.67
	No	168	93.33
	Total	180	100
Market access	Yes	158	87.78
	No	22	12.22
	Total	180	100
Average distance of market from residence	<10 min	16	8.89
	10-30 min	91	50.56
	31-60 min	57	31.67
	>60 min	16	8.89
	Total	180	100
Perceive the distance of market from your residence	Near	128	71.11
	Far	50	27.78
	Very far	2	1.11
	Total	180	100

216 *Source: Own survey, 2018*

217

218

### 3.4. Black cumin producer's farm input usage and its source

Farm input like fertilizer and improved seed help farmers to increase the production and productivity of the farm. The result in (Table 4) revealed that the majority (73.33% and 68.33%) of the respondents were using fertilizer and improved seed for their farm production activities, respectively. The respondents replied that they got fertilizer from farmers union in the form of direct purchase, and the improved seed from the agricultural office and neighboring farmers in the form of direct purchase. However, 26.67 % and 31.67% of the framers were not using fertilizer and improved for their farm activities, respectively. For this case, some of the farmers responded that their land doesn't require fertilizer. Hence, this implied that there should be much emphasis on awareness creation for fertilizer and improved seed usage to increase production and productivity of the farm.

**Table 4. Respondents' farm input use and the source**

Variable		Frequency	Percentage
Fertilizer use	Yes	132	73.33
	No	48	26.67
	Total	180	100.00
Improved seed	Yes	123	68.33
	No	57	31.67
	Total	180	100.00

Source: Own survey, 208

### 3.5. Sample Households income from Black cumin and others sources

In the study area, sample respondents engaged in different activities to generate their income. These activities include farm crop production, livestock rearing and livestock products sale, engagement in non-farm and off-farm activities. The major crop includes wheat, *teff*, Black cumin, barley, garlic; and livestock includes cow, oxen, sheep and donkey. The major non-farm income sources are remittance, petty trade, and hand craft. Similarly, the off-farm activity includes daily labor work, renting assets and firewood sale. Accordingly, Table 5 presents the mean annual income of 2018 from these activities in ETB. The result

indicated that the mean annual income from crop was 59,348.19 ETB, livestock and its product sale was 1,779.22 ETB. Hence, the total agriculture mean was 59,802.97 ETB. Moreover, the mean annual income of the same year from non-farm and off-farm activities earned was 1,442.22 ETB and 747.78 ETB, respectively (Table 5).

248

The Table also revealed that the mean income from Black cumin production and sale was **23,666.67** or **39.88%** of the total mean income of all crop production activities. It implies that this crop alone contributes high proportion of all crop income and the producers fetch higher income. Therefore, it is a good opportunity for marginal farmers to cultivate and earn more income from this crop. Thus, this confirms that in both of the study Districts there is potential for Black cumin production. Hence, this paves the way for the inclusion of this crop in agricultural policy to exploit more benefit, sustainable use and production enhancement strategies. Besides, the result indicates that the higher mean annual income earned from crop and followed by livestock and its products sales. The size of mean income from non-farm activities was found next to livestock and its products. Thus, these imply that, in the study area, the major livelihood and/or income source for households was crop production activities.

**Table 5. Sources and mean annual income for sample households at 2018 in ETB**

Variables	Obs	Mean	Std. Dev.	Min	Max
Total Crop income	180	59,348.19	40,063.71	6,650.00	202,800.00
<i>Income from Black cumin</i>	<i>180</i>	<i>23,666.67</i> <i>(39.88 %)*</i>	<i>25,316.20</i>	<i>0</i>	<i>198,000.00</i>
Livestock and its products	180	1,779.22	3,911.06	0	16,000.00
Total agriculture income	180	59,802.97	39,961.41	6,500.00	213,000.00
Off-farm income	180	747.78	4,714.16	0	60,000.00
Non-farm income	180	1,442.22	6,602.52	0	60,000.00

Source: Own survey, 2018

\* Income share of Black cumin from the total income of crops produced by the respondents

264

### 265 **3.6. Households Perception of Black cumin importance and Usage**

266  
267 Sustainable production and conservation of resources are possible if the users have  
268 knowledge on the importance of the resource and give the value for the resources. In line  
269 with this, the study households were asked to express their perception for Black cumin  
270 importance, utilization purpose of the crop, productivity and market demand of Black cumin  
271 through time. The result indicated that the majority (95.56%) of the households perceived  
272 that production of Black cumin is important in the study area. The major reasons that  
273 households said producing the crop is important were that the crop is a source of better  
274 income, better in market price than other crops in kg, and most of their livelihood is based on  
275 Black cumin. Also, during the focus group discussion participants expressed that the seed is  
276 used as medicinal crop for common cold, headache, diarrhea, asthmatic problem; and spice.  
277 Moreover, they added that relatively Black cumin crop adapted with the local environment,  
278 give better yield with low rainfall and better market price than other crops in terms of kg. The  
279 result also showed that about 83.89% (high proportion) of the sampled households were  
280 allocated their farm land for production of Black cumin during the study cropping year (2018).

281

282 Table 6, result also revealed that the majority (80.00%) of the study respondents replied that  
283 the production of Black cumin through time in the study area was decreasing. The major  
284 reasons for production decline were rainfall scarcity, disease, pests and absence of  
285 improved variety. But, some (14.44%) respondents responded that the production of Black  
286 may increase or decrease depending on the availability of rainfall and level of farm work.  
287 This means that if there is a good rainfall and better farm work during the production season  
288 the yield will be higher and vice-versa. Additionally, the result showed that the majority (90%)  
289 of respondents revealed that market demand for Black cumin through time in study area was  
290 declining. The respondents justified that the major problem for this case were unethical  
291 connection of local traders with brokers and central market, poor infrastructures and

declining of production amount (this leads to declining the traders coming to collect and load at farm gate/site).

**Table 6. Respondents' perception about Black cumin importance and rated concepts**

Variable	Frequency	Percentage
Perceive that Black cumin production is important	172	95.56
	8	4.44
Total	180	100
Farmland allocate to Black cumin production	151	83.89
	29	16.11
Total	180	100
Black cumin productivity through time in the study area	12	6.67
	144	80.00
	26	14.44
Total	180	100
Market demand for Black cumin increasing though time in study area	18	10.00
	162	90.00
Total	180	100

Source: Own survey, 2018

### 3.7. Economic Model result on Factor affecting the producer's perception

Table 7 presents the econometric model result of factor affecting the perception of producers on the importance of producing Black cumin in the study area. The maximum likelihood estimates of the Probit model showed that, out of 13 explanatory variables six variables were found to be statistically and significantly affected the perception of producers of the importance of producing Black cumin. The chi-square results revealed that likelihood ratio statistics were highly significant ( $P < 0.001$ ), suggesting the model has a strong explanatory power. Accordingly, the interpretation and discussion of the variables were provided as follows:

306 **Age of Respondents:** The marginal effect (dy/dx) revealed that the age and perception of  
307 producers of the importance of producing Black cumin has positive and statistically  
308 significant relationship at ( $P < 0.01$ ). As age of farmers increase by one year, the probability  
309 of perception of the importance of producing Black cumin will rise by 1.68 %. This is  
310 plausible since adult producers might have more know-how and experience of both  
311 producing and importance of farm crops than the young producers. Study in Ethiopia has  
312 indeed shown a positive relationship between number of years of experience in agriculture  
313 and farmers' perception for expansion of crops [24].

314

315 **Education:** As per our expectation, the farmer's level of education and perception of the  
316 importance of producing Black cumin crop has positive and significant correlation statistically  
317 at ( $P=.05$ ). The increase in educational attainment of the producers by one grade increases  
318 the probability of perception of the importance of producing Black cumin crop by 2.28 %. The  
319 logical analysis behind this is that the more producers have an educational opportunity the  
320 more they have knowledge of agricultural production system than the counterpart. Similarly,  
321 previous studies of [25, 26, 27] have also found that, farmers with better education have  
322 more exposure to new ideas and information, and thus have better knowledge to effectively  
323 analyze and use available information, and indeed it helps to decide or perceive the  
324 important crop variety production.

325

326 **Labour availability:** The result revealed that as the availability of labor for farm activity  
327 increases by one unit (number), the probability of perception of the importance of producing  
328 Black cumin crop rise by 11.50%. In this study, labor contributes positively and significantly  
329 for perception of the importance of producing Black cumin crop at ( $P=.1$ ). The rational  
330 justification for this case might be households with high number of family member within  
331 working age group might not face the problem of labor availability to be engaged in  
332 agricultural activities than small size family member, given that the agricultural crop

333 production is more labor demanding. Similarly, [28] has found that *Nigella sativa* requires  
334 extensive labor in collection and harvest as the capsules (fruit) tend to shatter at maturity  
335 because its post-harvest management of the fruits usually involves their harvest, one by one,  
336 by hand and dry storage till natural dehiscence.

337

338 **Aces to credit:** The survey finding indicated that access to credit for the producers and  
339 perception of importance of producing Black cumin in the study area has positive and  
340 significant relationship at ( $P=.01$ ) statistical level. Marginal analysis revealed that having  
341 access to credit for the farmers increases the probability of the perceiving the importance of  
342 producing Black cumin by 19.43%. This is true that for having credit facilities help the  
343 farmers to buy farm inputs and run their farm activities smoothly. Previous findings also  
344 confirmed that credit access facilitates the purchase of inputs, especially improved seed  
345 varieties and inorganic fertilizers if linked to well-developed input supply and market access  
346 infrastructures [29, 30, 31].

347

348 **Income from Black cumin:** As it was hypothesized the income received from Black cumin  
349 production and perception of its continual production importance has positive and statistically  
350 significant relation at ( $P<0.01$ ) level. As the income gained from producing Black cumin rises  
351 by one Birr (ETB) the probability of perceiving the value of crop production will rise by  
352 0.06%. The possible reason here is that the rational producers give more value to crop  
353 which has more return from its farm activity. Study conducted by the same authors [18]  
354 confirmed that the average income from the total farm activity and participation for Black  
355 cumin conservation has positive and significant correlation.

356

357 **Productivity trend of the crop:** Similar to the expected hypothesis, productivity has  
358 positive and statistically significant association with producers perception of the importance  
359 of producing Black cumin at ( $P=.01$ ) level. Marginal effect showed that as amount of output



360 from a given level of input used [productivity] increases through time, the probability of  
 361 perceiving the importance of producing Black cumin by farmers will increase by 2.89%. The  
 362 Possible implication is that if the farmers get more return from the farm activity, it  
 363 encourages them to invest more on that activity and build positive perception for production  
 364 the crop.

365

366 **Table 7: Probit model result of factor affecting the perception producers on the**  
 367 **importance of producing Black cumin**

Variables	Coefficients	SD	Z-value	Marginal effect (dy/dx)
Age	.0966	.0202	4.78***	.0168
Education	.1308	.0559	2.34**	.0228
Total family size	.0116	.04957	0.23	.0020
Land holding	.0492	.16130	0.31	.0085
Labour availability	.6600	.35984	1.83*	.1150
Extension services	-.2242	.14924	-1.50	-.0391
Aces to credit	1.1145	.6352	1.75*	.1943
Market distance	.2747	.1987	1.38	.0479
TLU	-.0637	.0598	-1.06	-.0111
Black cumin income	.0054	.00001	3.33***	.00062
Productivity trend	.1663	.07107	2.34**	.0289
Market demand	-.0979	.16292	-0.60	.0170
Land productivity	-.06769	.055019	-1.23	-.0118
Constant	-7.6762	1.9282	-3.98***	
Number of obs = 180	Log likelihood = -58.5191			
LR chi2(13) = 93.73	Pseudo R2 = 0.4447			
Prob > chi2 = 0.0000				

368

369

Source: Own computation, 2018

\*\*\*, \*\* and \* means statistically significant at 1%, 5% and 10% level

#### **4. CONCLUSION**

The survey result indicated that the mean age of the respondents was 39.68 year, education level in year of schooling was 4.92 and the family size was 7.53 in number. The average land holding of the sample respondents was 2.37 hectare and the livestock in TLU was 4.96. Furthermore, from the total mean of agriculture income (59,802.97 ETB), Black cumin production contributes about 39.88% for the study respondents. The majority (95.56%) of the households perceived that production of Black cumin crop is important in the study area. The major importance and utilization of producing Black cumin crop for study households were as source of better income, better market price than other crops in kg, and their major livelihood source; and used as medicinal crop for common cold, headache, diarrhea, asthmatic problem; and spice.

The Probit model showed that producers perception of the importance of black cumin production were found to be statistically and significantly affected by age of households, education level, availability of labor for farm activities, access to credit facilities, average income from Black cumin, and Black cumin productivity trend through time. Hence, agricultural policy should give emphases at all operational level to exploit more benefit from this crop and production enhancement strategies, so as to bring foreseen change in the lives of producers.

#### **ACKNOWLEDGEMENTS**

Authors are grateful to Ethiopian Biodiversity Institute for providing financial assistance and Vehicle arrangement during the data collection of this research work.

## COMPETING INTERESTS

"Authors have declared that no competing interests exist."

## REFERENCES

1. Atta MB. Some characteristics of *Nigella* (*Nigella sativa* L.) seed cultivated in Egypt and its lipid profile. *Food Chem.* 2003; 83:63–68.
2. Burits M, Bucar F. Antioxidant activity of *Nigella sativa* essential oil. *Phytother. Res.* 2000; 14:323–328.
3. Yazachew A. Comparative study of supercritical fluid and solvent extraction. *Addis Ababa.* 2011; 67:61-80.
4. Takrun HRH, Dameh MAF. Study of the nutritional value of Black cumin seeds (*Nigella sativa* L.). *J. Sci. Agric.*, 1998;76: 404-410
5. Ostlund, R.E. Phytosterols in human nutrition. *Ann. Rev. Nutr.* 2002; 22:533–549.
6. Aminpour, Karimi. Underutilized medicinal spices. *Spice India.* 2004; 17 (12): 5-7.
7. Black M, Bewley D, Halmer. *The Encyclopedia of seed science, technology and uses.* wallinoford. CAB P 7. 2005.
8. Ashraf M, Orooj A. Salt stress effects on growth, ion accumulation and seed oil concentration in an arid zone traditional medicinal plant ajowan (*Trachypernum ammi* [L.]. *Journal of Arid Environments.* 2006; 64: 209-220.
9. Thilakarathna RCN , et al . Phytochemical Analysis of Indian and Ethiopian Black Cumin Seeds (*Nigella Sativa*) *Agricultural Research & Technology.* 2018; 17(1).
10. Hedberge I, Edwards S, Sileshi Nemomissa (eds). *Flora of Ethiopia and Eriteria. Apiaceae to Dipsaceae.* The Natural Herbarium. Addis Ababa University, Addis Ababa. 2003; 4 (2).
11. Jansen PCM. *Spices, condiments and medicinal plants in Ethiopia. Their taxonomy and agricultural significance.* Addis Ababa: Center for Agricultural Publishing and Documentation. 1981). pp. 111-120.

- 425 12. Mogessie A, Tetemke M. Some microbiological and nutritional properties of Borde  
426 and Shamita. Traditional Ethiopian fermented beverages. Ethiop. J. Health Dev.  
427 1995; 9(1): 105-110.
- 428 13. Ethiopian Investment Agency. Investment opportunity Profile for Spice Processing in  
429 Ethiopia. 2015; 7: 8-14.
- 430 14. Habtewold K, Demes F, Tewodros L, Dejene B, Haimanot M, Wakjira G. Seed  
431 Spices Production Guideline: Ethiopian institute of agricultural Research. 2017.  
432 Available: [http:// www. publication.eiar.gov.et](http://www.publication.eiar.gov.et):
- 433 15. Ermias A. Adaptability study of Black cumin (*Nigella sativa* L.) varieties in the mid  
434 and high land areas of Kaffa zone, south West Ethiopia. Agriculture, Forestry and  
435 Fisheries. 2015; 6:14-17.
- 436 16. Orgut. Market Assessment Study, Ethiopian Nile Irrigation and Drainage Project,  
437 Main Report and Annexes, Ministry Of Water Resources, Addis Ababa, June 2007.
- 438 17. Yousif HH. Effect of high levels of nitrogen and phosphorus fertilizer on growth,  
439 yield and yield components of *Nigella sativa* L. Horticulture Department College of  
440 Agriculture, Duhok University, Iraq, Mesopotamia Journal Agriculture. 2008; 36(1).
- 441 18. Dessalegn A, Wubeshet T. Economic Value of Black Cumin (*Nigella sativa* L.)  
442 Conservation at Bale Zone of Oromia Region, Ethiopia; American Journal of  
443 Business, Economics and Management. 2018; 6(4): 104-109.
- 444 19. Bale zone administrative and development office, Bale, Ethiopia, (2012).
- 445 20. Liao TF. Interpreting Probability Models: Logit, Probit, and Other Generalized Linear  
446 Models, 101 Quantitative Applications in the Social Sciences, Sage Publications,  
447 Thousand Oaks, Calif, USA, 1994.
- 448 21. Aldrich JH, Nelson FD, *Linear Probability, Logit, and Probit Models*, Sage  
449 Publications, Newbury Park, Calif, USA, 1984.
- 450 22. . Greene WH, *Econometric Analysis*, Prentice Hall, 7th Edition, 2011.
- 451

- 452 23. Ethiopia Rural Socioeconomic Survey (ERSS): Survey Report, Central Statistical  
453 Agency and the World Bank. 2013.
- 454 24. Adimassu, Kessler. Factors affecting farmers' coping and adaptation strategies  
455 to perceived trends of declining rainfall and crop productivity in the central Rift valley  
456 of Ethiopia: Journal of Environ system Research. 2016; 5:13.
- 457 25. Kassie M, Teklewold H, Jaleta M, Marenja, P, Erenstein O. Understanding the  
458 adoption of a portfolio of sustainable intensification practices in eastern and  
459 southern Africa. Land Use Policy. 2015; 42: 400-411.
- 460 26. Knowler D, Bradshaw B. Farmers' adoption of conservation agriculture: A review  
461 and synthesis of recent research. Food policy. 2007; 32(1): 25-48.
- 462 27. Prokopy L, Floress K, Klotthor-Weinkauff D, Baumgart-Getz A. Determinants of  
463 agricultural best management practice adoption: Evidence from the literature.  
464 Journal of Soil and Water Conservation. 2008; 63(5), 300-311.
- 465 28. Animesh KD, Aditi S, Arnab B, Aninda M, Rita P, Sonali S. Black Cumin (*Nigella*  
466 *Sativa* L.)- A Review; Journal of Plant Development Sciences. 2012; 4 (1): 1-43.
- 467 29. Geta E, Bogale A, Kassa B, Elias E. Determinants of Farmers' Decision on Soil  
468 Fertility Management Options for Maize Production in Southern Ethiopia. American  
469 Journal of Experimental Agriculture. 2013; 3(1): 226-239.
- 470 30. Jeannin M. Agricultural innovation in Africa: from soil fertility to market integration. A  
471 case study from Benin. 2012.
- 472 31. Teklewold H, Kassie M, Shiferaw B. Adoption of multiple sustainable agricultural  
473 practices in rural Ethiopia. Journal of agricultural economics, 2013: 64(3), 597-623.

474  
475  
476  
477  
478