



**SDI Review Form 1.6**

Journal Name:	<a href="#">Journal of Advances in Medicine and Medical Research</a>
Manuscript Number:	Ms_JAMMR_50595
Title of the Manuscript:	ULTRASOUND MEASUREMENT OF THE ABDOMINAL AORTIC DIAMETER IN A NORMOTENSIVE AND HYPERTENSIVE ADULT NIGERIAN POPULATION IN ENUGU
Type of the Article	

**General guideline for Peer Review process:**

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)

**PART 1: Review Comments**

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<b>Compulsory</b> REVISION comments	A very good article depicting clearly the importance of the relationship of abdominal aortic diameter in hypertensive cases using a simple investigative modality like USG. It should be published.	Thank you
<b>Minor</b> REVISION comments	Nil	
<b>Optional/General</b> comments	Nil	

**PART 2:**

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	(If yes, Kindly please write down the ethical issues here in details)	