



SDI Review Form 1.6

Journal Name:	Journal of Advances in Medicine and Medical Research
Manuscript Number:	Ms_JAMMR_50595
Title of the Manuscript:	ULTRASOUND MEASUREMENT OF THE ABDOMINAL AORTIC DIAMETER IN A NORMOTENSIVE AND HYPERTENSIVE ADULT NIGERIAN POPULATION IN ENUGU
Type of the Article	

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<u>Compulsory</u> REVISION comments	Kindly Minimize the body.	
<u>Minor</u> REVISION comments	Kindly correct grammatical and spelling mistakes. Use of single type font should be implemented as it gives a good look to manuscript.	Corrected and modified
<u>Optional/General</u> comments	Overall good manuscript few revision needed.	

PART 2:

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	<u>(If yes, Kindly please write down the ethical issues here in details)</u>	