

ECONOMICS OF PLANTAIN PRODUCTION IN CALABAR AGRICULTURAL ZONE, CROSS RIVER STATE NIGERIA.

ABSTRACT

This project work dealt with the Economics of Plantain Production in Calabar Agricultural zone, Cross River State. The specific objectives of the research were to examine the socio economic characteristics of plantain farmers, identify the different farming practices in the area, analyze cost and returns relationship of plantain farming, and problems militating against plantain production in the zone. A multistage random, sampling technique and purposive sampling technique were used to administer structured questionnaire to 90 respondents. Data collected were analyzed using frequency, percentage and mean while budgetary analysis was used to determine the profitability of plantain farming. The results showed that (94.4%) of the respondents were male with the age bracket of (51-60 years) with mean of 56.25. The finding shows (44.44%) of the respondents have 6-10 years of experience with mean of 9.42. The result also shows that many of the respondents do not have good qualification, rather majority have primary education (61.11%) as only source of education. Most of the farmers savings were (personal savings) as only source of capital. Most of the farmers have <360 plantain produce annually. The results of the budgetary analysis showed that gross margin is ₦191,400 and benefit cost ratio of 1.7, so plantain production is profitable. The result also shows that net profit is ₦123,415 gross ratio of 0.7. The major problems confronting the farmers in the zone is land tenure, lack of inputs and poor storage facilities. The possible recommendations were the establishment of research centre, provision of farm inputs (sophisticated), low or no interest rates attached to loans for land procurement.

Keywords: plantain, production, distribution and adaptation.

INTRODUCTION

Plantain (*Musa Spp*), are important food crops in Sub-Sahara Africa, providing more than 25% of the carbohydrate and 10% of the calorie for approximately 70 million people in the region(1) (Swemer, 1990). Plantain is cultivated along the coast of west and central Africa stretching from Guinea to the Democratic republic of Congo and central Africa republic(2)(Swemer, 1990). Plantain production is mainly in the southern states of Nigeria which include Akwa-Ibom, Cross River, Imo, Enugu, Rivers, Edo, Delta, Lagos, Ogun, and Oyo state(3) (Ogazi, 1996).

The major producing countries with an annual output exceeding a million tones include Nigeria Ghana, Cote di voire and Cameroon. Food and Agricultural organization,(4) FAO (2011) indicates that Nigeria is one of the Major producers of plantain in West and Central Africa, but the per capita consumption for Nigeria is the lowest in the region, implying the existence of market potential for increased production in the country.(5) FAO (2006) observed that Africa contributes about 50% of world production of plantain. The gross value of production of this crop ranks first among food crops in Sub-Sahara Africa. The demand for plantain is increasing in West and Central Africa(6) (ILTA, 2014). It has a very high nutritional value and source of dietary carbohydrates, vitamins and minerals. Plantain and Banana are extremely rich in vitamin A. Today, plantain is grown in 52 countries with world production of 33 million metric tons(7) (FAO, 2004). Production of plantain in Nigeria between 1990-2004 indicates a down ward trend in terms of yield per hectare while price per ton have steadily increased within the period(8) (FAO, 2006, FAOSTAT, 2009). However, only eight African countries were named among the top ten world producers of plantain with Nigeria ranking 5th highest producers of the crop.(9) (FAO, 2004). However, its cultivation is threatened by black Sigatoka. This disease was accidentally introduced into Africa and first observed in Zambia in 1973(10) (Raemaeders, 2001). According to (11)AkinyemiEfal (2010), plantain industry in Nigeria is complex as farmers whose land lies nearer to major roads harvest the crop at the mature fresh stage and display it at the road side or transport in tons to market where wholesalers and retailers purchase directly. They further stated that in other cases, traders go to farms where they collect and hand over to wholesalers and retailers or vendors for sale. Total world production of these crops is estimated to be over 76,000,000 metric tones, out of which an estimated 12,000,000 metric tones are produced in Africa Annually. Most of these are consumed or traded locally(12) (Aina, 2012). Also from 2007-2012 there is a downward indication trend(13) (EPAR, 2013).Despite the importance of plantain in world, Nigeria and Calabar agricultural zone in particular little is known about its value;Plantain serves

as the major food for diabetic patients which is on the increase till date (14)(Fakayode,2011).There has been inadequate information on the improved cultivars of plantain due to lack of extension services which has reduced its production(15)(Ekunwe et al,2010).According to(16) (Echezona et al,2011),plantainis consumed in variety of forms in the world both in boiled and roasted forms

METHODOLOGY

The research was conducted in Calabar Agricultural zone of Cross River State, Nigeria. It is made up or 6 Local Government area which include: Bailsa, Akamkpla, Odukpam, Calabar south, Calabar municipal and Akpabuyo. Calabar agricultural zone has a population of 371,022 as at 2006 census. It is one of the three (3) agricultural zones of cross River state.Calabar agricultural zone features a tropical monsoon climate with lengthy wet season spanning ten months and a short dry season covering the remaining two months. The harmattan noticeably less pronounced in the city.Calabar agricultural zone covers an area of 406sqkm with a density of about910km² (2400sq m).Temperature is relatively constant in the area ranging from25 to 28 degreecelcius.The soil is fertile, well drained andaerated andfavours plantain production.

SAMPLING TECHNIQUE

In carrying out this study, purposive and simple random sampling technique were used for data collection. In Calabar agricultural zone, we have six Local Government Areas, out of which 3 LGAs were purposively selected, this was because the 3 LGAs are fully engaged in plantain production more than others which enhanced information collection from the farmers In the 3 LGAs, 2 communities each were selected making it 6 communities, this helped in visiting other Local Government easily. Finally, 15 respondents were randomly selected from each of the 6 communities which gave a total of 90 respondents.

Both primary and secondary data were used for the study, for the primary data questionnaire was administered to selected farmers. Some alternative questions were provided from which respondents were expected to tick the item that fit the response. Secondary data were obtained from books, newspapers,seminar papers, bank journals and government publication

Objective i,ii,and iv were achieved using descriptive statistics,objective iii was analysed using gross margin to evaluate the cost and returns of plantain farming, in other words, it is a list of all estimated incomes and expenses associated with specific enterprise to provide an estimate of its profitability

Gross margin analysis is expressed below;

$$GM=TR-TVC..... (1)3.1$$

$$Gross\ margin/unit\ output = \frac{Gross\ margin}{Total\ output}.....(2)3.2$$

$$Profit=gross\ margin-total\ fixed\ cost(3)3.3$$

RESULTS AND DISCUSSION

TABLE 1: Average fixed cost of plantain in the zone (n =90)

Items	Quantity	Lifespan (yrs)	Unit cost (N)	Depreciation	Amount (N)
Spade	5	4	1,700	425	2, 125

Cutlass	5	3	1,500	500	2,500
Wheel barrow	2	7	8,500	1,214	2,428
Land rent	2 hectare		60,000	60,000	60,000
Hoe	4	3	700	233	932
Total (FC)					67,985

Source: Field survey, 2017.

TABLE 2: Average variable input of the plantain in the zone. (n=90)

Inputs	Quantity	Unit cost (₦)	Amount (₦)
Labourmandays	4 men	10,000	40,000
Fertilizer	3 bags	6,000	18,000
Sucker	270	150	40,500
Transportation	-	6,000	6,000
Pesticide	3 litres	1,700	5,100
Total (vc)			₦109,600

Source: Field Survey, 2017.

Total cost (tc) = total fixed cost (Tfc) + total variable cost (Tvc)

TC = TFC + TVC

TC = 57,985 + 109,600

TC = 177, 585

TABLE 3: Farm Returns on Plantain

Items	No. Of fruit and suckers	Unit cost (₦)	Total cost (₦)
Suckers	130	100	13,000
Fruits	360	800	288,000
Total Revenue			₦301,000

Source: Field survey, 2017.

Gross margin = TR – TVC

TR = Total revenue

TVC = Total variable cost

G.M = 301,000 – 109,600

G.M = ₦ 191,400

Net farm profit = Total Revenue – Total cost

NFP = ₦ 293,000 – ₦ 167,885

NFP = ₦ 123, 415

BENEFIT COST RATIO

BCR $\frac{\text{Total Revenue}}$

Total cost

BCR $\frac{₦293,000}$

₦167,885

BCR = 1.7

An investment is profitable if the BCR is greater than 1

Rate of Return (ROR) $\frac{\text{Net profit}}$

Total cost

ROR = $\frac{₦123,415}$

₦177,585

Total revenue

₦ 17,585

₦ 301,000

=0.59

From the above calculations, it is shown that plantain production is a profitable business. A farmer makes a profit of ₦125,115 annually after the maturation of fruits and suckers. The budgetary analysis shows that total output realized in production of plantain till maturity stage is ₦127,900, the result also shows that the benefit cost ratio is 1.7 meaning that for every ₦1 invested in the enterprise, it will yield 1.7 the gross ratio (0.57) shows that for every ₦1 returns to the enterprise, 57k is being spent. Since the gross margin is positive, it shows that plantain farming is a very profitable business in calabar agricultural zone.

TABLE 4: Cost and returns relationship (N=90)

Item	Quantity	Unit cost(₦)	Amount (₦)
Labourmandays	4 men	10,000	40,000
Fertilizer	3 bags	6,000	18,000
Sucker	270	150	40,500
Transportation		6,000	6,000
Pesticide	3 cans	1,700	5,100
total variable cost (Tvc)			₦109,600

TABLE 5: DEPRECIATION

Item	Quantity	Life span (yrs)	Unit cost (₦)	Depreciation	Amount (₦)
Spade	5	4	1,700	425	2,125
Cutlass	5	3	1,500	500	2,500

Wheel barrow	2		8,500	1,214	2,428
Land rent	2 Ha	3	60,000	60,000	60,000
Hoe	4		700	233	932
Total (Fc)					₦ 67,985

TABLE 6: REVENUE

Items	No. Of fruits and suckers	Unit cost (N)	Total cost (N)
Suckers	130	100	13,000
Fruits	360	800	288,000
Total Revenue			301,000
Gross margin (TR-TVC)			191,400
Total cost (Tc) = TVC+ TFC			177,585
Net profit (NP) = TR – TC			123,415
Benefit cost ratio = TR/TC			1.7
Rate of return = NP/TC			0.7
Gross ratio = TC/TR			0.59

The inference above has shown that plantain production is profitable in Calabar agricultural zone of Cross River State, Nigeria.

CONCLUSION: The study recorded that inadequate inputs, low level of education, fragmented or small land holdings, high cost of labour and low extension services were the serious problems facing plantain production in the agricultural zone. The study also shows that plantain enterprise is a means of livelihood among middle age, rural and urban dwellers who although have other means of livelihood to augment household income and for sustenance. In spite of all the problems confronting the farmers, the future prospects for plantain production is very bright. To ensure sustained and improved plantain production, the following recommendations were therefore made; provision of inputs, incentives and subsidies, formation of cooperatives, increased extension services, making land available and provision of improved varieties

REFERENCES

- Swennen, R. 1990. Plantain cultivation under West Africa Conditions: A reference manual. IITA, Ibadan, Nigeria, pp:24.
- Ogazi, P.O. (1996). Plantain: Production, processing and Utilization. Paman and Associates Limited, Aku-Okigwe, Imo State, Nigeria. P 305.
- FAO Agrostat Database (2004) Food and Agriculture Organization of the United Nations, production year boo. FAO, Rome.
- Food and Agriculture Organisation FAO STAT (2006):FAO Statistics Division 2006. Food and Agriculture Organisation of the United Nations. Production Yearbook, FAO Rome.
- Food and Agriculture FAO STAT (2011): Plantain production Quantity in Nigeria 1961-2009. Food and Agriculture organisation of the United Nations. FAO Rome. International Institute of tropical Agriculture (2014). A conference manual on Plantain Cultivation in West Africa.
- Akinyemi S.O.S, Aiyelaagbe, I.O.O. and Akyeampong, E. (2008). Plantain (*Musa spp.*) Cultivation in Nigeria: a Review of its production, Marketing and Research in the LAST Two decades. Proc. IC on Banana & plantain in Africa Eds.: T. Dubois et al. Acta Hort. 879, ISHS 2010.
- Aina O.S., Ajijola S., Bappah M.T., Ibrahim I. and Musa I.A (2012): Economic Analysis of Plantain Production in Odigbo Local Government Area of Ondo State, Nigeria. Global Advanced Research Journal of Agricultural Science Vol. 1(5) pp. 104-109, July, 2012.

8. Fakayode, B.S., M. A. Y. Rahji. Ayinde, O. Nnom (2011). An economic assessment of plantain production in Rivers State, Nigeria International Journal of Agricultural Economics & Rural Development 4(2).
9. Ekunwe, P.A., Ajayi, H.I (2010) Economics of Plantain Production in Edo State Nigeria. Research journal of Agriculture and Biological Sciences, 6(6): 902-905.
10. Echezona B.C, K.P. Baiyeri and F.D. Aindigh (2011): Yield and Economics of Plantain Production under six Weed Management Systems.

UNDER PEER REVIEW