SCIENCEDOMAIN international

www.sciencedomain.org



SDI Review Form 1.6

Journal Name:	Asian Journal of Research and Reports in Urology
Manuscript Number:	Ms_AJRRU_50806
Title of the Manuscript:	RETAINED URETHRAL CATHETER: NOVEL METHOD OF REMOVAL USING TRANS-RECTAL ULTRASOUND GUIDANCE
Type of the Article	Method Article

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of 'lack of Novelty', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline)

PART 1: Review Comments

		Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<u>Compulsory</u> REVISION comments	There are no compulsory revision comments	
Minor REVISION comments	There are no minor revision comments	
Optional/General comments	Well written article, interesting novel technique	

PART 2:

		Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	(If yes, Kindly please write down the ethical issues here in details)	

Reviewer Details:

Name:	Nikolaos Antonakopoulos
Department, University & Country	University of Athens, Greece

Created by: EA Checked by: ME Approved by: CEO Version: 1.6 (10-04-2018)