



SDI Review Form 1.6

Journal Name:	Asian Journal of Research and Reports in Urology
Manuscript Number:	Ms_AJRRU_50806
Title of the Manuscript:	RETAINED URETHRAL CATHETER: NOVEL METHOD OF REMOVAL USING TRANS-RECTAL ULTRASOUND GUIDANCE
Type of the Article	Method Article

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Compulsory REVISION comments		
Minor REVISION comments	Typographical errors particularly double spacing between words should be corrected as highlighted	
Optional/General comments		

PART 2:

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	<i>(If yes, Kindly please write down the ethical issues here in details)</i>	



SDI Review Form 1.6

Reviewer Details:

Name:	<i>Tijani Idris Ahmad Oseni</i>
Department, University & Country	<i>Ambrose Alli University, Nigeria</i>