



SDI Review Form 1.6

Journal Name:	Journal of Advances in Medicine and Medical Research
Manuscript Number:	Ms_JAMMR_50595
Title of the Manuscript:	ULTRASOUND MEASUREMENT OF THE ABDOMINAL AORTIC DIAMETER IN A NORMOTENSIVE AND HYPERTENSIVE ADULT NIGERIAN POPULATION IN ENUGU
Type of the Article	

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline>)

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Compulsory REVISION comments	A very good article depicting clearly the importance of the relationship of abdominal aortic diameter in hypertensive cases using a simple investigative modality like USG. It should be published.	
Minor REVISION comments	Nil	
Optional/General comments	Nil	

PART 2:

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	(If yes, Kindly please write down the ethical issues here in details)	



[SDI Review Form 1.6](#)

Reviewer Details:

Name:	<i>P K Hota</i>
Department, University & Country	<i>KNR University of Health Sciences, India</i>