

Lesbian, Gay, Bisexual, Transgender Residing on Blue Diamond Society of Dhumbarahi, Kathmandu, Nepal: A Social Life Perspective

Abstract

Background: Sex refers to biological and physical characteristics that are linked with labeled male or female. Transgender refers to a person whose sense of personal identity and gender does not correspond with their birth sex.

Objectives: The objective of the study was to determine the social life of LGBTI living at blue diamond society.

Methodology: A descriptive cross-sectional study design was adopted among 188 respondents living at Blue diamond society Dhumbarahi, Kathmandu. Non-probability, purposive sampling technique and structured interview were used for data collection. Data was analyzed by using SPSS version 16 and percentage was calculated and presented in tables.

Results: Among 188 respondents, 28.2% were transgender male, 28.7% were transgender female, 22.9% were gay and 20.2% were lesbian, all (100%) of the respondents have difficulty walking outside the society, all (100%) of the respondent have difficult to adjust beside their own society and all (100%) of the respondents do not have job opportunity in the society.

Conclusion: The above results concluded that further studies on various topics related to LGBTI are needed to conduct for improvement of social life of LGBTI.

Keywords: LGBTI, social life, Transgender, Blue Diamond Society, Nepal,

Comment [C1]: Added

25 INTRODUCTION

26 When discussing the term “Transgender”, it is useful to begin by examining the concept of
27 gender. We begin by separating sex from gender. Infrequently, the term transgender is defined
28 very broadly to include cross-dressers, regardless of their gender identity.¹

29 In 2015, the national center for Transgender Equality conducted a National Transgender
30 Discrimination Survey. Of the 27,715 transgender and non-binary people who took the survey,
31 21% said the term “queer” best described their sexual orientation, 18% said “gay”, “lesbian” or
32 “same-gender-loving” 15% said “straight”, 14% said “bisexual”, and 10% said “asexual”. This
33 includes transsexual, cross-dressers and people who feel like their biological sex fails to reflect
34 their true gender. In Nepal, the Nepalese constitution recognizes LGBTI rights as fundamental
35 rights. Nepal’s current LGBTI laws are some of the most open in the world and expand upon a
36 magnitude of rights for LGBT Nepalese. It is legal since 2007. LGBTI people in Nepal
37 politically based and provide assistance with sexual health in the community.^{2,3}

38 Nepal’s Interim Constitution 2063 prohibits all type of discrimination to every citizen regarding
39 gender, ethnicity, caste and religion. It was a landmark decision of Nepal’s Supreme Court
40 decided on 21st December, 2007 regarding sexual minorities in Nepal. It protects almost all the
41 primary Human Rights of third gender. This principle clearly asserted the need for law to protect
42 all the universal human rights such as the right to equality and non discrimination, right to life,
43 right to education/health/right to privacy, right to freedom and so on. The court has ordered the
44 government to provide citizenship according to gender identity. On one hand, the state has given
45 these rights to every citizen, but on the other hand, Nepalese citizens must still battle for some of
46 these fundamental human rights – especially freedom from discrimination based on gender
47 identity. Third gender people, those who have according to opposite gender roles than that which
48 was identified at birth have been going through such hard situations. Their true identity as third
49 gender person is ignored by family, society and state.^{4,5}

50 Transgender persons suffer significant health disparities in multiple areas. Real or perceived
51 stigma and discrimination within biomedicine and the health care provision in general may
52 impact transgender people’s desire and ability to access appropriate care. Transgender women

(male to female) are internationally recognized as a population group that carries a disproportionate burden of HIV infection, with a worldwide HIV prevalence of 20%.^{6, 7}

Comment [C2]: Corrected

Few studies have examined the issues faced by lesbian, gay, bisexual and Transgender (LGBT)-prevented families in relation to their access to and satisfaction with health care services for their Children. It is thought that LGBTI individuals have experienced negative interactions with the health care environment. Four studies that met the inclusion criteria were identified. Studies show that while the experience of LGBTI parents seeking health care was largely positive, strategies need to be implemented to improve the quality of health care services for LGBT families and ensure that their needs are met. Thus, our study tries to access the social life of LGBTI.⁸

Comment [C3]: Corrected

Methods

The research design selected for the study was descriptive, cross-sectional survey design to assess the social life of LGBTI. Population comprised of 188 purposively selected LGBTI at Blue Diamond Society, Dhumbarahi, Kathmandu, Nepal. The tool used for data collection was structured questionnaire to assess social life of LGBTI. Section 1 contained Socio-demographic questions and Section 2 contained Questions related to social life of LGBTI.

Comment [C4]: Corrected

The data collection was done after stating the purpose of the study and formal administrative approval obtained from the concerned authority as well as written consent from the respondent. The participants were ensured confidentiality of information and the questionnaire was filled by face to face interview technique. The collected data was entered on SPSS for the further descriptive analysis.

Results

Table 1: Socio-demographic information of the respondents. n=188

Socio-demographic information	Frequency (n)	Percentage (%)
Age(years)		
15-20	51	27.1
20-25	75	39.9
25-30	41	21.8

Above 30	21	11.25
Types of Transgender		
Transgender male	53	28.2
Transgender female	54	28.7
Gay	43	22.9
Lesbian	38	20.2
Educational Status		
Literate	150	79.8
Illiterate	38	20.2
If literate		
Primary	74	39.4
Secondary	42	22.3
Higher secondary	28	14.9
Bachelor	6	3.2
Cast		
Bhramin	30	16.0
Chhetri	69	36.7
Newar	22	11.7
Kirat	10	5.3
Other	29	15.4
Tamang	22	11.7
Magar	6	3.2
Economic status		
Sufficient for 1 month	127	67.6
Insufficient for 1 month	61	32.4

76

77 Table 1 Illustrates that, most (39.9%) of the respondents were between 20-25 years. Majority
78 (79.9%) were literate and majority(87.2%) were Hindu. Likewise (28.2%) were transgender
79 male, (28.7%) were transgender female, (22.9%) were gay and (20.2%) were lesbian. One-
80 third(36.7%) of the respondents were Chhetri and more than fifty percent (67.6%) of the
81 respondent's income status were insufficient for 1 month.

82 **Table 2: Health and health facilities provided to LGBTI** n=188

Questions regarding health facilities	Frequency (n)	Percentage (%)
Concerned about health		
Yes	57	30.3
No	131	69.7
If yes,		
Fear of getting HIV	57	30.3

Worried that you might not get access to health care		
Yes	52	27.2
No	136	72.3
Use drugs to cope with any societal issues regarding gender		
Yes	9	4.8
No	179	95.3
If yes, Alcohol	9	4.8
Visiting hospitals while having health problems		
Yes	188	100
Health facility in the hospital		
No	188	100
Get free health services in the hospital		
No	188	100
Differences in the health facility between LGBTI and other people		
No	188	100

83

84 Table 2 Illustrates that, one third (30.3%) of the respondent were concerned about their health
85 because of fear of getting HIV, one third (27.2%) of the respondents were worried for not getting
86 access to health care and (4.8%)used alcohol to cope with issues regarding gender, all(100%) of
87 the respondents visited hospitals if they had health problem, all (100%) of the respondent faced
88 that they do not have health facility in the hospital, all (100%) of the respondents did not feel
89 differences in the health facility between LGBTI and other people.

90 **Table 3: Problems faced by LGBTI** n=188

Problems faced by LGBTI	Frequency (n)	Percentage (%)
Difficulty walking outside the society		
Yes	188	100
If yes,		

Due to gender identity	188	100
Making friends easily in the society		
Yes	185	98.4
No	3	1.6
Difficult to adjust beside your society		
Yes	188	100
If yes		
Due to gender identity	188	100
Happy with how people appreciate you as you are		
Yes	188	100
Difficult to cope with the family members		
Yes	50	26.6
No	138	73.4
If yes,		
Due to gender identity	50	26.6

91
92 Table 3 Illustrates that, all(100%) of the respondents had difficulty walking outside the society,
93 almost all (98.4%) could make friends easily in the society and (100%) of the respondent have
94 difficult to adjust beside their own society, all (100%) of the respondents are happy with how
95 people appreciate them as they are and 26.6% of the respondents feel difficult to cope with the
96 family members.

97
98 **Table 4: Laws and opportunity provided to LGBTI to upgrade their self image** n=188

Laws and opportunity provided to LGBTI	Frequency (n)	Percentage (%)
Working in the Blue Diamond society has helped you to change your image		
Yes	114	60.6
No	74	39.4
If yes,		
Helps to understand self as what we are	114	60.6
Afford to use expenses on your own		
Yes	91	48.4

No	97	51.6
If yes, Working in the Blue Diamond society	91	48.4
Job opportunity in the society		
No	188	100
If no, Due to gender identity	188	100
Happy with the gender identity implemented laws in Nepal		
Yes	155	61.2
No	73	38.8
If no, Not implemented yet	73	38.8

99

100

101 Table 4 illustrates that, about (60.6%) of the respondents accept that Blue diamond society helps
102 them to change their image. Similarly, more than fifty percent (51.6%) of the respondent can
103 afford to use expenses on their own and around fifty percentage, all (100%) of the respondents do
104 not have job opportunity in the society, one third of the respondents (38.8%) are not happy with
105 the implemented laws.

106

107 Discussion

108 The objectives of this study was to determine the social life of lesbian, gay, bisexual, transgender
109 and intersex of the selected organization of the Kathmandu valley.

110 In this study, 28.2% were Transgender male, 28.7% were Transgender female, 22.9% were gay
111 and 20.2% were lesbian. Whereas, in the study conducted by the national center for Transgender
112 Equality (Healthcare article 2015) 18% were gay, lesbian or same-gender-loving, 15% were
113 straight, 14% were bisexual and 10% were asexual.⁹

114 In this study, one third (27.2%) of the respondents were worried for not getting access to
115 healthcare, Whereasin the study conducted by Colpitts on 2016 shows different ways in which
116 transgender maintain their own health and wellness across the life course.¹⁰

117 In this study all (100%) of the respondents do not feel differences in the health facility between
118 LGBTI and other people. Whereas, the result is contrast tothe study conducted by Walker RV on
119 2017 where study was done on Transgender and gender nonconforming (TGNC) persons who
120 have routinely experienced high rates of violence and discrimination while seeking healthcare.¹¹
121 Also, a large LGBT health care survey revealed that 56% of gay patients and 70% of
122 Transgender suffered some type of discrimination while seeking healthcare.¹²

123 In this study, it is found that 73.4% of the respondents have difficulty coping with the family
124 members.This result is also consistent with the study conducted by Ramakrishna J on 2016
125 which shows gender-based Victimization, discrimination, bullying, violence, being rejected by
126 the family friends and community.¹³

127 In this study 4.8 % of the respondents use alcohol to cope with any societal issues regarding
128 gender similarly a US sample of 1093 transgender persons also use alcohol or drug to cope with
129 mistreatment, and 41% report having attempted suicide.¹⁴

130 **5.2 Conclusions:-**

131 The descriptive study was conducted to determine the social life of LGBTI living at Blue
132 Diamondsociety. Total no. of 188 respondents was taking part in the study. Data was analyzed
133 using descriptive method using SPSS program.

134 The above results concluded that interventional studies on this topic are needed to conduct for
135 improvement of social life of LGBTI. Awareness programme should be conducted in the society
136 and through the media as well. It is important that future health research taken an intersectional,
137 strengths-based perspective in an effort to highlight the factors that promote LGBTQ health and
138 wellness across the life course while taking into account the social determinants of health.

139 **Conflict of Interest:** None declared

140 **Ethical approval:** The study was approved by the Department of Research and Development ,
141 Asian College for Advance Studies , Purbanchal University, Nepal.

142 **References**

- 143 1. What does it mean to be transgender. Human Rights Campaign.
144 (2016)<https://www.hrc.org/resources/understanding-the-transgender-community>
- 145 2. Healthcare article (2015). A National Transgender Discrimination Survey conducted by
146 national center for Transgender Equality
- 147 3. Third gender in Nepal: Struggling for their existence. USHA K.C. (2012)
148 [https://www.worldpulse.com/encommunity.users/usha kc/posts](https://www.worldpulse.com/encommunity.users/usha%20kc/posts).
- 149 4. Wei HT, Chen MH (2015) Fostering LGBT friendly healthcare service. Hu Li Za Zhi 22-
150 8 doi: 10.6224
- 151 5. Bradford J.B., Putney J.M., B.L. Shepard BL (2016), Healthy aging in community for
152 older Lesbians. LGBT Health. 109-15, doi :- 10.1089
- 153 6. Dermott MC, Hughes E., Rawlingsv (2017) Corrigendum: The social determinants of
154 lesbian, gay, bisexual and transgender youth suicidality in England, a mixed method
155 study. J Public Health. doi:- 10.1093
- 156 7. Outcome and preference in male-to female subjects with gender dysphoria. Experimental
157 from eastern India. Anubhav Rathi.
158 (2014)<https://www.researchgate.net/publication/312013615>.
- 159 8. Blackwood D, Shields L, Zappia T. (2012). Lesbian, gay, bisexual and transgender
160 parents seeking health care for their children, a systematic review of the literature doi:
161 10.1111/j.1741-6787
- 162 9. Healthcare article (2015). A National Transgender Discrimination Survey conducted by
163 national center for Transgender Equality
- 164 10. Colpitts, J. Gahagan 2016, "I feel like I am surviving the health care system",
165 understanding L.G.B.T. health in Nova Scotia, Canada. BMC Public Health Sep 22, 2016
166 (1):-1005
- 167 11. Walker Rv, Powers SM, Written TM (2017). Impact of Anticipated Bias from Healthcare
168 Professionals on Perceived and Gender Nonconfirming older Adults. LGBT Health. 427-
169 433 doi: 10.1089

12. Wei HT, Chen MH (2015) Fostering LGBT friendly healthcare service. Hu Li Za Zhi 22-8 doi: 10.6224
13. Virupaksha HG, Muralidhar D, Ramakrishna J. (2016) Suicide and suicidal Behavior among Transgender Persons. Indian j PsycholMed. 505-508 doi: 10.4103
14. Outcome and preference in male-to female subjects with gender dysphoria. Experimental from eastern India. Anubhav Rathi. (2014)<https://www.researchgate.net/publication/312013615>.