

SCIENCEDOMAIN international www.sciencedomain.org

SDI EDITORIAL COMMENTS FORM

EDITORIAL COMMENT'S on revised paper (if any)	Authors' response to editor's comments
 Here are my comments with reference to the manuscript entitled ASSOCIATION OF DEPRESSION, ANXIETY AND STRESS IN MEDICAL STUDENTS STUDYING IN MODULAR, SEMESTER AND ANNUAL EXAMINATION SYSTEM. 1. The article can be renamed as "A PILOT STUDY OF ASSOCIATION OF DEPRESSION, ANXIETY AND STRESS IN MEDICAL STUDENTS STUDYING IN MODULAR, SEMESTER AND ANNUAL EXAMINATION SYSTEM IN A DISTRICT IN PAKISTAN" 	It was not a pilot study as it has a big sample size, and it was not conducted in same district.
2. Written in the methodology section that " Participants were recruited using multi stage sampling technique. My main concern is sampling technique because it was mentioned as multistage yet it was not explained.	Corrections are incorporated.
3. Random selection of students was performed, 50% population of each class were randomly selected on the basis of their willingness to become the participant of study. Taking samples of students who agree to answer the questionnaire is purposive sampling not random sampling. Could the authors please elaborate the sampling technique. Is it like this:	As taking consent from the study participants is the key feature of all sampling techniques. We selected students randomly and took their consent if any was not agreed to participate in the study the next student was selected randomly.
Level 1: Medical schools in Sindh Pakistan divided into modular, semester and annual examination system (total how many medical schools in each category and how were these sampled? Systematic or Random)	Colleges with concerned examination systems were requested for data collection, the colleges which agreed for data collection were selected. Already described in methodology about random selection
Level 2: After sampling one school for each type of examination system you pick those in year 1,2 and 3. You randomly pick 50% of the classhow is this done, using random numbers or you put the names in a box and pick up 50%.	Already mentioned that participants were selected using random numbers
Level 3: Only those who agree to the study answer the questionnaire. What about consent? Was it taken. Did this questionnaire pass the research ethics board of the university?	Added
4. Multistage is a type of sampling which involves dividing the population into groups (or clusters). Then, one or more clusters are chosen at random and everyone within the chosen cluster is sampled.	Done
5. Constructing the clusters is the first stage. Deciding what elements within the cluster to use is the second stage. The technique is used frequently	Done

SCIENCEDOMAIN international www.sciencedomain.org



SDI EDITORIAL COMMENTS FORM

when a complete lig	st of all members of the p	onulation does	s not exist and is	
inappropriate.				
study as there were	emographic characterist many things do discuss the sociodemographic o ple below:	s on as answer	ed by the author	it was a long article with 4 tables and one more table regarding demographic data was excluded intentionally as many studies already have focused on association o genders and ethnicity with stress and anxiety.
Socio-demographic charac	cteristics of the responde	ents		
Description		Count (n)	Percentage (%)	
Year of MD program	Year 3	24	27.0%	
	Year 4	37	41.6%	
	Year 5	28	31.5%	
Gender	Male	49	55.1%	
	Female	40	44.9%	
Race	Malay	46	51.7%	
	Chinese	15	16.9%	
	Indian	26	29.2%	
	Other	2	2.2%	
Number of siblings	No Siblings	3	3.4%	
	1-2 Siblings	15	16.9%	
	3-4 Siblings	44	49.4%	
	5 And More Siblings	27	30.3%	
Siblings of adolescent age	No	22	34.4%	

SCIENCEDOMA

SCIENCEDOMAIN international www.sciencedomain.org

SDI EDITORIAL COMMENTS FORM

	Yes	42	65.6%
Marital status of parents	Married	78	87.6%
	Divorced	5	5.6%
	Widowed	5	5.6%
	No Parents	1	1.1%
7. A summary like the a that answered the qu type of dwelling, who on depression, anxie	uestions. This is b ether parents are o	because gender, n	umber of siblings,