SCIENCEDOMAIN international

www.sciencedomain.org



SDI Review Form 1.6

Journal Name:	International Journal of Research and Reports in Dentistry
Manuscript Number:	Ms_IJRRD_50735
Title of the Manuscript:	Evaluation of the efficiency of light-curing devices used in private dental offices in Tehran in 2016
Type of the Article	Case study

General guideline for Peer Review process:

This journal's peer review policy states that <u>NO</u> manuscript should be rejected only on the basis of '<u>lack of Novelty'</u>, provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(http://www.sciencedomain.org/page.php?id=sdi-general-editorial-policy#Peer-Review-Guideline)

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<u>Compulsory</u> REVISION comments	Few references are old and they should be replaced with the new once.	
Minor REVISION comments	 Arrange text/ paragraphs according to literature. Title can be more attractive. 	
Optional/General comments	Grammatical errors	

PART 2:

Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight
	that part in the manuscript. It is mandatory that authors should write his/her
	feedback here)

Created by: EA Checked by: ME Approved by: CEO Version: 1.6 (10-04-2018)

SCIENCEDOMAIN international www.sciencedomain.org



SDI Review Form 1.6

Are there ethical issues in this manuscript?	(If yes, Kindly please write down the ethical issues here in details)	

Reviewer Details:

Name:	Muhammad Wasif Saleem
Department, University & Country	Ziauddin University, Pakistan

Created by: EA Checked by: ME Approved by: CEO Version: 1.6 (10-04-2018)